

# SUMMARY OF LITIGATION CASES

## handled by

Warren F. Davis, Ph.D.

**Davis Associates, Inc.**  
43 Holden Road  
Newton, MA 02465-1909

Tel. 617-244-1450 – FAX 617-964-4917

December 5, 2011

## CONTENTS

Stanley cases - Active .....	2
Stanley cases - Inactive .....	12
Horton cases - Active .....	28
Horton cases - Inactive .....	33
Besam cases - Active .....	39
Besam cases - Inactive .....	45
Gyro-Tech/Lanson/NABCO cases - Active .....	59
Gyro-Tech/Lanson/NABCO cases - Inactive .....	60
Dor-O-Matic/Ingersoll-Rand/LCN Closers cases - Active .....	63
Dor-O-Matic/Ingersoll-Rand/LCN Closers cases - Inactive .....	66
Keane Monroe/KM Systems, Inc., cases - Active .....	70
Keane Monroe/KM Systems, Inc., cases - Inactive .....	71
Boon Edam, Inc. cases - Active .....	72
Boon Edam, Inc. cases - Inactive .....	73
Miscellaneous cases - Active .....	76
Miscellaneous cases - Inactive .....	79

## Stanley cases – Active

Case:	Lucy Allen vs. Wells Community Hospital, The Stanley Works, and Automated Entrances, Inc.; State of Indiana, Wells County Circuit Court, Cause No. 90C01-9604-CP-48				Seq. No. 1
Attorney:	Daniel J. Sigler ZWICK & SIGLER 227 South Second Street P. O. Box 231 Decatur, IN 46733-1666				219-728-9666
Equipment:	Stanley sliding door with Stan-Ray™ and Stan-Guard™ sensors.				
Description:	93 year old woman struck and knocked down by prematurely closing sliding door.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Augustus v. Builder's Square, Inc.				Seq. No. 2
Attorney:	Stacey D. Mullins ROMANO, ERIKSEN & CRONIN 1655 Palm Beach Lakes Blvd., Suite 901 West Palm Beach, FL 33401-2225				561-533-6700
Equipment:	Stanley Dura-Glide™ 3000 with Stan-Ray™ motion and Stan-Guard™ presence sensors				
Description:	Woman in early 50's struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Leroy Hayes, etc. v. K-Mart Corporation, et al., Case No. 93 CV 110048				Seq. No. 3
Attorney:	Carl F. Noll NOLL & SCARBERRY Spitzer Park Plaza 511 Broad Street Elyria, OH 44035-5531				216-322-8018
Equipment:	Stanley swinging doors using control mats.				
Description:	Woman struck by prematurely closing door leading to her death				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Carmela M. Vitale and Alberto Vitale v. Dayton Hudson Corporation, d/b/a Target Stores, and The Stanley Works and Stanley Magic-Door, Inc.				Seq. No. 4
Attorney:	Douglas D. Small FOLEY & SMALL 1002 East Jefferson Blvd. South Bend, IN 46617-3106				219-288-7676
Equipment:	Stanley double swinging doors equipped with dual Sentrex™ sensors per panel per side and, apparently, BEA, Inc. K-band microwave motion sensors.				
Description:	Elderly woman struck while using a walker exiting a Target store through the interior set of swinging doors of vestibule.				
Deposition:	6/18/99	Trial:		Outcome:	May have settled.

## Stanley cases – Active

Case:	Elsie Wolf <i>v.</i> Best Western Seaway Inn, The Stanley Works, a/k/a Stanley Access Technology, and Dor-O-Matic of the Gulf states.				Seq. No. 5
Attorney:	Mark W. Davis DAVIS & FEDER 2210 Pass Road Gulfport, MS 39501-4905				601-863-6000
Equipment:	Stanley biparting sliding door using Stan-Guard™ presence sensor and Stan-Ray™ microwave motion sensor, and motion sensor of another manufacturer.				
Description:	Plaintiff was struck, knocked down and permanently injured by prematurely closing doors on attempting to enter the Best Western Seaway Inn.				
Deposition:	4/22/98	Trial:		Outcome:	May have settled.

Case:	Helen Kubach <i>v.</i> Rite Aid, Inc.				Seq. No. 6
Attorney:	Kent B. Schneider Herman Cahn & Schneider L.L.P. 1301 East Ninth Street, Suite 500 Cleveland, OH 44114-1876				216-781-5515
Equipment:	Stanley bi-parting sliding door actuated by K-band Stan-Ray™, and Stan-Guard™ sensors.				
Description:	Elderly woman struck by sliding door as she entered Rite Aid store on August 28, 1999.				
Deposition:		Trial:		Outcome:	

Case:	Pacini <i>v.</i> Stanley Magic Door, Inc.				Seq. No. 7
Attorney:	John W. Caldwell, Jr. Bond, Botes & Caldwell, P.C. P. O. Box 220630 El Paso, TX 79913-				915-544-3500
Equipment:	Stanley sliding door at entrance to hospital.				
Description:	Elderly woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	

Case:	Al Kascsak <i>vs.</i> Super Target, <i>et al.</i>				Seq. No. 8
Attorney:	James J. Cramer Payne & Jones, Chtd. College Boulevard at King, 11000 King Overland Park, KS 66225-5625				913-469-4100
Equipment:	Stanley swinging doors with Sentrex™ sensors.				
Description:	72 year old man struck by door while leaving Super Target store.				
Deposition:		Trial:		Outcome:	

## Stanley cases – Active

Case:	Elizabeth and Edward Rivera <i>v.</i> Publix Super Markets, Inc. and Stanley Works Circuit Court; Seventeenth Judicial Circuit; Broward County, FL; Case No. 01-007569 03				Seq. No. 9
Attorney:	Lawrence P. Zolot 3864 Sheridan Street Hollywood, FL 33021-3634				954-745-2100
Equipment:	Stanley series 3000, Model 9-3348, bi-parting sliding doors with Stan-Ray™ and Stan-Guard™ sensor .				
Description:	Woman struck and injured while attempting to enter store.				
Deposition:	5/2/03	Trial:		Outcome:	

Case:	Deborah Silver, <i>et al.</i> <i>v.</i> Walgreens Eastern Co., Inc. Middlesex Superior Court Civil Action No. 01-0401				Seq. No. 10
Attorney:	Leslie E. Bloomenthal Bloomenthal & Associates, P.C. 50 Congress Street, Suite 710 Boston, MA 02109-4002				617-523-5000
Equipment:	Stanley Dura-Glide™ sliding door with BEA, Inc., motion sensors and Stan-Guard™ presence sensor.				
Description:	Woman in 30's struck by sliding door as she was entering building.				
Deposition:		Trial:		Outcome:	

Case:	Delliquadri <i>v.</i> PETCO Animal Supplies, Inc., <i>et al.</i> District Court, Adams County, Colorado; Case No.: 03 CV 650				Seq. No. 11
Attorney:	Robert S. Anderson Ireland Stapleton Pryor Pascoe, P.C. 1675 Broadway, Suite 2600 Denver, CO 80202-4626				303-623-2700
Equipment:	Stanley bi-parting sliding door.				
Description:	73 year old man struck by sliding door as he was entering store on August 26, 2002.				
Deposition:	12/10/04	Trial:		Outcome:	

Case:	Julia Cain <i>vs.</i> Revco Discount Drug Centers, <i>et al.</i> Court of Common Pleas, Summit County, OH; Case No. CV2002-08-4542				Seq. No. 12
Attorney:	Frank G. Forchione 500 Courtyard Centre 116 Cleveland Avenue, NW Canton, OH 44702-1729				330-453-7676
Equipment:	Stanley bi-folding door actuated by microwave motion sensors and IR presence sensor.				
Description:	Woman struck repeatedly by bi-folding door as she was entering store on August 27, 2000.				
Deposition:	9/17/04	Trial:		Outcome:	

## Stanley cases – Active

Case:	Helen Pritchard <i>v.</i> Target Stores, Inc., Stanley Works, Inc., and Stanley Security Solutions, Inc.; In the Circuit Court of the City of Chesapeake, Virginia; Case No. CL05001594-00				Seq. No. 13
Attorney:	David A. Hearne Outland, Gray, O'Keefe & Hubbard 112 Coastal Way Chesapeake, VA 23320-4604				757-547-0171
Equipment:	Stanley swinging door with Stan-Ray™ X-band motion sensor and BEA, Inc., Bodyguard™ and LO-21.				
Description:	Elderly woman struck by swinging door while entering Target store.				
Deposition:		Trial:		Outcome:	

Case:	Jenen Klunck <i>vs.</i> K-mart				Seq. No. 14
Attorney:	Edward R. Blumberg Deutsch & Blumberg, P.A. 100 North Biscayne Boulevard, Suite 2802 Miami, FL 33132-2393				305-358-6329
Equipment:	Stanley sliding door.				
Description:	Woman stuck and injured by “back” edge of sliding door as it opened.				
Deposition:		Trial:		Outcome:	

Case:	Kikuko Zutrau Miyazaki <i>v.</i> The Stanley Works and CVS Corporation Middlesex County Massachusetts, Middlesex Superior Court, C.A. No.: 06-1903				Seq. No. 15
Attorney:	David P. Angueira Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490				617-742-1900
Equipment:	Stanley bi-folding door with BEA, Inc., VG-037/87 microwave motion sensors, Stanley Stan-Guard™ presence sensor and Optex Technologies, Inc., Pro-Swing™ (OA-603) presence sensor.				
Description:	Woman struck and injured by closing door.				
Deposition:	3/28/08	Trial:	10/7/08	Outcome:	

Case:	Mable Jo Grost <i>v.</i> Stanley Access Technologies, L.L.C., and Safeway, Inc., d/b/a Tom Thumb Food & Pharmacy				Seq. No. 16
Attorney:	James D. Loftis Loftis & Associates, P.A. 225 North Peters, Suite 1 Norman, OK 73069-7232				405-366-1400
Equipment:	Stanley Dura-Glide 2000 bi-parting slider with hold open beams and BEA, Inc., Wizard™ sensors.				
Description:	80 year old woman struck while entering Safeway, Inc., store.				
Deposition:		Trial:		Outcome:	

## Stanley cases – Active

Case:	Kathryn and Jeff Erhard <i>vs.</i> Lowe’s Home Improvement				Seq. No. 17
Attorney:	Brandon R. King Smith, Sovik, Kendrick & Sugnet, P.C. 250 Clinton Street, Suite 600 Syracuse, NY 13202-1252				315-474-2911
Equipment:	Stanley bi-parting sliding door with SU-100 microwave motion sensors, Stan-Guard™ presence sensor and dual hold open beams.				
Description:	Sliding door panel opened over and injured child’s foot.				
Deposition:		Trial:		Outcome:	

Case:	Ronald Turtora <i>v.</i> Stanley Access Technologies, <i>et al.</i> ; Superior Court of New Jersey Law Division, Monmouth County, Docket No. MON-L-2819-05				Seq. No. 18
Attorney:	Thomas F. Shebell, III Shebell & Shebell, L.L.C. West Shore Plaza 1398 Highway 35 South Ocean, NJ 07712-3522				732-663-1122
Equipment:	Key operated Stanley bi-parting sliding door utilizing Stanley Stan-Guard™ presence sensor and a Detection Systems/Bosch DS150i passive far infrared (thermal) request-to-exit sensor. No other sensors.				
Description:	Door closed on, and injured, Plaintiff while standing on threshold.				
Deposition:		Trial:		Outcome:	

Case:	Joseph Ford <i>v.</i> K-Mart & The Stanley Works; U.S. District Court; District of New Jersey; Civil Action No. 1:06-CV-2251 (RBK)				Seq. No. 19
Attorney:	David K. Long David K. Long & Associates 1555 Zion Road, Suite 100 Northfield, NJ 08225-1860				609-645-8585
Equipment:	Stanley Magic Swing door with Sentrex™ sensors.				
Description:	Man struck by leading edge of the subject door as he was about to clear the door closing path.				
Deposition:		Trial:		Outcome:	

Case:	Dorothy Hopper <i>v.</i> K-Mart Corp., Stoner Electric, Inc., Halma Holdings, Inc., The Stanley Works, and BEA, Inc.; Circuit Court, Multnomah County, Oregon; Case No. 0608-08345				Seq. No. 20
Attorney:	Joshua Shulman Law Office of Joshua Shulman, LLC 520 SW Sixth Avenue, Suite 920 Portland, OR 97204-1513				503-224-2424
Equipment:	Stanley dual panel swinging door originally actuated by control mats.				
Description:	87 year old woman struck by door while entering K-Mart.				
Deposition:		Trial:		Outcome:	

## Stanley cases – Active

Case:	Mona Asbed <i>vs.</i> St. John's Mercy Medical Center; Circuit Court of St. Louis County, MO Cause No. 07CC-002506; Division 18			Seq. No. 21
Attorney:	Thomas P. Germeroth Kolker and Germeroth, L.L.C. 7730 Carondelet Avenue, Suite 310 St. Louis, MO 63105-3328			314-727-4529
Equipment:	Stanley Dura-Glide™ 5300 telescoping door with SU-50 and Stan-Ray™ (X-band) motion sensors and Stan-Guard™ presence sensor.			
Description:	Closed on woman, knocking her down.			
Deposition:	3/30/11	Trial:		Outcome:

Case:	Mary Lyons <i>vs.</i> CVS - Stoughton, MA.			Seq. No. 22
Attorney:	Shawn P. O'Rourke Barron & Stadfeld, P.C. 100 Cambridge Street, Suite 1310 Boston, MA 02114-2548			617-531-6583
Equipment:	Stanley bi-folding door.			
Description:	Elderly woman using cane exiting struck by door as it closed.			
Deposition:		Trial:		Outcome:

Case:	Carol A. McCowan as Personal Representative of the Estate of Mary C. Walker, Deceased, and Carol A. McCowan and James T. Walker, Individually as Statutory Wrongful Death Beneficiaries of Mary C. Walker, Deceased, <i>v.</i> Albertson's, Inc., Continental Automatic Doors of El Paso, Inc., and Stanley Access Technologies, Inc.; In County Court Number Three; El Paso, Texas; Cause No. 2007-3423			Seq. No. 23
Attorney:	Leon Schydlower Attorney at Law 303 Texas Avenue, 9th Floor El Paso, TX 79901-1456			915-532-0900
Equipment:	Stanley Dura-Glide™ 3000 door.			
Description:	Elderly woman stuck by sliding door and consequently died.			
Deposition:		Trial:		Outcome:

Case:	Gertrude V. Hill <i>v.</i> The Stanley Works; In the Circuit Court for Davidson County, Tennessee at Nashville; Case No. 3 08 0284			Seq. No. 24
Attorney:	Rocky McElhaney Rocky McElhaney Law Firm 1311 Sixth Avenue North Nashville, TN 37208-2603			615-425-2500
Equipment:	Stanley Double Diamond™ sliding door with hold open beams.			
Description:	Woman in late 80's using walker struck by sliding door while exiting from Home Depot store.			
Deposition:	11/20/08	Trial:		Outcome:

## Stanley cases – Active

Case:	Leila Haines <i>vs.</i> Carriage House Motor Inn, Ltd., John Does 1-6, and ABC Corporations 1-6 In the Court of Queen's Bench of Alberta, Judicial District of Calgary, Canada Action No.: 0701-08846			Seq. No. 25
Attorney:	Paul Newcombe Newcombe Law Office 303, 6707 - Elbow Drive, S.W. Calgary, Alberta Canada T2V 0E5			403-253-2100
Equipment:	Stanley Dura-Glide™ 3000, hold open beams, microwave motion sensors, and Stan-Guard™ presence sensor.			
Description:	Woman using cane struck while entering through inner door of vestibule.			
Deposition:		Trial:		Outcome:

Case:	Kathleen A. Maerten <i>vs.</i> Rite Aid Corporation Superior Court of New Jersey, Law Division; Burlington County; Docket No. BUR-L-882-07			Seq. No. 26
Attorney:	Uri H. Taenzer Taenzer, Ettenson, Stockton & Aberant, P.C. 123 North Church Street Moorestown, NJ 08057-2424			856-235-1234
Equipment:	Stanley sliding door.			
Description:	Door closed on woman as she was entering through the inner door of a vestibule.			
Deposition:		Trial:		Outcome:

Case:	Kurz <i>v.</i> Blain Supply, Inc., and/or Farm & Fleet of Rockford, Inc. Case No. 2009-L-382 (Winnebago County, Illinois)			Seq. No. 27
Attorney:	Robert A. Fredrickson Reno & Zahm 2902 McFarland Road, Suite 400 Rockford, IL 61107-6801			815-987-4050
Equipment:	Stanley swinging door.			
Description:				
Deposition:		Trial:		Outcome:

Case:	Mary Goolsby <i>vs.</i> Bed, Bath & Beyond, Inc., d/b/a Bed, Bath & Beyond Store #628, The Stanley Works, Stanley Access Technologies, LLC, and Engle Martin & Associates, Inc. In the Circuit Court of the Twelfth Judicial Court; Will County, Illinois; No. 08 L 231			Seq. No. 28
Attorney:	Glenn C. Ronaldson Ronaldson and Kuchler, LLC 205 West Wacker Drive, Suite 1015 Chicago, IL 60606-1453			312-425-2600
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stan-Guard™ presence sensor, Stanley SU-100 microwave motion sensors and a single hold open beam.			
Description:	Woman using a walker struck and injured by door.			
Deposition:	4/29/10	Trial:		Outcome:

## Stanley cases – Active

Case:	Marlys Harnar <i>v.</i> Stanley Access Technologies, Affiliated Foods Southwest, Harvest Foods, and Mid South Automatic Door; Circuit Court of Pulaski County, Arkansas; Third Division No. CV-2008-9535				Seq. No. 29
Attorney:	Robert L. Scull Law Office of Peter A. Miller 1601 South Broadway Street Little Rock, AR 72206-1218				501-374-6300
Equipment:	Stanley bi-parting slider.				
Description:					
Deposition:	9/27/10	Trial:		Outcome:	

Case:	Lisa Caines and Perry Caines <i>vs.</i> Rite-Aid of Pennsylvania, Inc., d/b/a Rite-Aid Pharmacy and Besam U.S., Inc.; Court of Common Pleas, Lackawanna County, PA; Civil Action No. 4391-CIV-2008				Seq. No. 30
Attorney:	Thomas E. Lucas, Jr. O'Malley & Langan, P.C. 426 Mulberry Street Scranton, PA 18503-1500				570-344-2667
Equipment:	Stanley Dura-Glide™ bi-parting slider with SU-050 motion sensors and Stanguard™ presence sensor.				
Description:	40 year old woman struck by door while entering store.				
Deposition:		Trial:		Outcome:	

Case:	Tommie Lou Baxter <i>v.</i> SJS Management d/b/a Holiday Inn Express, <i>et al.</i> In the Circuit Court of Saline County Arkansas, Third Division; Cause No. CV-08-1198-3				Seq. No. 31
Attorney:	J. Brandt Thorson Mayfield Weedon, L.L.P. 208 North Green Street, Suite 200 Longview, TX 75601-7321				903-757-9600
Equipment:	Stanley bi-parting sliding door.				
Description:	Woman struck by subject door and seriously injured while entering building.				
Deposition:		Trial:		Outcome:	

Case:	Frederick L. Kozlowski and Farrah Mahan <i>v.</i> Ride Aid of Pennsylvania, Inc.; Court of Common Pleas, Philadelphia County, Pennsylvania; November Term, 2009; No. 2216				Seq. No. 32
Attorney:	Anthony J. Giosa Giosa & Hetznecker, P.C. 1900 Spruce Street Philadelphia, PA 19103-6697				215-735-6464
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	Man struck and injured by door while exiting.				
Deposition:		Trial:		Outcome:	

## Stanley cases – Active

Case:	David A. Geissinger <i>v.</i> Lowe's Home Centers, Inc., <i>et al.</i> Case No. 10-47027-NO			Seq. No. 33
Attorney:	Eric C. Grimm Williams, Hughes & Cook, PLLC 120 West Apple Avenue P. O. Box 599 Muskegon, MI 49443-0599			231-726-4857
Equipment:	Stanley Double-Diamond™ sliding door.			
Description:	Door closed on plywood on carrying rack, injuring Plaintiff.			
Deposition:		Trial:		Outcome:

Case:	George Pritchard <i>vs.</i> Stanley Access Technologies, LLC, and Wal-Mart Stores East, LLP U. S. District Court, District of Massachusetts, Docket No. 1:08-cv-11762			Seq. No. 34
Attorney:	John L. Collins Hamel, Waxler, Allen & Collins 7 North Sixth Street P. O. Box 6000 New Bedford, MA 02740-6000			508-993-8000
Equipment:	Stanley Dura-Glide 3000™ bi-parting sliding door.			
Description:	Plaintiff ran into edge of door as it closed on him while exiting from building.			
Deposition:	8/12/10	Trial:		Outcome:

Case:	Estate of Frank Palo, deceased, by Rose Palo, <i>vs.</i> Home Depot, Stanley Access Technologies; Stanley Inc.; Stanley Works, Inc.; ABC Corps #1-10, John Does #1-10, and Jane Does #1-10; U.S. District Court, District of New Jersey; Civil Action No. 3:09-cv-6175			Seq. No. 35
Attorney:	Peter J. DeFrank Gill & Chamas, L.L.C. P. O. Box 760 Woodbridge, NJ 07095-0760			732-510-2311
Equipment:	Stanley Dura-Glide™ 3000 bi parting slider with Optex OA-203C presence sensors, SU-100 motion sensors and dual hold open beams.			
Description:	Man using cane struck and knocked down by door while entering Home Depot and died as a consequence.			
Deposition:		Trial:		Outcome:

Case:	Kay L. Winningham and Mike Winningham <i>vs.</i> United States of America, U.S. District Court for the Eastern District of Oklahoma; Case No. CIV 11-135-JHP			Seq. No. 36
Attorney:	James T. Branam Dennis & Branam 115 West Main Street Antlers, OK 74523-2029			580-298-5082
Equipment:	Stanley bi-folding door with VG-037/87/C motion sensor(s) and Optex presence sensor.			
Description:	Door opened into woman, knocking her down and causing her injuries.			
Deposition:		Trial:		Outcome:

## Stanley cases – Active

Case:	Joyce Griego <i>vs.</i> ABQ South LLC, Automatic Door Distributors, Inc.; ISBS, LLC; and Stanley Access Technologies, LLC, a division of The Stanley Works; 2 <sup>nd</sup> Judicial District Court, Bernalillo County, NM; Case No.: CV-2010-05294				Seq. No. 37
Attorney:	Alexander A. Wold Alexander Wold & Associates, P.C. 302 Silver Avenue, S.E. Albuquerque, NM 87102-3546				505-242-3444
Equipment:	Stanley Dura-Glide™ 2000 single panel sliding door. ID = A379973				
Description:	Woman injured when door panel allegedly fell off track.				
Deposition:	12/5/11	Trial:		Outcome:	

Case:	Lila Kos <i>vs.</i> Besam US, Inc., and Target Corporation; U.S. District Court for the Southern District of Florida; Case No.: 11-60889-CIV-Dimitrouleas				Seq. No. 38
Attorney:	Joseph I. Lipsky Law Office of Joseph I. Lipsky, P.A. 1200 South Pine Island Road, Suite 320 Plantation, FL 33324-4463				954-693-0073
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with BEA, Inc., Wizard™ sensors.				
Description:	90 year old woman struck and injured when attempting to enter building through subject door.				
Deposition:		Trial:		Outcome:	

Case:	Jeanette Devoti <i>v.</i> Smith's Food and Drug Stores, Stanley Access Technologies, LLC, and Automated Door, Inc.				Seq. No. 39
Attorney:	David B. Martinez Martinez, Hart & Thompson, P.C. 1801 Rio Grande Blvd., NW Albuquerque, NM 87104-2566				505-343-1776
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	Woman in 80's struck and injured by inner door of vestibule while attempting to enter Smith's-Kroger store.				
Deposition:		Trial:		Outcome:	

Case:	Celia Stineman <i>v.</i> 110 Liberty Street Realty Company, L.L.C., Plymouth County Superior Court, Case No. 10-1307-B				Seq. No. 40
Attorney:	Thomas J. Chirokas Attorney at Law 969 Main Street, Suite 206 Walpole, MA 02081-2972				508-668-4440
Equipment:	Stanley Dura-Glide™ sliding door.				
Description:	90+ year old woman struck and injured by door.				
Deposition:		Trial:		Outcome:	

## Stanley cases – Inactive

Case:	Gloria Jones <i>v.</i> Thrifty Corporation, Stanley Magic Door, Inc., and Does 2 through 20, inclusive.				Seq. No. 41
Attorney:	Eric Bryan Seuthe LAW OFFICE of SEUTHE and MATUSEK 509 South Beverly Drive Beverly Hills, CA 90212-4514				310-277-8020 x1
Equipment:	Stanley Dura-Glide 3000 with a single hold open beam and Stan-Ray™ microwave motion sensors.				
Description:	Woman in 60's trapped in the closing door sustained injuries as she attempted to extricate herself.				
Deposition:		Trial:		Outcome:	Case settled. Amount of settlement undisclosed.

Case:	Patsy Turoso, <i>et al.</i> <i>vs.</i> Stanley Magic Door and Handy Andy Home Improvement, Cuyahoga County Ohio, Court of Common Pleas, Case No. 233865.				Seq. No. 42
Attorney:	Edward S. Molnar 920 Terminal Tower Cleveland, OH 44113				216-241-0300
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensors.				
Description:	84 year old man struck by premature closing of sliding door.				
Deposition:	1/26/94	Trial:		Outcome:	Settled approx. 10/1/94 for \$50,000 to plaintiff.

Case:	Estate of Seymour Wenner <i>v.</i> Georgetown University Hospital, Georgetown University, Stanley Magic-Door, Inc., and The Stanley Works.				Seq. No. 43
Attorney:	Kenneth M. Trombly, P.C. 1825 K Street, N.W., Suite 901 Washington, DC 20006				202-887-5000
Equipment:	Double set of Stanley swinging doors equipped with Stan-Ray™ microwave motion sensors and Sentrex™ infrared sensors.				
Description:	80 year old man using walker struck on swing side of door when door triggered to open by another pedestrian				
Deposition:		Trial:		Outcome:	Settled on, or about, 11/1/94 for a confidential amount.

Case:	Hooker, Beverly <i>i/a/a/g</i> of Brian Hooker, a minor <i>v.</i> Food Lion, Inc. and Stanley Magic Door, Inc.				Seq. No. 44
Attorney:	William L. Bromagen BLACKWELL & WALKER 2400 SunBank International Center One Southeast Third Avenue Miami, FL 33131-1774				305-995-5586
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.				
Description:	6 year old child fell in doorway and was struck by closing door.				
Deposition:	8/8/94	Trial:		Outcome:	Defense settled 9/22/94 for \$35,000 to plaintiff.

## Stanley cases – Inactive

Case:	Robert Connolly <i>v.</i> CAMC				Seq. No. 45
Attorney:	Greg R. Lord 910 Quarrier Street, Suite 312 P.O. Box 3601 Charleston, WV 25336				800-416-9013 304-345-3232
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor				
Description:	Man in early 50's struck on head and shoulder by prematurely closing door				
Deposition:		Trial:		Outcome:	Case settled in favor of plaintiff. Amount undisclosed.

Case:	Payless Drug Stores <i>v.</i> the Stanley Works				Seq. No. 46
Attorney:	Thomas F. Smock JONES, JONES, CLOSE and BROWN 300 South Fourth Street, Suite 700 Las Vegas, NV 89101-6026				702-385-4202
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Ray™ motion sensor and Stan-Guard™ presence sensor.				
Description:	Elderly woman broke hip when struck by closing door.				
Deposition:		Trial:		Outcome:	Case brought by Effie May Hunt settled by defendants Payless and Stanley for \$90,000 with agreement to subsequent arbitration of apportionment between them. Trial occurred before plaintiff's expert Warren Davis was retained. Participated in arbitration 3/28/95. Arbitrator let stand the 50-50 apportionment of the \$90,000 settlement between Payless and Stanley.

Case:	Trudy Balizer & Joel Balizer <i>v.</i> Staples, Inc., The Stanley Works, Stanley Magic Door, Inc., and Islandia Development, Co.				Seq. No. 47
Attorney:	Stephen Kunken 6165 Jericho Turnpike Commack, NY 11725-2835				516-462-5950
Equipment:	Stanley swinging door with Sentrex™ and Stan-Ray™ sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled in favor of plaintiff. Amount undisclosed.

Case:	Elizabeth Gay <i>vs.</i> Malone & Hyde, Inc. and Stanley Magic Door, Inc.				Seq. No. 48
Attorney:	Richard W. Hay 203 West Columbia Street P. O. Box 1124 Somerset, KY 42502				606-679-2214
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.				
Description:	Elderly woman struck by prematurely closing door.				
Deposition:	5/12/93	Trial:	6/22/93	Outcome:	Jury awarded \$40,000 to plaintiff.

## Stanley cases – Inactive

Case:					Seq. No. 49
Attorney:	J. Michael Koch J. MICHAEL KOCH & ASSOCIATES 9201 Silverdale Way, N.W. P. O. Box 368 Silverdale, WA 98383				206-692-5551
Equipment:	Stanley bi-parting sliding door with one Stan-Ray™ microwave motion sensor and a hold open beam (IR photobeam) sensor.				
Description:	Door closed prematurely on plaintiff.				
Deposition:		Trial:	Tried about 6/28/93	Outcome:	Defendant prevailed. I was retained only for a few hours consulting by telephone.

Case:	Kull v. Stanley Magic Door, Inc. and San Joaquin Hospital				Seq. No. 50
Attorney:	James E. Noriega ETCHEVERRY, RODRIQUEZ & NORIEGA Commonwealth Plaza 3300 Truxtun Avenue, Suite 350 Bakersfield, CA 93301				805-322-7900
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.				
Description:	Elderly woman using walker struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled 6/2/93 for \$385,000 to plaintiff.

Case:	Ball v. Stanley Works, et al., Civil Action No. 94-9069				Seq. No. 51
Attorney:	Keith A. Pittman BUTLER, WOOTEN, OVERBY, CHEELEY, PEARSON & FRYHOFFER P. O. Box 95068 2719 Buford Highway Atlanta, GA 30347				404-321-1700
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.				
Description:	84 year old woman struck by prematurely closing door at St. Joseph Hospital in Atlanta, GA and broke left femur.				
Deposition:		Trial:		Outcome:	Case settled for an amount that was ordered confidential. However, it is known that the amount is in the \$60,000 to \$70,000 range.

## Stanley cases – Inactive

Case:	Lindsey Kiefer <i>v.</i> Wegman's Food Market and Stanley Access Technologies, Centre County, Pennsylvania; CCP No. 2007-5154				Seq. No. 52
Attorney:	James R. Rosato, Jr. Rosato Law Offices 133 East Lancaster Avenue Downingtown, PA 19335-2917				610-873-1819
Equipment:	Stanley dual panel Magic-Swing™ swinging door.				
Description:	Door failed to open properly for man entering store.				
Deposition:		Trial:		Outcome:	Resolved on, or about, 5/28/10 for an undisclosed amount.

Case:	Pamela P. Labbe and Brian R. Labbe <i>v.</i> Shaw's Supermarkets, Inc.				Seq. No. 53
Attorney:	David M. Sanders Two Pine Avenue P.O. Box 271 Livermore Falls, ME 04254-0271				207-897-5775
Equipment:	Stanley swinging door actuated by Larco control mats.				
Description:	Woman in early 30's struck while standing on swing side mat.				
Deposition:	8/6/96	Trial:		Outcome:	Case settled in 3/97 in favor of plaintiff for an undisclosed amount.

Case:	Angela Koonce <i>v.</i> Stanley Magic Doors				Seq. No. 54
Attorney:	David L. Norvell THE NORVELL LAW FIRM 1401 Central Ave., NW, Suite B P.O. Box 1426 Albuquerque, NM 87103-1426				505-242-1600
Equipment:	Stanley swinging door using control mats.				
Description:	Woman struck while standing on swing side mat.				
Deposition:	5/8/95	Trial:		Outcome:	Case settled in favor of plaintiff for an undisclosed amount.

Case:	Mary Francis Grimes <i>v.</i> Randalls Foor & Drug, Inc. and Stanley Magic-Door				Seq. No. 55
Attorney:	George W. Wilhite GEORGE W. WILHITE & ASSOCIATES, INC. 17101 Kuykendahl Road, Suite A Houston, TX 77068-1629				713-537-2171
Equipment:	Stanley bi-parting sliding door.				
Description:	Woman struck repeatedly by prematurely closing door.				
Deposition:	9/22/95	Trial:		Outcome:	Case settled in favor of plaintiff for an undisclosed amount.

## Stanley cases – Inactive

Case:	Sally Becker v. The Kroger Co., Stanley Access Technologies and Stanley Magic Door, Inc. U.S. District Court; Southern District of Indiana, Indianapolis Division; Cause No. IP94-624-C				Seq. No. 56
Attorney:	Thomas J. Young YOUNG & RILEY 277 East 12th Street Indianapolis, IN 46202				317-639-2000 317-639-2889
Equipment:	Stanley Dura-Glide™ sliding door with Stan-Ray™ motion and Stan-Guard™ presence sensors.				
Description:	Woman in 80's struck by prematurely closing door leading to extensive injuries.				
Deposition:		Trial:		Outcome:	Defense settled 4/3/95 for \$25,000 to plaintiff.

Case:	Catherine Hayes v. the Mount Auburn Hospital, Stanley Magic Door, Inc., The Stanley Works and Stanley Magic Door Division of The Stanley Works, Civil Action No. 89-3122, Middlesex Superior Court, Commonwealth of Massachusetts				Seq. No. 57
Attorney:	Edson H. Rafferty RAFFERTY, POLICH & SHAW 545 Concord Avenue, Suite 10 Cambridge, MA 02138-1122				617-864-1600
Equipment:	Stanley automatic sliding door with Stan-Ray™ motion and Stan-Guard™ presence sensors.				
Description:	Eighty year old woman shattered hip when struck by sliding door.				
Deposition:		Trial:		Outcome:	Defense settled for \$200,000 to plaintiff.

Case:	Alice King v. Stanley Magic Door, Inc. and City of Cedar Rapids, Iowa				Seq. No. 58
Attorney:	Robert S. Hatala CRAWFORD, SULLIVAN, READ, ROEMERMAN & BRADY, P.C. IES Tower 200 First Street, S.E., Suite #1910 Cedar Rapids, IA 52401-1454				319-364-0171
Equipment:	Stanley Dura-Glide™ 3000 sliding door with Stanley Stan-Guard™ IR presence sensor and Stanley Stan-Ray™ microwave motion sensors.				
Description:	Ninety year old woman struck by prematurely closing door, broke hip and died of complications.				
Deposition:		Trial:		Outcome:	Case settled in 3/97 for a confidential amount .

Case:	Margaret Ramsay v. Dollar General Corporation; U.S. District Court, Eastern Division of Michigan, Southern Division; USDC Case No. 2:09-cv-12103				Seq. No. 59
Attorney:	Brian A. Kutinsky Mindell, Malin & Kutinsky 25505 West Twelve Mile Road, Suite 1000 Southfield, MI 48034-1811				248-353-5595
Equipment:	Stanley single panel swing door with Sentrex™ sensors and Stanley Stan-Ray™ X-band motion sensor				
Description:	Door closed on elderly woman as she attempted to exit through subject door.				
Deposition:	2/2/10	Trial:		Outcome:	Settled on, or about, 3/19/10 for an undisclosed amount.

## Stanley cases – Inactive

Case:	William S. Curry <i>v.</i> Eddie Storer, Airport Manager; Natrona County International Airport; Natrona County International Airport Board; Builders Service Bureau, Incorporated; Stanley Magic-door, Inc., a Division of Stanley Works; and BEA, Inc.				Seq. No. 60
Attorney:	Donald E. Chapin, Charles S. Chapin CROWELL and CHAPIN, P.C. First Interstate Bank Bldg., Suite 600 104 South Wolcott Casper, WY 82601				307-234-7321
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Guard™ infrared presence sensor and BEA, Inc. VG017-A microwave motion sensors.				
Description:	Elderly man using walker struck by premature closing of sliding door.				
Deposition:	12/1-2/93 1/13/94	Trial:	#1: 3/3-4/94 #2: 1/20/95	Outcome:	First trial ended in hung jury. Second trial jury concluded the door had not struck the plaintiff and therefore found for the defense.

Case:	Sylvia Hanawitt <i>v.</i> Publix Supermarkets, Inc., and Stanley Access Technologies, Inc.				Seq. No. 61
Attorney:	Kenneth Segal HOFFMAN and SEGAL, P.A. 9070 Kimberly Boulevard, Suite 57 Boca Raton, FL 33434-2861				407-482-2000
Equipment:	Stanley Dura-Glide™ bi-parting sliding door with Stan-Guard™ and (presumably) Stan-Ray™ motion sensors.				
Description:	Elderly woman struck by door as she exited a Publix supermarket. Fractured hip and then had a (non-fatal) heart attack				
Deposition:		Trial:		Outcome:	Case settled in favor of plaintiff for approximately \$45,000.

Case:	Washburn <i>v.</i> Hillcrest Medical Center and Stanley Magic Door.				Seq. No. 62
Attorney:	Terry Todd BARKLEY & RODOLF 401 South Boston Avenue, Suite 2700 Tulsa, OK 74103-4063				918-599-9991
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Ray™ and Stan-Guard™ sensors.				
Description:	Elderly woman using walker. Outside-in door struck walker as woman attempted to enter the building. Knocked down and to the left, never having entered the building. Door repeatedly struck walker after fall until door disabled. Defective Stan-Guard™ replaced immediately after accident.				
Deposition:		Trial:		Outcome:	Defense settled on April 22, 1996. Amount believed to be between \$62,000 and \$63,000 plus medical expenses.

## Stanley cases – Inactive

Case:	Rose Tessier <i>v.</i> Martins Foods of South Burlington, Inc. Franklin Superior Court docket No. S163-95-Fc			Seq. No. 63
Attorney:	David M. Yarnell KISSANE, YARNELL, CRONIN, BUGBEE & COUNOS Two North Main Street St. Albans, VT 05478-1668			802-524-9546
Equipment:	Stanley Magic Swing™, Model No. SM300, SN A8801081, apparently actuated by control mats.			
Description:	Plaintiff reports she go about halfway through the automatic door, when it closed on her and knocked her down.			
Deposition:		Trial:		Outcome: Resolved through mediation.

Case:	Eula C. Clark and Devon Clark <i>v.</i> The Stanley Works, Inc., <i>et al.</i>			Seq. No. 64
Attorney:	Jeffrey K. Peraldo DONALDSON & HORSLEY, P.A. 208 West Wendover Avenue Greensboro, NC 27401-1307			910-273-3812
Equipment:	Stanley Magic Swing™ door with Sentrex™.			
Description:	61 year old woman stuck on swing side of door.			
Deposition:	7/7/98	Trial:		Outcome: Settled in early March, 1999, in favor of Plaintiff for an amount that is confidential.

Case:	Margarita Placencia <i>vs.</i> Stanley <i>et al.</i>			Seq. No. 65
Attorney:	Andres O. Rico Nakagawa & Rico 2535 Capitol Oaks Drive, Suite 130 Sacramento, CA 95833-2944			916-923-2800
Equipment:	Stanley bi-parting sliding door.			
Description:	Elderly woman stuck by prematurely closing door on September 11, 1998. Incident on videotape.			
Deposition:		Trial:		Outcome: Case settled on or about July 28, 2000.

Case:	Grete Eisenstein <i>v.</i> K-Mart and Stanley Magic Door			Seq. No. 66
Attorney:	Michael J. Kowalski Hourigan, Kluger, Spohrer & Quinn 8 West Market Street, Suite 700 Wilkes Barre, PA 18701-1867			570-825-9401
Equipment:	Stanley swinging door with Stan-Ray™ microwave motion sensor and Sentrex™ presence sensor, one head per door panel side.			
Description:	Elderly woman stuck by prematurely closing door while exiting from K-Mart store on April 30, 1997.			
Deposition:		Trial:	7/18/00	Outcome: Jury awarded plaintiff \$230,000 plus additional delay damages.

## Stanley cases – Inactive

Case:	Paul Palek, Sr. <i>v.</i> Mountainside Hospital, <i>et al.</i> Superior Court of New Jersey, Law Division, Essex County; Docket No. ESX-L-6597-99				Seq. No. 67
Attorney:	Frank P. Arleo Arseneault & Krovatin 560 Main Street Chatham, NJ 07928-2119				973-736-8660
Equipment:	Stanley bi-parting sliding door.				
Description:	Woman struck by prematurely closing door on July 16, 1997				
Deposition:	4/24/01	Trial:		Outcome:	Case settled on 5/8/01.

Case:	Evelyn Fanion <i>vs.</i> CVS Pharmacy				Seq. No. 68
Attorney:	Christopher Lambert Rodio & Ursillo, Ltd. 86 Weybosset Street, Floor 4 Providence, RI 02903-2800				401-331-6400
Equipment:	Stanley single-panel swinging door actuated by unidirectional K-band Stan-Ray™ microwave motion sensor on approach and dual Sentrex™ sensors on each side of door panel.				
Description:	Woman struck by swinging door as she exited CVS pharmacy				
Deposition:	2/7/02	Trial:		Outcome:	Settled approximately 2/28/02

Case:	David Bryant <i>v.</i> Stanley and Mount Vernon Towers				Seq. No. 69
Attorney:	Christopher B. Lyman Kilpatrick & Stockton 1100 Peachtree Street N.E., Suite 2800 Atlanta, GA 30309-4530				404-815-6537
Equipment:	Stanley bi-parting sliding door actuated by push button, and Stan-Ray™ and Stan-Guard™ sensors.				
Description:	Door struck 92 year old man using walker while exiting building on June 2, 1999. Incident on videotape.				
Deposition:	10/6/00	Trial:		Outcome:	Settled on, or about, April 29, 2002

Case:	Gudrun S. Wirell <i>v.</i> Ukrops Supermarkets, <i>et al.</i>				Seq. No. 70
Attorney:	Thomas J. McNally Emroch & Kilduff, L.L.P. 3600 West Broad Street, Suite 700 Richmond, VA 23230-4995				804-358-1568
Equipment:	Stanley swinging door with Sentrex™ sensors, replaced with BEA DK-12				
Description:	89 year old woman sustained femoral neck hip fracture when struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled for \$125,000 to Plaintiff on July 16, 2003.

## Stanley cases – Inactive

Case:	Mary B. Higgins <i>v.</i> Stanley Magic Door, Inc. and Bread and Circus, Inc. Commonwealth of Mass., Suffolk Superior Court; Civil Action 96-7119A				Seq. No. 71
Attorney:	David P. Angueira Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490				617-742-1900
Equipment:	Stanley sliding door with Stan-Guard™ and Stan-Ray™ sensors.				
Description:	87 year old woman struck by prematurely closing door. Accident resulted in cerebral bleeding and intermittent coma.				
Deposition:	3/30/00	Trial:	12/18/01	Outcome:	Jury found for defendants. Settled in, or about, March, 2003, prior to re-trial.

Case:	Toolan <i>v.</i> The Stanley Works, <i>et al.</i>				Seq. No. 72
Attorney:	Noah H. Kushlefsky Kreindler & Kreindler 100 Park Avenue New York, NY 10017-5590				212-687-8181
Equipment:	Stanley Dura-Glide™ 3000 series door equipped with BEA, Inc. VG-087 unidirectional K-band microwave motion sensors, Stan-Guard™ presence sensor and a single hold open beam.				
Description:	Woman struck by sliding door as she entered CVS store on December 28, 1996.				
Deposition:		Trial:		Outcome:	Settled on, or about, June 4, 2004.

Case:	Laura Kick <i>vs.</i> Wal-Mart Stores, Inc.; Stanley Technologies; Besam Automated Entrance Systems General No. 01 L 995				Seq. No. 73
Attorney:	Richard S. Kopsick Gibson & Kopsick, Ltd. 415 Washington Street, Suite 103 Waukegan, IL 60085-5564				847-263-5100
Equipment:	Stanley swinging doors with Sentrex™ II sensors.				
Description:	87 year old man struck by door while leaving Wal-Mart store.				
Deposition:		Trial:		Outcome:	Settled for \$250,000 to Plaintiff on 8/25/04.

Case:	Trinidad & Domingo Ontiveros <i>vs.</i> Daughters of Charity Health Services of Austin and Stanley Works, Inc. Cause No. 97-03669 261-th Judicial District Court, Travis County, Texas				Seq. No. 74
Attorney:	Kevin R. Madison 1609 Shoal Creek Boulevard, Suite #300 Austin, TX 78701-1022				512-708-1650
Equipment:	Stanley biparting sliding door with microwave motion sensors and IR presence sensor.				
Description:	70 year old woman struck by prematurely closing door on final follow up consultation after successful arthroscopic knee surgery. Fractured femur and now no longer able to walk unassisted.				
Deposition:		Trial:		Outcome:	Settled in 2000 for approx. \$250,000 to Plaintiff.

## Stanley cases – Inactive

Case:	Elizabeth Ray <i>v.</i> Lloyd Nolan Hospital, Stanley Magic-Door Civil Action No. CV-95-520			Seq. No. 75
Attorney:	Leila H. Watson CORY, WATSON, CROWDER & PETWAY, P.C. 300 21st Street North, Suite 900 Birmingham, AL 35203-3322			205-328-2200
Equipment:	Stanley 4000 series Weatherwise biparting sliding door installed in 1984.			
Description:	Woman in 80's broke hip when struck by handicapped area door at hospital.			
Deposition:		Trial:		Outcome: Settled in favor of Plaintiff.

Case:	Geraldine Frahm <i>v.</i> Ala Moana Shopping Center d/b/a General Growth, <i>et al.</i> Circuit Court of the First Circuit, State of Hawaii; Civil No. 03-1-0148-01-GWBC			Seq. No. 76
Attorney:	Charles W. Crumpton Stanton Clay Chapman Crumpton & Iwamura Attorneys at Law 700 Bishop Street, Suite 2100 Honolulu, HI 96813-4120			808-535-8400
Equipment:	Stanley Dura-Glide 2000 bi-parting sliding door.			
Description:	Elderly woman struck and injured by sliding door.			
Deposition:		Trial:		Outcome: Settled on, or about, 9/9/04 for approx. \$100,000.

Case:	Jean and Albert Schlien <i>v.</i> Jewel Food Stores, Inc., <i>et al.</i> Circuit Court, Cook County, Illinois; No. 02 L 65012			Seq. No. 77
Attorney:	James E. Gierach Law Office of James E. Gierach, P.C. 9759 Southwest Highway Oak Lawn, IL 60453-3661			708-424-1600
Equipment:	Stanley Magic Swing door with Sentrex-III sensors and Stan-Ray™ X-band microwave motion sensors.			
Description:	79 year old woman struck and injured by sliding door while attempting to enter Jewel store.			
Deposition:		Trial:		Outcome: Settled on 6/28/05 for \$330,000 with approx. \$100,000 medical lien.

Case:	Beatrice Verkuil <i>vs.</i> Best Buy Stores, L.P., <i>et al.</i> In the 191st District Court of Dallas County, Texas; Cause No. 04-02328-J			Seq. No. 78
Attorney:	Edward H. Moore, Jr. The Cochran Firm Dallas, L.L.P. 3811 Turtle Creek Boulevard, Suite 1400 Dallas, TX 75219-4492			214-651-4260
Equipment:	Stanley Dura-Glide 2000 bi-parting sliding door with MS-SEDCO D38 microwave motion sensor on approach side, Stanley Stan-Ray™ on egress side and Stanley Stan-Guard™ presence sensor.			
Description:	Woman struck by door while trying to enter store.			
Deposition:		Trial:		Outcome: Settled on, or about, September 1, 2005.

## Stanley cases – Inactive

Case:	Jean McMillen <i>v.</i> Big Lots Stores, Inc., <i>et al.</i> U.S. District Court, Southern District of Mississippi, Southern Division; Cause No. 1:04CV817GRo				Seq. No. 79
Attorney:	W. Harvey Barton Law Office of W. Harvey Barton 3007 Magnolia Street Pascagoula, MS 39567-4126				228-769-2070
Equipment:	Stanley Dura-Glide biparting sliding door with BEA, Inc., "Eagle" microwave motion sensors and "Crystal" presence sensors.				
Description:	77 year old woman using walker struck and injured by door while entering store.				
Deposition:	12/19/05	Trial:		Outcome:	Plaintiff deceased. Case settled on, or about, 5/20/06.

Case:	Lucille Halpern, <i>et vir. v.</i> Wadsworth CVS, Inc., and Stanley Access Technologies, Inc., <i>et al.</i> ; Court of Common Pleas for Philadelphia County, First Judicial District of Pennsylvania; June term, 2004; No. 3841				Seq. No. 80
Attorney:	Howard R. Maniloff Tabas & Rosen, P.C. 1845 Walnut Street Philadelphia, PA 19103-4708				215-569-5050
Equipment:	Stanley single panel Magic Swing™ door with dual Stanley Sentrex III™ sensors.				
Description:	Elderly, legally blind woman struck and seriously injured on back side of opening door.				
Deposition:	1/27/06	Trial:		Outcome:	Settled on, or about, 6/6/06.

Case:	Catherine H. McLaughlin <i>vs.</i> The Stanley Works, Inc., <i>et al.</i> U.S. District Court, Eastern District of Pennsylvania; No. 04-CV-1630				Seq. No. 81
Attorney:	Frank A. Rothermel Bernhardt & Rothermel, P.C. 1515 Market Street, Suite 1540 Philadelphia, PA 19102-1917				215-568-0100
Equipment:	Stanley Dura-Glide 3000 bi-parting sliding doors with Stanley SU-50 motion sensors and Stan-Guard™ IR presence sensor.				
Description:	Woman in mid-50's struck by sliding door while attempting to enter Acme store where she worked.				
Deposition:		Trial:	Testified at binding arbitration hearing on 7/25/06	Outcome:	

Case:	Anne Seebeck <i>v.</i> Harris-Teeter, Inc., <i>et al.</i> ; Guilford County Superior Court Case No. 05 CVS 9195				Seq. No. 82
Attorney:	Robert C. Cone Tuggle Duggins & Meschan, P.A. 228 West Market Street P. O. Box 2888 Greensboro, NC 27402-2888				336-271-5218
Equipment:	Stanley Dura-Glide3000 bi-parting sliding door.				
Description:	Woman struck while attempting to exit through door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 8/9/06 for a confidential amount.

## Stanley cases – Inactive

Case:	James Skinner <i>v.</i> Lowe's Home Centers, Inc., and The Stanley Works.				Seq. No. 83
Attorney:	Robert S. Ovoian Attorney at Law 120 North Main Street, Suite 306 Attleboro, MA 02703-2248				508-226-4342
Equipment:	Stanley bi-parting sliding door with Stanley Stan-Guard™ presence sensor, dual hold open beams and BEA, Inc., "Eagle" K-band microwave motion sensors OEM'd to Stanley. Door set up for unidirectional traffic into store.				
Description:	Elderly man using walker struck and seriously injured while attempting to exit through open entrance door.				
Deposition:		Trial:		Outcome:	Settled on or about 4/17/08 for a confidential amount.

Case:	Isolina Perez <i>vs.</i> Albertson's Inc., d/b/a Jewel-Osco and The Stanley Works				Seq. No. 84
	Circuit Court of the Nineteenth Judicial Circuit, Lake County, Illinois; Case No. 05 L 505				
Attorney:	Bogdan Martinovich Ray & Glick, Ltd. 611 South Milwaukee Avenue Libertyville, IL 60048-3256				847-970-3845
Equipment:	Stanley single-panel swinging door with Stan-Ray™ X-band motion sensor, and BEA, Inc., SuperScan™ infrared and MS-SEDCO D14-1 ultrasonic presence sensors.				
Description:	Door opened into, and injured, woman standing behind the door.				
Deposition:	3/19/07	Trial:		Outcome:	Settled on 8/10/07 for a confidential amount.

Case:	Frances R. Garson and Warfield Garson, wife and husband <i>vs.</i> North Pittsburgh Hotel, LLC				Seq. No. 85
	d/b/a Pittsburgh Marriott North, Winegardner & Hammons, Inc., Eagle Realty Investments, Inc., and Stanley Access Technologies LLC				
	Common Pleas of Butler County, Pennsylvania, Civil Division; Case No.: 2006-10999				
Attorney:	Timothy Conboy Caroselli, Beachler, McTiernan & Conboy LLC 312 Boulevard of the Allies, Eighth Floor Pittsburgh, PA 15222-1916				412-391-9860
Equipment:	Stanley Dura-Glide 3000™ bi-parting sliding door with Stan-Guard™, BEA, Inc., Eagle™ motion sensors and hold open beam.				
Description:	80 year old woman struck by back edge of sliding door panel as it opened.				
Deposition:		Trial:		Outcome:	Settled on or about 12/3/07 for a confidential amount.

## Stanley cases – Inactive

Case:	Geraldine and Albert Peterson <i>v.</i> Wilcox Pharmacy, Inc., Richard W. Moore Construction, Inc., and The Stanley Works, Inc. Superior Court, Rutland County, Vermont; Docket No. 701-10-05RDCV				Seq. No. 86
Attorney:	John L. Kellner O'Neil Kellner & Green, P.C. 159 Bank Street, Suite 200 P. O. Box 5359 Burlington, VT 05402-5359				802-865-4700
Equipment:	Stanley Dura-Glide 2000 single slider with SU-50 microwave motion sensor and Stan-Guard presence sensor.				
Description:	Woman struck by back edge of sliding panel as door opened while standing next to building.				
Deposition:		Trial:		Outcome:	Settled on 9/14/07 for a confidential amount.

Case:	Dorris P. Spencer <i>vs.</i> The Stanley Works, <i>et al.</i> ; Circuit Court of Shelby County, Tennessee; No. CT-006831-05 Div. VIII				Seq. No. 87
Attorney:	Mark P. Ledbetter Taylor, Halliburton & Ledbetter 254 Court Avenue, Suite 305 Memphis, TN 38103-2361				901-523-8153
Equipment:	Stanley Dura-Glide™ 3000 sliding door with SU-100 motion sensors, Stan-Guard™ presence sensor and a single hold open beam.				
Description:	Woman struck by door while entering building.				
Deposition:	9/11/08	Trial:		Outcome:	Settled on 9/15/08 for an undisclosed amount.

Case:	Patricia Rupnik <i>vs.</i> K-mart Corporation, The Stanley Works, <i>et al.</i> Circuit Court of Rutherford County, TN; No. 56030				Seq. No. 88
Attorney:	Matthew E. Wright Craft & Sheppard, P.L.C. Shiloh Building, Suite 233 214 Centerview Drive Brentwood, TN 37027-5274				615-309-1707
Equipment:	Stanley double swinging door.				
Description:	Women struck by right hand interior swinging door while entering the K-mart.				
Deposition:		Trial:		Outcome:	Settled on, or about, 11/22/08 for \$325,000.

Case:	Annette Farrin <i>vs.</i> Rite Aid				Seq. No. 89
Attorney:	Daniel G. Kagan Berman & Simmons, P.A. 129 Lisbon Street P. O. Box 961 Lewiston, ME 04243-0961				207-784-3576
Equipment:	Stanley single slider with BEA, Inc., "Eagle" microwave motion sensors and Stanley Stan-Guard™ presence sensor.				
Description:	Woman entering store was pinned against the frame as the door continued to open and close on her.				
Deposition:		Trial:		Outcome:	Case abandoned.

## Stanley cases – Inactive

Case:	Flora Carzeal Ammons <i>vs.</i> Wade's Food Center, Inc., d/b/a Piggly Wiggly No. 2, Mid-South Automatic Door, BEA, Inc., and Stanley Access Technologies, LLC; Circuit Court for McMinn County, Tennessee, at Athens; Docket No. 16593				Seq. No. 90
Attorney:	W. Holt Smith 209 Tellico Street North Madisonville, TN 37354-1188				423-442-4012
Equipment:	Stanley Dura-Glide 3000 bi-sliding door with Stanley SU-50 microwave motion sensors and Stan-Guard™ presence sensor.				
Description:	Small, elderly woman entering store through sliding door. Knocked down by door as it closed. Broke hip and suffered medical complications.				
Deposition:	5/29/07	Trial:		Outcome:	Unknown

Case:	Debbie Heft, Executrix of Estate of Rose Heft, Deceased, <i>v.</i> The Stanley Works, Weis/Kings Supermarket and CT Corporation System; Court of Common Pleas; Lehigh County, Pennsylvania; Civil Action-Law No. 2005-C-425				Seq. No. 91
Attorney:	Jerry R. Knafo Knafo Law Offices 4201 Tilgham Street Allentown, PA 18104-4429				610-432-2221
Equipment:	Stanley Dura-Glide™ 2000 sliding door with SU-50 microwave motion sensors and Stan-Guard™ presence sensor.				
Description:	75 year old woman using cane struck from behind. Broke hip.				
Deposition:		Trial:		Outcome:	Arbitrated on, or about, 5/4/09 for \$808,000 to plaintiff.

Case:	Enrique O. Chapa and Maria Enedina Chapa <i>vs.</i> H. E. Butt Grocery Company, L.P., <i>et al.</i> 38th Judicial District; Uvalde County, TX; Cause No. 06-12-25552-CV				Seq. No. 92
Attorney:	Marco A. Salinas Knickerbocker, Heredia, Jasso & Stewart, P.C. 468 Main Street Eagle Pass, TX 78852-4509				830-773-9228
Equipment:	Stanley slider with Stanley Stan-Guard™ presence sensor.				
Description:	Man struck by door at H.E.B. Grocery was a stroke victim.				
Deposition:		Trial:		Outcome:	Settled for a substantial, but confidential, amount on, or about, March 31, 2009.

## Stanley cases – Inactive

Case:	Laurie R. Witzke <i>vs.</i> Office Depot, Inc., and The Stanley Works, Inc. District Court, Tulsa County, OK; Case No. CJ 2002-05816				Seq. No. 93
Attorney:	Terry A. Simonson Vestal & Simonson 1515 East 71st Street, Suite 309 Tulsa, OK 74136-5040				918-524-4677
Equipment:	Stanley Dura-Glide 2000 bi-parting sliding doors with Stan-Ray™ motion sensors and Stan-Guard™ IR presence sensor.				
Description:	Elderly woman using walker struck by prematurely closing door as she was entering store, causing her to fall backward against the Plaintiff, knocking Plaintiff down and causing Plaintiff's injuries.				
Deposition:	5/19/04	Trial:		Outcome:	Dismissed on July 14, 2008.

Case:	Estate of Javier Barajas, Deceased <i>v.</i> KMart Holding Corporation a/k/a KMart Corporation In the Circuit Court of Cook County, Illinois; Court No. 04 L 2725				Seq. No. 94
Attorney:	Thomas E. Pakenas Dale & Pakenas 641 West Lake Street, Suite 400 Chicago, IL 60661-1007				312-258-1800
Equipment:	Stanley double swinging door with BEA, Inc., BodyGuard™ and LO-21.				
Description:	Man struck and broke hip while attempting to enter K-Mart.				
Deposition:	9/13/07	Trial:		Outcome:	Settled on, or about, 10/08 for \$1,800,000.

Case:	Esther Speirs and Stanley Speirs <i>v.</i> Marriott International, Inc., The Stanley Works, Inc., and/or Stanley Magic Door, <i>et al.</i> ; U.S. District Court, Eastern District of Pennsylvania Civil Action No. 07-3610				Seq. No. 95
Attorney:	Ralph P. Catalano Sentry Office Plaza, Suite 100 216 Haddon Avenue Westmont, NJ 08108-2809				856-858-1115
Equipment:	Stanley bi-parting sliding door with Stan-Guard™ presence sensor, Stanley Stan-Ray™ X-band microwave motion sensor on exterior side and Stanley SU-100 microwave motion sensor in interior side.				
Description:	Door closed on woman as she was entering through the outer door of a vestibule.				
Deposition:		Trial:		Outcome:	Settled on March 19, 2010, for \$50,000.

Case:	Bernard Starr <i>et al.</i> <i>v.</i> Hebrew Home of Greater Washington, Inc., <i>et al.</i> In the Circuit Court of Maryland for Montgomery County; Case No. 296990 V				Seq. No. 96
Attorney:	Stephen F. Brennwald Brennwald & Robertson, L.L.P. 922 Pennsylvania Avenue, SE Washington, DC 20003-2140				301-928-7727
Equipment:	Stanley Dura-Glide™ 2000 bi-parting slider.				
Description:	Door closed on and knocked down a woman exiting who was using a cane.				
Deposition:	10/8/09	Trial:		Outcome:	Settled on 7/17/09 for an undisclosed amount.

## Stanley cases – Inactive

Case:	Marjorie A. Rettino <i>vs.</i> American Entrance Service, Stanley Access Technologies, <i>et al.</i>			Seq. No. 97
	Court of Common Pleas; April Term 2007; No. 002496			
Attorney:	Kevin M. Malloy DiSandro & Malloy, P.C. 1760 Market Street, Suite 1201 Philadelphia, PA 19103-4120			215-587-9900
Equipment:	Stanley Dura-Glide™ 3000 sliding door with Stan-Ray™ (X-band) motion sensors and Stan-Guard™ presence sensor.			
Description:	94 year old woman struck and knocked down by closing door.			
Deposition:		Trial:		Outcome: Settled on 10/20/08. Amount unknown.

Case:	Mary K. Seely, Personal Representative of Mark L. Tingen <i>v.</i> Home Depot U.S.A., Inc., Stanley Black & Decker, Inc., and Stanley Access Technologies, L.L.C.; U.S. District Court for the Eastern District of Virginia, Alexandria Division; Case No. 1:10-cv-01243 LMB/IDD			Seq. No. 98
Attorney:	J. Scott Krein Krein Law Firm 4000 Genesee Place, Suite 117 Prince William, VA 22192-8302			703-580-8377
Equipment:	Stanley Double-Diamond door with SU-100 microwave motion sensors, Optex OA-203C presence sensors and dual Telco hold open beams.			
Description:	Door closed on man using a walker while attempting to exit from the Home Depot store.			
Deposition:		Trial:		Outcome: Settled on 8/12/11 for a confidential amount.

Case:	Linda Cline and Gary Cline <i>v.</i> Lowe's Home Centers, Inc., The Stanley Works, Stanley Access Technologies, LLC, David Craw, and John Doe; Circuit Court of Logan County, West Virginia, Civil Action No. 2:10-0489			Seq. No. 99
Attorney:	Pamela A. Lambert Law Office of Pamela Lambert P. O. Drawer 926 Gilbert, WV 25621-0926			304-664-3096
Equipment:	Stanley dual-panel Magic-Swing™ door with BEA, Inc., Eagle™ motion sensor and Stanley Sentrex™ presence sensors.			
Description:	Elderly woman using cane entering Lowe's. Door opened suddenly causing her to fall into the store.			
Deposition:		Trial:		Outcome: Settled on, or about, 8/22/11 for an as yet unknown amount.

## Horton cases – Active

Case:	Carolyn D. Leary <i>v.</i> Shaw's Supermarkets, Inc, Door Control, Inc., and Horton Automatics, Inc.				Seq. No. 100
Attorney:	Donald S. Sheldon 709 South Main Street Bradford, MA 01835-7009				508-372-5750
Equipment:	Horton swinging door actuated by control mats.				
Description:	Woman in 40's struck by premature closing of swinging door while standing on swing side control mat, severing nerves in arm. Lost use of two fingers on affected hand.				
Deposition:	2/4/97	Trial:		Outcome:	May have settled.

Case:	Pearl M. Foust and Arthur Foust <i>v.</i> St. Joseph's Hospital, Seneca Automatic Door, Inc. and Dallas Doors & Supply Co., State of New York, Supreme Court, Tioga County, Index No. 23226.				Seq. No. 101
Attorney:	William S. Friedlander FRIEDLANDER & FRIEDLANDER, P.C. 425 Park Avenue P. O. Box 109 Waverly, NY 14892-0109				607-565-8155
Equipment:	Horton biparting sliding door. Sensor types unknown at this time.				
Description:	Elderly woman using a walker was pinned by and had to be extricated from prematurely closing emergency entrance door at Joseph's hospital.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Leslie Washington, <i>et al. vs.</i> Overhead Door Company, <i>et al.</i> Court of Common Pleas, Summit County, Ohio, Case No. CV 1996-09-3651				Seq. No. 102
Attorney:	Ann Marie O'Brien SCANLON & CO., L.P.A. 76 South Main Street, Suite 1612 Akron, OH 44309-2004				330-376-1440
Equipment:	Horton single slider sliding door.				
Description:	Woman in 50's struck on ankle by prematurely closing door. Lost full and proper use of ankle.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Poritzky <i>v.</i> Overhead Door Corporation d/b/a Horton Automatics				Seq. No. 103
Attorney:	Richard S. Vecchio Worby, Borowick and Groner, LLP 11 Martine Avenue, Penthouse White Plains, NY 10606-5402				914-686-3700
Equipment:	Horton bi-parting sliding door actuated by microwave motion sensors and dual hold open beams.				
Description:	Man exiting from Holiday Inn using walker stuck by prematurely closing door on November 10, 1998.				
Deposition:		Trial:		Outcome:	

## Horton cases – Active

Case:	Holtzman <i>v.</i> Bozeman Deaconess Hospital and Evergreen Health Care				Seq. No. 104
Attorney:	Julieann McGarry Cok, Wheat, Brown & McGarry, PLLP The Carnegie Library Building 35 North Bozeman Avenue Bozeman, MT 59715-3627				406-587-4445
Equipment:	Horton telescoping sliding door.				
Description:	Elderly woman using walker struck by prematurely closing door on May 20, 1998.				
Deposition:		Trial:		Outcome:	

Case:	Francisco <i>v.</i> City of Billings				Seq. No. 105
Attorney:	William P. Fitzgerald Lynaugh, Fitzgerald, Eiselein & Grubbs 225 North 23 <sup>rd</sup> Street P. O. Box 1729 Billings, MT 59103-1729				406-252-3461
Equipment:	16' 4 panel Horton revolving door				
Description:	Man struck and injured at edge of sweep of the revolving door on June 21, 1998.				
Deposition:		Trial:		Outcome:	

Case:	Preston Bush <i>v.</i> Mobile Glass Co., Inc., Columbus Automatic Door, Inc., Carolina Door Controls, Inc., Infirmary Health System, Inc., Infirmary Medical Clinics, P.C., <i>et al.</i> Circuit Court of Mobile County, Alabama; Civil Action No. CV 2003-2878				Seq. No. 106
Attorney:	David S. Cain, Jr. Cunningham, Bounds, Yance, Crowder & Brown, L.L.C. 1601 Dauphin Street Mobile, AL 36604-1305				251-471-6191
Equipment:	Horton series 2003 sliding door with dual HO beams.				
Description:	Plaintiff struck by outer exit door while exiting building.				
Deposition:	6/23/05 9/26/05	Trial:		Outcome:	

Case:	Ruby Weisinger <i>vs.</i> HEB Grocery Company LP, <i>et al.</i> In the 261st Judicial District Court of Travis County, Texas; Cause No. GN304355				Seq. No. 107
Attorney:	R. Mark Payne Payne James 112-B Commerce Street Tomball, TX 77375-4706				281-357-0006
Equipment:	Horton biparting sliding door with dual HO beams and MS Sedco D-38 microwave motion sensors.				
Description:	84 year old woman struck by inner exit door while exiting building.				
Deposition:		Trial:		Outcome:	

## Horton cases – Active

Case:	Jean Frazer <i>vs.</i> Horton Automatics, Carolina Door Controls, Inc. and Chattanooga Bone & Joint Surgeons, P.C. Circuit Court of Hamilton County, Tennessee at Chattanooga; Civil Action No. 03-C-1131, Division II			Seq. No. 108
Attorney:	Richard L. Duncan Gilreath & Associates 550 Main Avenue, Suite 600 P. O. Box 1270 Knoxville, TN 37901-1270			865-637-2442
Equipment:	Horton biparting series 2110 sliding door with dual hold open beams and BEA, Inc., “Eagle” microwave motion sensors.			
Description:	70 year old woman using walker injured as she was entering orthopedic clinic. Door closed on walker.			
Deposition:	6/20/05	Trial:		Outcome:

Case:	Sharon Siegel and Noah Siegel <i>v.</i> Brown Palace Hotel Associates Limited Partnership Denver County District Court; Case No. 2004 CV 4547, Division 8.			Seq. No. 109
Attorney:	Robert A. Weinberger Weinberger, Serruto & Parrish, P.C. 857 Grant Street Denver, CO 80203-2904			303-831-7610
Equipment:	Horton low energy double swinging door.			
Description:				
Deposition:		Trial:		Outcome:

Case:	Agnes M. Ford and Nate Ford <i>v.</i> Jorgensen, Inc., d/b/a Baldwin Sav-a-Lot Circuit Court for Lake County, Michigan; Case No.: 04-6349-NO			Seq. No. 110
Attorney:	Daniel P. O’Neil Thompson, O’Neil & Vanderveen 309 East Front Street Traverse City, MI 49684-2554			231-929-9700
Equipment:	Horton Series 2003 belt drive bi-parting sliding door with dual hold open beams and BEA, Inc., “Eagle” microwave motion sensor.			
Description:	69 year old woman using walker struck and injured while exiting store through interior vestibule door.			
Deposition:	1/9/07	Trial:		Outcome:

Case:	Polly Martin <i>vs.</i> Decatur General Hospital, Horton Automatics, and Alabama Door Supply Circuit Court of Morgan County, Alabama; Case No.: CV 06-123			Seq. No. 111
Attorney:	J. Brent Burney Burney & Burney 107 Grant Street SE Decatur, AL 35601-2331			256-350-9988
Equipment:	Knowing act wooden swinging door with Horton operator attached and using only Microwave Sensors, Inc., D14-2 sensors.			
Description:	Woman in closing path struck and injured while exiting through door.			
Deposition:	7/31/07	Trial:		Outcome:

## Horton cases – Active

Case:	Bertha Roznovsky <i>vs.</i> H.E.B. Grocery Company and Tormax Technologies, Inc. County Court at Law No. 2, Nueces County, TX; Cause No. 06-61974-2			Seq. No. 112
Attorney:	Richard D. Nielsen, II Brunkenhoefer & Nielsen, P.C. 555 North Carancahua Corpus Christi, TX 78478-0013			361-888-6655
Equipment:	Horton bi-sliding door with BEA, Inc., "Eagle" motion sensors and hold open beams.			
Description:	Woman using walker stuck while exiting from store through exterior sliding door.			
Deposition:		Trial:		Outcome:

Case:	Joyce Janjigian <i>v.</i> Procaccianti Group/Hilton Boston Dedham Hotel			Seq. No. 113
Attorney:	Patricia Aurichio Liberty Mutual Insurance P. O. Box 9001 Valley Stream, NY 11582-9001			516-593-8200
Equipment:	Horton 4-wing 10' diameter revolving door with BEA, Inc., "Eagle" motion sensors.			
Description:	Woman stuck and injured while attempting to exit from hotel.			
Deposition:		Trial:		Outcome:

Case:	Bonny Neyhard <i>v.</i> Weis Markets, Inc., Automatic Door Enterprises, Inc., and Overhead Door Corporation; Court of Common Pleas, Columbia County, Pennsylvania; No. 2005-CV-0000879			Seq. No. 114
Attorney:	Andrew J. Primerano Kennedy and Lucadamo, P.C. 200 West Chapel Street Hazelton, PA 18201-6245			570-459-2440
Equipment:	Horton model 310 bi-parting slider with BEA, Inc., Eagle™ motion sensors and dual hold open beams.			
Description:	Woman stuck and injured while attempting to enter through door.			
Deposition:		Trial:		Outcome:

Case:	Georgia and Larry Atkinson <i>vs.</i> Camden-Clark Memorial Hospital Corporation Circuit Court of Wood County, WV; Civil Action No. 08-C-493			Seq. No. 115
Attorney:	James C. Powell Powell & Majestro, P.L.L.C. 405 Capitol Street, Suite P-1200 Charleston, WV 25301-1765			304-346-2889
Equipment:	Horton double egress swinging door.			
Description:	Elderly woman struck and injured by door.			
Deposition:	4/7/11 7/25/11	Trial:		Outcome:

## Horton cases – Active

Case:	Grace Busch <i>v.</i> KBLA, A Wyoming Corporation d/b/a/ Blair's Thriftway and Horton Automatics, a Division of Overhead Door Corporation Washakie County, Wyoming, Civil No. 2007-0058			Seq. No. 116
Attorney:	M. Jalie Meinecke Meinecke & Sitz, L.L.C. P. O. Box 3129 1513 Beck Avenue Cody, WY 82414-3920			307-587-1300
Equipment:	Horton Series 2001 bi-parting sliding door with motion sensors and hold open beams.			
Description:	75 year old woman struck and seriously injured by door.			
Deposition:		Trial:		Outcome:

Case:	Shirley Durrstein <i>vs.</i> Freeport Memorial Hospital d/b/a Memorial Hospital, Horton Automatics and Tee Jay Service Corp. Co.; State of Illinois, Circuit Court of the 15th District Court; Stephenson County; Case No. 2010 L 17 consolidated with Case No. 2010 L 23			Seq. No. 117
Attorney:	Robert C. Pottinger Barrick, Switzer, Long, Balsley & Van Evera, LLP 6833 Stalter Drive Rockford, IL 61108-2579			815-962-6611
Equipment:	Horton 3-wing MiniGrand™ Automatic Revolving door.			
Description:	Elderly woman using walker knocked down and injured while exiting from door.			
Deposition:		Trial:		Outcome:

## Horton cases – Inactive

Case:	Pignona Estate <i>v.</i> Horton Automatics <i>et al.</i> , Franklin Superior Court docket No. S375-94Fc.				Seq. No. 118
Attorney:	David M. Yarnell KISSANE, YARNELL, CRONIN, BUGBEE & COUNOS Two North Main Street St. Albans, VT 05478-1668				802-524-9546
Equipment:	Horton series 2000 door using Microwave Sensors, Inc. D7W microwave motion sensors and DB11 holding beam.				
Description:	Elderly woman using walker struck by prematurely closing door, fracturing her hip.				
Deposition:	4/3/96	Trial:		Outcome:	Settled in 5/96 in favor of plaintiff for just over \$30,000.

Case:	Grace L. Edwards <i>vs.</i> Lowell General Hospital and Door Control, Inc.				Seq. No. 119
Attorney:	Robert L. Burke CALLAN, SULLIVAN & BURKE, P.C. 40 Church Street Lowell, MA 01852				508-458-6831
Equipment:	3-wing Horton revolving door actuated by microwave motion sensors.				
Description:	Woman struck by protruding wing of revolving door at the door throat.				
Deposition:		Trial:	10/6/94	Outcome:	Jury found for plaintiff and awarded \$40,000.

Case:	Rorick/Morsch <i>v.</i> Horton Automatics <i>et al.</i>				Seq. No. 120
Attorney:	John A. Lancione SPANGENBERG, SHIBLEY, TRACI, LANCIONE & LIBER 2400 National City Center 1900 East 9th Street, Suite 2400 Cleveland, OH 44114-3400				216-696-3232
Equipment:	Horton 3-wing 9300 revolving door actuated by Microwave Sensors, Inc. D7 microwave motion sensors.				
Description:	Two distinct accidents involving men thrown from within cylinder of revolving door.				
Deposition:	4/24/95	Trial:		Outcome:	Settled in 4/95 in favor of plaintiff for approximately \$106,000.

Case:	Evelyn Stein <i>v.</i> Allentown Housing Authority, <i>et al.</i> , No. 92-C-1630. Evelyn Stein <i>v.</i> Advanced Door Services, Inc., <i>et al.</i> , No. 93-C-1445.				Seq. No. 121
Attorney:	Barry C. Shabbick SHULMAN and SHABBICK 533 Delaware Avenue P. O. Box 155 Palmerton, PA 18071				610-826-3122
Equipment:	Horton Automatics Series 2000 automatic sliding door with card operated switch on ingress (vestibule) side; push button switch on egress (lobby) side; two horizontal photo sensor beams across the door opening; and Sonar Threshold Scan C-1520 presence sensor in the plane of the door opening.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled about 9/26/94 for \$70,000 to plaintiff.

## Horton cases – Inactive

Case:	Jenkins <i>v.</i> Overhead Door Corp. <i>et al.</i>				Seq. No. 122
Attorney:	John Patrick Najeway SCANLON & HENRETTA 76 South Main Street, Suite 1612 Akron, OH 44309-2004				216-376-1440
Equipment:	Horton series 2110 bi-parting sliding door with microwave motion sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled about 10/9/92 for \$30,000 to plaintiff.

Case:	Allard <i>v.</i> Action Door, Inc., <i>et al.</i>				Seq. No. 123
Attorney:	Kevin R. Dochney SLIMM & GOLDBERG P. O. Box 2222 216 Haddon Avenue, Suite 200 Westmont, NJ 08108-2886				609-869-6706
Equipment:	Horton Series 2310 automatic sliding door				
Description:	Elderly woman using walker struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	I withdrew from case.

Case:	Pamela McDonald <i>v.</i> Overhead Door Corporation d/b/a Horton Automatics and Novalco, Inc.				Seq. No. 124
Attorney:	Greg Haubrich The Haubrich Law Firm 1 North Hudson Avenue, Suite 200W Oklahoma City, OK 73102-5045				405-239-6700
Equipment:	Horton Model 9200 revolving door.				
Description:	Young woman got wrist and arm caught in revolving door on May 5, 1996, resulting in reflex sympathetic dystrophy.				
Deposition:	3/13/00	Trial:	4/26/00	Outcome:	Jury found for defendants.

Case:	Olga Derogatis <i>vs.</i> JC Penny				Seq. No. 125
Attorney:	Michael A. Feiner Karmin, Adler & Padowitz 750 SE 3rd Avenue, Suite 300 Fort Lauderdale, FL 33316-1153				954-768-9060
Equipment:	Horton bi-parting sliding door with X-band microwave motion sensors and dual hold open beams				
Description:	Woman struck and broke hip while exiting from building.				
Deposition:		Trial:		Outcome:	Case settled on, or about, 3/26/03.

## Horton cases – Inactive

Case:	Constance P. Vowell <i>v.</i> Carolina Door Controls, Inc. Circuit Court of the City of Richmond, VA; Case No. LR 1406-3				Seq. No. 126
Attorney:	Michael W. Lantz Emroch & Kilduff, L.L.P. 3600 West Broad Street, Suite 700 Richmond, VA 23230-4995				804-358-1568
Equipment:	Horton Series 2000 single-panel sliding door.				
Description:	70+ year old woman struck by the retracting edge of non-pocketed sliding door.				
Deposition:	5/5/04	Trial:	6/3/04	Outcome:	Dismissed. Appeal is intended.

Case:	Silvia Tuman <i>v.</i> Adventura Hospital				Seq. No. 127
Attorney:	Glenn J. Holzberg Law Office of Glenn J. Holzberg 7685 S.W. 104-th Street, Suite 220 Miami, FL 33156-3161				305-668-6410
Equipment:	Horton double swinging door.				
Description:	Woman in late 70's struck by swinging door as she was exiting from building.				
Deposition:		Trial:		Outcome:	Settled in, or about, 2/04.

Case:	Loretta Pittman <i>vs.</i> Sutherland's Express, LLC, and Horton Automatics District Court in and for Tulsa County, State of Oklahoma, Case No. CJ-2003-03810				Seq. No. 128
Attorney:	John M. Thetford Stipe, Harper, Laizure, Uselton, Edwards & Belote, LLP 2417 E. Skelly Drive P. O. Box 701110 Tulsa, OK 74170-1110				800-798-2613
Equipment:	Horton bi-parting sliding door with dual hold open beams.				
Description:	Elderly woman struck and injured as she was entering store.				
Deposition:	10/28/04	Trial:	10/5/05	Outcome:	Jury awarded \$500,000 from Sutherland's Express. Settled with Horton Automatics and MWM Novalco, Inc. Amounts confidential.

Case:	Joyce Galea <i>v.</i> Hannaford Bros., Co. Superior Court, Kennebec; State of Maine; Docket No. CV-04-00301				Seq. No. 129
Attorney:	Daniel G. Kagan Berman & Simmons, P.A. 129 Lisbon Street P. O. Box 961 Lewiston, ME 04243-0961				207-784-3576
Equipment:	Horton swinging door with BEA DK-12 presence sensor and LO-21 on swing side of door.				
Description:	Woman struck in the head by the outer in door as she attempted to enter the building.				
Deposition:		Trial:		Outcome:	Unknown, circa 2/20/06.

## Horton cases – Inactive

Case:	Thomas Wheeler <i>v.</i> Bermuda Village Retirement Center, Inc., and Wake Forest University Baptist Medical Center; Forsyth County Superior Court; Case No. 04 CVS 6449				Seq. No. 130
Attorney:	Robert C. Cone Tuggle Duggins & Meschan, P.A. 228 West Market Street P. O. Box 2888 Greensboro, NC 27402-2888				336-271-5218
Equipment:	Medical Center: Horton model 2310 linear drive bi-parting sliding door with BEA, Inc., "Eagle" motion sensors and dual hold open beams.				
Description:	Man struck while standing at rest within closing path of subject door.				
Deposition:	9/19/06	Trial:		Outcome:	Settled for a confidential amount on, or about, 10/15/06.

Case:	Doris L. Brooks <i>vs.</i> Viking Lodge and Restaurant, <i>et al.</i> Circuit Court of St. Louis County, Missouri; Cause No. 05CC-003411, Division 19				Seq. No. 131
Attorney:	Matthew J. Devoti Casey & Devoti One Metropolitan Square, Suite 3190 Saint Louis, MO 63102-2773				314-421-0763
Equipment:	Horton 3 panel revolving door.				
Description:	85 year old woman using cane struck while exiting through the revolving door.				
Deposition:	11/28/06	Trial:		Outcome:	Settled on 3/21/07 for a confidential amount.

Case:	Jean and Victor Bernin <i>vs.</i> Northwestern Memorial Hospital Circuit Court of Cook County, State of Illinois; No. 06 L 816				Seq. No. 132
Attorney:	Daniel J. Mohan Daley & Mohan, P.C. 150 North Wacker Drive, Suite 1550 Chicago, IL 60606-1656				312-422-0786
Equipment:	Horton sliding door with dual hold open beams and BEA, Inc., Crystal™ sensors.				
Description:	Woman using a walker struck and injured by door.				
Deposition:	3/22/07	Trial:		Outcome:	Jury awarded Plaintiff \$760,000 on or about July 10, 2007.

Case:	Laurie Henderson <i>v.</i> Automated Door, Inc., and Sodexo, Inc. 2 <sup>nd</sup> Judicial District Court, Bernalillo County, NM; Case No.: CV-2005-04903				Seq. No. 133
Attorney:	Alexander A. Wold Alexander Wold & Associates, P.C. 302 Silver Avenue, S.E. Albuquerque, NM 87102-3546				505-242-3444
Equipment:	Horton bi-parting sliding door with dual hold open beams and BEA, Inc., "Eagle" motion sensors.				
Description:	Woman struck and injured while exiting through exterior door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 8/12/08 for \$240,000 to Plaintiff.

## Horton cases – Inactive

Case:	David Voelter, Individually and as Executor of the Estate of Martha Voelter; Paul Harrison; Doug Harrison and Robin Harrison <i>vs.</i> Tormax Technologies, Inc.; HEB Grocery Company, L.P.; and Horton Automatics, a Division of Overhead Door Corporation; In the District Court, Bexar County, Texas, 131 <sup>st</sup> Judicial District; Cause No. 2007-CI-04467			Seq. No. 134
Attorney:	Craig D. Cherry Cherry & Jordan, L.L.P. P. O. Box 21027 Waco, TX 76702-1027			254-776-4040
Equipment:	Horton bi-sliding door with hold open beams.			
Description:	Elderly woman using walker stuck while entering store. Broke left femur and died of surgical complications soon after the accident.			
Deposition:		Trial:		Outcome: Settled on 6/13/08 for a confidential amount.

Case:	Elizabeth Brown <i>vs.</i> Anmed Health d/b/a/ Anderson Area Medical Center, Inc., Carolina Door Controls, Inc., and Greenville Door Specialists, Inc. Court of Common Pleas, Anderson County, South Carolina; C.A. No. 2007-CP-04-3330			Seq. No. 135
Attorney:	Floyd S. Mills, III Trammell Law Firm, P.A. 1650 East Greenville Street Anderson, SC 29621-2086			864-231-7171
Equipment:	Horton 9600 Series 12' diameter 3 wing segmented "Grand" revolving door with display core.			
Description:	Woman using walker stuck and injured while attempting to enter through the subject door.			
Deposition:		Trial:		Outcome: Settled in mediation on 9/29/08 for \$100,000.

Case:	Jeremy T. McLaughlin <i>v.</i> Dover Downs, Inc., <i>et al.</i> Superior Court of Delaware, Kent County; Civil Action No. 04C-03-013 JTV			Seq. No. 136
Attorney:	I. Barry Guerke Parkowski, Guerke & Swayze, P.A. 116 West Water Street Dover, DE 19904-6739			302-678-3262
Equipment:	Horton 3-wing AutoFlow™ Series 9300 revolving door.			
Description:	Revolving door panels collapsed on man within door, possibly due to wind.			
Deposition:		Trial:		Outcome: Court found for defendants on summary judgment on July 17, 2008.

## Horton cases – Inactive

Case:	Estate of Alice M. Tidwell <i>v.</i> Bowling Green - Warren County Community Hospital Corporation d/b/a The Medical Center at Bowling Green, <i>et al.</i> ; Warren County Circuit Court, Division II; Civil Action No. 08-CI-1820				Seq. No. 137
Attorney:	Thomas N. Kerrick Kerrick, Stivers, Coyle & van Zant, P.L.C. 1025 State Street P. O. Box 9547 Bowling Green, KY 42102-9547				270-782-8160
Equipment:	Horton Series 9340 4-wing 10' diameter revolving door with Microwave Sensors D7 and D14W X-band microwave motion sensors and BEA, Inc., SuperScan™ wing sensors.				
Description:	85 year old woman stuck and injured while attempting to exit from hospital.				
Deposition:	5/11/10	Trial:		Outcome:	Settled on, or about, 11/17/10 for a confidential amount.

Case:	Stephen Marlow and Lydia Marlow <i>v.</i> The New York State Medical Care Facilities Finance Agency, Door Controls, Inc., Horton Automatics, Ltd., Individually and as a Division of Overhead Door Company, Simplex Time Recorder Co., Simplex Grinnell LP, ADT Security Systems, Inc., Plumb Engineering, P.C., Lomonaco & Pitts, Architects P.C. d/b/a "Architecture+" and Georal International, Ltd.; State of New York, Supreme Court, County of Albany; Index No. 3603-06				Seq. No. 138
Attorney:	Edward J. Smith, III Smith, Sovik, Kendrick & Sugnet, P.C. 250 Clinton Street, Suite 600 Syracuse, NY 13202-1252				315-474-2911
Equipment:	Horton series 9241 4 wing securing revolving door with card access and control mats.				
Description:	Man pinned and injured at the guillotine position.				
Deposition:		Trial:		Outcome:	Settled on, or about, 1/12/11 for an undisclosed amount.

Case:	Robert Lube <i>vs.</i> Bond Drug Company of Illinois, LLC, d/b/a Walgreen's; Terraco, Inc., d/b/a Terraco Management Co., Inc.; Walko Enterprises, Inc., d/b/a Midwest Automatic Door, <i>et al.</i> ; Circuit Court of Cook County, Illinois County Department, Law Division; Case No. 07 L 4812				Seq. No. 139
Attorney:	Robert N. Wadington Robert N. Wadington & Associates 111 W. Washington Street, Suite 1460 Chicago, IL 60602-2767				312-629-2706
Equipment:	Horton series 2110 bi-parting sliding door with Apex™ sensors and dual hold open beams.				
Description:	Man was stuck and injured by the subject door twice.				
Deposition:	9/6/11	Trial:		Outcome:	Settled on 11/4/11 for \$250,000.

## Besam cases – Active

Case:	Jean Massengale and Bryce Massengale <i>vs.</i> Petsmart, Inc. and Besam, Inc. Cause No. 95-09234-J, District Court, Dallas County, Texas				Seq. No. 140
Attorney:	Steven J. Williams STEVEN J. WILLIAMS, P.C. 2511 Texas Drive, Suite 100 Irving, TX 75062-7023				972-252-5647
Equipment:	Besam bi-parting sliding door with Commander I motion sensor and hold open photo beam(s).				
Description:	Woman struck twice by door, initially on face, while attempting to enter Petsmart store.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Paula Tarr <i>v.</i> Wal-Mart <i>v.</i> Besam				Seq. No. 141
Attorney:	Brent F. Bradley Vernis & Bowling of Northwest Florida, P.A. 635 West Garden Street Pensacola, FL 32501-4733				850-432-6484
Equipment:	Besam swinging door with VisionPulse™ sensors and microwave motion sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	

Case:	Leigh Newton <i>v.</i> Wal-Mart <i>v.</i> Besam				Seq. No. 142
Attorney:	Jeffrey P. Gill Vernis & Bowling of Northwest Florida, P.A. 635 West Garden Street Pensacola, FL 32501-4733				850-432-6484
Equipment:	Besam double swinging door with VisionPulse™ sensors and K-band microwave motion sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	

Case:	Hazel Knight <i>v.</i> Southern Door Controls, Inc., <i>et al.</i>				Seq. No. 143
Attorney:	Gary W. Poliakoff Poliakoff and Associates, P.A. 215 Magnolia Street Spartanburg, SC 29306-2317				864-582-5472
Equipment:	Besam swinging door.				
Description:	Woman struck by door.				
Deposition:		Trial:		Outcome:	

## Besam cases – Active

Case:	Eva Long <i>v.</i> Wa-Mart Supercenter <i>v.</i> Besam, Inc.				Seq. No. 144
Attorney:	Gray Tollison Tollison Law Firm, P.A. 100 Courthouse Square P. O. Box 1216 Oxford, MS 38655-1216				662-234-7070
Equipment:	Besam Swingmaster 300 with VisionPulse™ sensors.				
Description:	Woman broke hip when struck by prematurely closing door on exiting from Wal-Mart.				
Deposition:		Trial:		Outcome:	

Case:	Betty Teitelbaum <i>et al.</i> <i>v.</i> Tops Markets, Inc., <i>et al.</i> Cuyahoga County; Court of Common Pleas; Case No. CV 02 472613				Seq. No. 145
Attorney:	Steven B. Potter Dinn, Hochman, Potter & Levy, L.L.C. 5910 Landerbrook Drive, Suite 200 Cleveland, OH 44124-6500				440-446-1100
Equipment:	Besam SwingMaster actuated by microwave motion sensor and control mat on swing side.				
Description:	Elderly woman struck by prematurely closing door and broke hip.				
Deposition:	8/29/03	Trial:		Outcome:	

Case:	Herman Franke and Janice Franke <i>vs.</i> Besam Automated Entrance Systems, Inc., David Christopher, Inc., and Kroger Texas, L.P.; B-44th Judicial District Court, Dallas County, Texas; Cause No. 03-04981				Seq. No. 146
Attorney:	Hardin R. Ramey Blakey & Ramey 12225 Greenville Avenue, #880 Dallas, TX 75243-9339				972-437-5700
Equipment:	Besam bi-parting sliding door with Eye-Cue™ IR/microwave sensor.				
Description:	58 year old man who had fractured his hip, but was recovering, struck by sliding door, resulting in hip being broken				
Deposition:		Trial:		Outcome:	

Case:	Teresa Legato <i>v.</i> Marshalls, Inc., <i>et al.</i> ; Docket No. MON-L-466-03				Seq. No. 147
Attorney:	Thomas F. Shebell, III Shebell & Shebell, L.L.C. West Shore Plaza 1398 Highway 35 South Ocean, NJ 07712-3522				732-663-1122
Equipment:	Besam Swing Master™ single panel swinging door actuated by a Besam SelectScan II™ microwave motion sensor and BEA, Inc., DK-12 presence sensor and LO-21 lock out relay.				
Description:	79 year old woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	

## Besam cases – Active

Case:	Edward Tears <i>vs.</i> Besam, Inc. <i>et al.</i>				Seq. No. 148
Attorney:	Laurence M. Karz Hall and Karz 6 Gorham Street P. O. Box 361 Canandaigua, NY 14424				585-394-5755
Equipment:	Besam single panel swinging door with VisionPulse™.				
Description:	84 year old woman struck by swinging door using VisionPulse™ sensors.				
Deposition:		Trial:		Outcome:	

Case:	Rosenblum <i>v.</i> LVIA, <i>et al.</i>				Seq. No. 149
Attorney:	Philip M. Hof Laub Seidel Cohen Hof & Reid, L.L.C. 8 Centre Square Easton, PA 18042-3606				610-258-6184
Equipment:	Besam bi-parting sliding door with Besam Eye-Cue MW™ sensors.				
Description:	Man struck by sliding door while entering Allentown, PA, airport.				
Deposition:		Trial:		Outcome:	

Case:	Michiko Terajima <i>v.</i> Gourmet Garage and Besam Automatic Doors, Inc. Supreme Court of the State of New York, County of New York, Index No. 108268/03				Seq. No. 150
Attorney:	Robert M. Salzman Salzman & Salzman 26 Court Street Brooklyn, NY 11242-0103				718-624-2395
Equipment:	Besam biparting sliding door with dual hold open beams and Besam Eye-Cue™ sensors.				
Description:	Door closed suddenly on Plaintiff as she was exiting store, causing her to step back and fall.				
Deposition:		Trial:		Outcome:	

Case:	Ruth Langus-Galitzer and Hymen Galitzer <i>v.</i> Dan's Supreme Supermarkets, Inc., d/b/a Key Food Stores and Georal International, Ltd. Supreme Court of the State of New York, County of Queens, Index No.: 23373/03				Seq. No. 151
Attorney:	Harry D. Hersh Davis & Hersh, L.L.P. 1345 Motor Highway Islandia, NY 11749-5227				631-543-2900
Equipment:	Besam single panel swinging door actuated by control mats.				
Description:	Woman struck by door.				
Deposition:		Trial:		Outcome:	

## Besam cases – Active

Case:	Ruby Gauldin <i>v.</i> Birmingham Airport Authority, <i>et al.</i>				Seq. No. 152
Attorney:	Honora M. Gathings Gathings Law 2001 Park Place North, Suite 500 Birmingham, AL 35203-2746				205-322-1201
Equipment:	Besam Entré-Matic, Inc., RDB-2-14 revolving door.				
Description:					
Deposition:	2/7/07	Trial:		Outcome:	

Case:	Bonnie Cannon <i>v.</i> Albertsons, Besam and Door Controls. District Court, 89th Judicial District, Wichita County, Texas; Case No. 166,562-C				Seq. No. 153
Attorney:	Gant Grimes The Anderson Law Firm 4600 Belair Boulevard Wichita Falls, TX 76310-1450				940-691-7600
Equipment:	Besam swinging door with BEA, Inc., Bodyguard™ presence sensor and LO-21 lock out relay.				
Description:	Woman struck while exiting through exterior swinging door.				
Deposition:	9/4/09	Trial:		Outcome:	

Case:	Teresa Prugo <i>vs.</i> New Albertson's, Inc., a successor of Albertsons, Inc., d/b/a Albertsons, John Does 1 through 3; Civil Action No. 07-CV-157-J U.S. District Court; Wyoming				Seq. No. 154
Attorney:	John D. Bowers Bowers & Associates Law Offices, P.C. 685 South Washington Street P. O. Box 1550 Afton, WY 83110-1550				307-855-1000
Equipment:	Besam bi-parting sliding door with OPTEX "i-sensors™"				
Description:	Woman struck by door while entering store.				
Deposition:		Trial:		Outcome:	

Case:	Lorraine S. Miller <i>vs.</i> The Long Island College Hospital, Ronald Barrientos and Besam Automated Entrance Systems, Inc.; Supreme Court of the State of New York, County of Kings; Index No.: 2096/07				Seq. No. 155
Attorney:	Anthony H. Gair Gair, Gair, Conason, Steigman & Mackauf 80 Pine Street New York, NY 10005-1768				212-943-1090
Equipment:	Besam RDB-2 revolving door.				
Description:	Woman struck and injured by revolving door.				
Deposition:		Trial:		Outcome:	

## Besam cases – Active

Case:	Mary Louise Tichenor, <i>et vir</i> , Otis K. Tichenor <i>v.</i> Target Corporation, Besam U.S., Inc., and B.E.A., Inc.; In the District Court of El Paso, Texas; 448th District Court; Case No. 2008-238				Seq. No. 156
Attorney:	Colbert N. Coldwell Guevara, Baumann, Coldwell & Reedman, L.L.P. 4171 North Mesa, Suite B-201 El Paso, TX 79902-1431				915-544-6646
Equipment:	Besam swinging door with BEA, Inc., "Eagle" motion sensor and Bodyguard/LO-21.				
Description:	Woman struck and injured when entering through door.				
Deposition:	6/30/10	Trial:		Outcome:	

Case:	Tambra Deloach <i>vs.</i> Comex Corporation; In the District Court of Harris County, Texas; 189th Judicial District; Case No. 2009-59653				Seq. No. 157
Attorney:	Les Cochran The Cochran Firm 1001 Texas Avenue, Suite 1400 Houston, TX 77002-3194				713-572-9999
Equipment:	Besam low energy dual panel swinging door.				
Description:	Door struck and cut foot of young woman entering building, resulting in infection and subsequent amputation of leg.				
Deposition:	11/7/11	Trial:		Outcome:	

Case:	Betty Rae Doerr <i>v.</i> ALDI, Inc., and Walko Enterprises, Inc., d/b/a Midwest Automatic Door, <i>v.</i> Optex Technologies, Inc.; Circuit Court of Cook County, IL; Case No. 07 L 5089				Seq. No. 158
Attorney:	Bradley D. Alexander Sanchez, Daniels & Hoffman, LLP 2100 Manchester Road, Suite 309 Wheaton, IL 60187-4584				630-752-9880
Equipment:	Besam Swingmaster™ door.				
Description:	Elderly man struck and injured by door while entering through outer door.				
Deposition:		Trial:		Outcome:	

Case:	Galen Price, Jr., <i>et al.</i> , <i>vs.</i> Giant Eagle, <i>et al.</i> , Court of Common Pleas, Summit County, Ohio; Case No. CV2010-04-2979				Seq. No. 159
Attorney:	Charles E. Grisi Law Office of Charles E. Grisi 159 South Main Street, Suite 1030 Akron, OH 44308-1318				330-535-8171
Equipment:	Besam AMD-II bi-parting sliding door with Besam Eye-Cue™ MW sensors and no hold open beams..				
Description:	Elderly man who had had a stroke and was using a walker knocked down and injured when door closed on him as he was entering store.				
Deposition:		Trial:		Outcome:	

### Besam cases – Active

Case:	Elizabeth Ann Shetler <i>v.</i> Aldi, Inc., <i>et al.</i> ; U.S. District Court, Western District of Kentucky at Louisville; Civil Action No. 3:10-CV-788-JHM-JDM			Seq. No. 160
Attorney:	Ronald E. Johnson, Jr. Schachter, Hendy & Johnson, P.S.C. 909 Wright's Summit Parkway, Suite 210 Fort Wright, KY 41011-2783			859-578-4444
Equipment:	Besam Swingmaster™ door. Interior exit.			
Description:	Woman using a walker struck and knocked down by leading edge of swinging door panel as she exited from the swing path of the door.			
Deposition:		Trial:		Outcome:

## Besam cases – Inactive

Case:	Butler <i>v.</i> Orthopedic Sports & Spine Rehabilitation Center, Inc., <i>et al.</i>				Seq. No. 161
Attorney:	E. Clyde Kirk STIPE, GOSSETT, STIPE, HARPER, ESTES, McCUNE & PARKS P. O. Box 53567 4111 North Lincoln Boulevard Oklahoma City, OK 73105				405-524-2268
Equipment:	Besam, Inc. sliding door with Eye-Cue™ presence and motion sensor.				
Description:	Woman struck by premature closing of sliding door.				
Deposition:	8/3/95	Trial:		Outcome:	Case settled in favor of Plaintiff on or about February 6, 1996. Amount not disclosed due to confidentiality agreement.

Case:	Carl W. Hurst and Alta B. Hurst <i>v.</i> Universal Door Systems, Inc., <i>et al.</i> Civil Action No. CV 93-45, Circuit Court for Jefferson County, Alabama				Seq. No. 162
Attorney:	Henry Lawrence Perry JOHNSON & CORY, P.C. 300 21st Street North, Suite 900 Birmingham, AL 35203				205-328-1414
Equipment:	Besam Series 9000 door with possibly inoperable VisionPulse™ presence sensor on door, retrofitted D14-2 presence sensors on door header, and approach motion sensor of unspecified type.				
Description:	Elderly man moving very slowly struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled approx. 4/1/95 for \$27,000 to plaintiff.

Case:	Charlotte Ann Hess <i>v.</i> Kmart Corporation, <i>et al.</i> ; Case No.: 93-CP-08-583				Seq. No. 163
Attorney:	James L. Bell THE BELL LAW FIRM, P.A. 184 East Bay Street, Suite 301 Charleston, SC 29401-2141				803-723-6141
Equipment:	Besam, Inc. SwingMaster 300 door using Larco control mats.				
Description:	Woman struck by prematurely closing door broke left hip and left wrist. Plaintiff eventually died of kidney and congestive heart failure resulting from complications of surgery following accident.				
Deposition:	11/9/95	Trial:		Outcome:	I withdrew from the case because of non-payment of my expert witness fees.

Case:	Debora and Michael McCarthy <i>v.</i> Besam Automated Entrance Systems, Inc., <i>et al.</i>				Seq. No. 164
Attorney:	Travis N. Jensen Tabor Law Firm 151 N. Delaware Street, Suite 1990 Indianapolis, IN 46204-2549				317-236-9000
Equipment:	Besam Electra™ single panel low energy power operated door.				
Description:	Woman who was struck by low energy power assist door at the entrance to a renal care facility, resulting in brain injury.				
Deposition:		Trial:		Outcome:	Abandoned due to unrelated death of Plaintiff.

## Besam cases – Inactive

Case:	Dorothy Dignan <i>v.</i> Thrifty Car Rental; Besam, Inc., <i>et al.</i>				Seq. No. 165
Attorney:	Lane D. Bauer SHOOK, HARDY & BACON, P.C. One Kansas City Place 1200 Main Street Kansas City, MO 64105-2118				816-474-6550
Equipment:	Besam series 4000 sliding door with Eye-Cue™ and hold open beams.				
Description:	Woman struck by the back edge of the sliding door as the door was opening while she was standing on the outside of the building. Broke leg and sustained other serious injuries.				
Deposition:	11/19/96	Trial:		Outcome:	Case settled in favor of plaintiff for \$65,000.

Case:	Harriett L. Doty <i>v.</i> Minyard's Grocery Store, Besam, Inc. and Door Control Services, Inc.				Seq. No. 166
Attorney:	Timothy M. Hoch MARK S. STEWART & ASSOCIATES, P.C. 1308 Lake Street Ft. Worth, TX 76102-4505				817-338-4004
Equipment:	Besam SwingMaster 300 with VisionPulse™ and Commander I™.				
Description:	Woman struck and injured by prematurely closing swinging door.				
Deposition:	11/13/97	Trial:		Outcome:	Settled on or about July 10, 1998. Amount paid by Besam confidential. Total paid by other defendants approximately \$60,000.

Case:	Charles Lehman <i>v.</i> St. Ann's Hospital, <i>et al.</i>				Seq. No. 167
Attorney:	T. Jeffery Beausay REMINGER & REMINGER 505 South High Street Columbus, OH 43215-5643				614-461-1311
Equipment:	Besam series 4000 single sliding door with Eye-Cue™ sensor.				
Description:	Very short man (dwarf) with brittle bones using crutches injured by prematurely closing door as he attempted to enter St. Ann's Hospital.				
Deposition:	1/22/98	Trial:		Outcome:	Settled on or about July 13, 1998, for \$255,000 to plaintiff.

Case:	Labelle <i>v.</i> Besam and W. J. Flynn				Seq. No. 168
Attorney:	Roger J. Brunelle 7 State Street Worcester, MA 01609-2895				508-755-2277
Equipment:	Besam Power-Glide 4000-2, Besam Eye-Cue™ and Microwave Sensors, Inc. D7W.				
Description:	Elderly woman using a walker entering a clinic who was struck by an automatic sliding door employing a microwave motion sensor. Plaintiff broke her hip.				
Deposition:	4/8/99	Trial:		Outcome:	Case settled on or about August 1, 1999.

## Besam cases – Inactive

Case:	Sarah Buckley, as representative of the Estate of Margaret Masters, Deceased <i>v.</i> Dayton Hudson Corporation d/b/a Target Stores, Besam Automated Entrance Systems, Inc., and Door Automation Systems, Inc. 133rd Judicial District Court, Harris County, TX, Cause No. 97-49467				Seq. No. 169
Attorney:	Craig V. Depew CLARK, DEPEW & SIESS, L.L.P. 1100 Louisiana Street, Suite 3050 Houston, TX 77002-5216				713-757-1400
Equipment:	Besam SwingMaster™ 350 with VisionPulse™ IR sensor.				
Description:	Woman struck by swinging door as she walked within 6 inches of VisionPulse™ sensor, knocked down and died of complications from injuries.				
Deposition:		Trial:		Outcome:	Settled on or about July 31, 1998, for an amount that is confidential. Accident recorded on surveillance videotape being held by the Court.

Case:	Edith M. Klofkorn <i>v.</i> Trumbull Marriott Hotel, Trumbull Hotel Associates, L.P., Interstate Hotels Corporation, and Besam Corporation. Superior Court, J.D. of Fairfield at Bridgeport, No. CV 96-0330076S				Seq. No. 170
Attorney:	Kevin M. Godbout SEELEY & BERGLASS 121 Whitney Avenue New Haven, CT 06510-1242				203-562-5888
Equipment:	Besam Power Glide 4000-2 biparting sliding door with Microwave Sensors, Inc. D15W unidirectional motion sensor and single hold open beam.				
Description:	91 year old woman struck by prematurely closing door, breaking her hip and causing other injuries.				
Deposition:		Trial:		Outcome:	Settled on or about September 3, 1998, for \$180,000 to plaintiff.

Case:	Geneva Jordan & Adelaide Prescott <i>v.</i> Maine Medical Center				Seq. No. 171
Attorney:	David M. Sanders Two Pine Avenue P.O. Box 271 Livermore Falls, ME 04254-0271				207-897-5775
Equipment:	Besam 9000 swinging door with BEA, Inc. CPSS-12 IR approach sensor on the door header and Besam VisionPulse™ IR presence sensors on either side of the door panels.				
Description:	Two women (sisters) struck and injured simultaneously while exiting from the Brighton Medical Center in Portland, ME. One woman fractured hip; the other woman damaged ulnar nerve.				
Deposition:	3/24/00	Trial:		Outcome:	Case settled on or about August 16, 2000.

## Besam cases – Inactive

Case:	Hyla Knox <i>v.</i> Wal-Mart			Seq. No. 172
Attorney:	Brent F. Bradley Cramer, Schofield, Unzicker & Wade 635 West Garden Street Pensacola, FL 32501-4733			850-432-7864
Equipment:	Besam swinging door using VisionPulse™ IR presence sensors.			
Description:	Woman struck on swing (safety) side of door as it opened.			
Deposition:		Trial:		Outcome: Case settled on or about August 29, 2000.

Case:	Pauline D. Holloway <i>v.</i> Shands Jacksonville Medical Center, Inc. Circuit Court, Fourth Judicial Circuit, Duval County, FL; Case No. CV-C 00-04355-CA			Seq. No. 173
Attorney:	Don St. Denis Anderson, St. Denis & Glenn, P.A. One Enterprise Center 225 Water Street, Suite 2100 Jacksonville, FL 32202-5154			904-633-9402
Equipment:	Besam bi-parting sliding door actuated by Besam Eye-Cue MW™ sensors with microwave motion sensor component on both sides of the door.			
Description:	Elderly woman struck by door as she was entering building using a walker on March 9, 1999.			
Deposition:	11/17/00	Trial:		Outcome: Jury awarded \$202,000 to Plaintiff.

Case:	Roben L. J. Sanders <i>v.</i> Wal-Mart Stores East, Inc., <i>et al.</i>			Seq. No. 174
Attorney:	William Beveridge, Jr. Law Office of Peter T. Nicholl 36 South Charles Street, Suite 1700 Baltimore, MD 21201-3101			410-244-7005
Equipment:	Besam Swingmaster 300 with VisionPulse™ sensors.			
Description:	Woman broke knee cap when struck by prematurely closing door at a Wal-Mart.			
Deposition:		Trial:		Outcome: Settled approximately 2/28/02

Case:	Brookshire Grocery Company <i>v.</i> Besam Automated Entrance Systems, Inc.			Seq. No. 175
Attorney:	John F. (Jack) Walker Sammons & Parker, PC 218 North College Avenue Tyler, TX 75702-5715			903-595-4541
Equipment:	Besam swinging doors with VisionPulse™ sensors			
Description:	Accident and improper operation in many stores.			
Deposition:		Trial:		Outcome: Case settled on or about March 6, 2003.

## Besam cases – Inactive

Case:	Audrey Laine Wood <i>vs.</i> Target Corp. and Besam, Inc.				Seq. No. 176
Attorney:	Michael S. Johnson, Atty. 1901 North Classen Boulevard Oklahoma City, OK 73106-6064				405-557-7824
Equipment:	Besam swinging doors with VisionPulse™ sensors				
Description:					
Deposition:		Trial:		Outcome:	Provided affidavit on 4/17/03.

Case:	Sibyl Harkins <i>v.</i> Besam Automated Entrance Systems, Inc., <i>et al.</i>				Seq. No. 177
Attorney:	T. David Hasbrook Woska & Hasbrook 120 N. Robinson Ave., Suite 2720W Oklahoma City, OK 73102-7896				405-235-1551
Equipment:	Besam sliding door with BEA VG-037 and Eye-Cue™				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled on, or about, June 13, 2002.

Case:	Virginia T. Richardson <i>v.</i> Wal-Mart, Besam, Inc., <i>et al.</i> , Case No. CV-01-314				Seq. No. 178
Attorney:	Michael J. Crow Beasley, Allen, Crow, Methvin, Portis & Miles, P.C. P. O. Box 4160 218 Commerce Street Montgomery, AL 36103-4160				334-495-1152
Equipment:	Besam swinging door with VisionPulse™ presence sensors and X-band microwave motion sensors.				
Description:	Woman struck by door, and died within 24 hours.				
Deposition:		Trial:		Outcome:	Settled for Plaintiff on June 30, 2003.

Case:	Rita Macke <i>v.</i> Office Depot				Seq. No. 179
Attorney:	Timothy C. Williams 844 East Sahara Avenue Las Vegas, NV 89104-3017				702-892-0000
Equipment:	Besam sliding door with microwave motion sensors and hold open beams.				
Description:	Woman struck by sliding door while exiting from Office Depot building.				
Deposition:		Trial:		Outcome:	Settled in, or about, mid-September, 2003.

## Besam cases – Inactive

Case:	Vlasta A. Cartwright <i>v.</i> Heron East, <i>et al.</i> Circuit Court; Twelfth Judicial Circuit; Sarasota County, FL; Civil Division Case No. 02-CA-11934-NC				Seq. No. 180
Attorney:	Matthew J. Cardillo Nursing Home Abuse Law Center 2909 West Bay to Bay Boulevard Tampa, FL 33629-8100				813-837-7000
Equipment:	Besam bi-parting sliding door using Eye-Cue sensors.				
Description:	Elderly woman using walker struck by sliding door at assisted living facility.				
Deposition:	7/21/03	Trial:		Outcome:	Case settled on, or about, September 5, 2003.

Case:	Karl A. Zeier <i>v.</i> Besam Automated Entrance Systems, <i>et al.</i> , Montana Eighteenth Judicial Court; Gallatin County; Cause No. DV 97-338				Seq. No. 181
Attorney:	L. Randall Bishop Jarussi & Bishop 303 North Broadway, Suite 705 Billings, MT 59103-1255				406-245-7555
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Elderly woman struck by door as she was exiting from Albertson's Store on October 18, 1994.				
Deposition:		Trial:		Outcome:	Settled, August, 2003.

Case:	Stacy N. Williams, III, <i>et al. v.</i> Wal-Mart Stores, Inc., Besam Automated Entrance Systems, Inc. and Exits, Inc.; Circuit Court of Jefferson County; Civil Action File No. CV-02-7394				Seq. No. 182
Attorney:	Nolan E. Awbrey Hare, Wynn, Newell and Newton, L.L.P. 2025 Third Avenue North, Suite 800 Birmingham, AL 35203-3331				205-328-5330
Equipment:	Besam swinging doors with VisionPulse™ sensors.				
Description:	Doors opened on Plaintiff, causing hip fracture. Plaintiff died 15 days later as a direct consequence.				
Deposition:	8/6/04	Trial:		Outcome:	Settled on 8/26/04 in favor of Plaintiff.

Case:	Pamela Ebersold, Personal Representative of the Estate of Elizabeth Pullis, Dec'd <i>v.</i> Target Corporation, <i>et al.</i> ; Case No. 01-73782				Seq. No. 183
Attorney:	John Hayes Lacey & Jones 600 South Adams Road, Suite 300 Birmingham, MI 48009-6827				248-433-1414
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	84 year old woman struck repeatedly by the door, even after she was knocked down by the door.				
Deposition:		Trial:		Outcome:	Settled on 8/19/04 in favor of Plaintiff.

## Besam cases – Inactive

Case:	Mary Elizabeth Ihle <i>v.</i> Super Fresh Food Markets of Virginia, Inc. d/b/a Farmer Jack; Besam, Inc. and Southern Specialty Corporation, U.S. District Court, Western District of Virginia, Harrison Division, Civil Action No. 96-0101(H).				Seq. No. 184
Attorney:	Kevin M. Rose WHARTON, ALDHIZER and WEAVER, P.I.C. 100 South Mason Street P. O. Box 20028 Harrisonburg, VA 22801-7528				540-434-0316
Equipment:	Besam sliding door with Commander I motion sensor and a pair of IR hold open beams.				
Description:	Sliding door closed prematurely and struck plaintiff while she was attempting to enter Farmer Jack store, fracturing her right hip and breaking her right femur.				
Deposition:	8/25/97	Trial:		Outcome:	Settled in favor of Plaintiff.

Case:	Kitty Cohen <i>vs.</i> Beth Israel Deaconess Medical Center, <i>et al.</i> Commonwealth of Massachusetts; Suffolk Superior Court; Civil Action No. 01-2386B				Seq. No. 185
Attorney:	E. Steven Coren Kerstein, Coren, Lichtenstein & Finkel, L.L.P. 233 Needham Street Newton Upper Falls, MA 02464-1502				617-969-7139
Equipment:	Besam (Entré-Matic) RDB-2-14' two-wing revolving door.				
Description:	Elderly woman struck while standing within sweep of revolving door.				
Deposition:		Trial:	10/4-5/04	Outcome:	Jury found no negligence on the part of door owner. Defendant Besam settled for a confidential amount.

Case:	Frances Fred Gamez <i>v.</i> Wal-Mart Stores, Inc. Judicial District of Harris County Texas, Cause No. 2003-39779				Seq. No. 186
Attorney:	Richard L. Garza Law Office of Richard L. Garza 15218 Pebble Den San Antonio, TX 78232-4119				210-494-0477
Equipment:	Besam biparting sliding door with BEA, Inc., "Wizard" sensors on either side.				
Description:	Door slammed repeatedly on a man using a quad cane, knocking him down and causing his injuries.				
Deposition:		Trial:		Outcome:	Settled in mediation on November 18, 2004.

Case:	Nancy and Arthur Fitzgerald <i>v.</i> Wal-Mart, Besam, <i>et al.</i>				Seq. No. 187
Attorney:	Edward R. Massey, III Clay, Massey & Associates 509 Church Street Mobile, AL 36602-2095				251-433-1000
Equipment:	Besam swinging door with VisionPulse™ sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Lost on summary judgment on, or before, 9/1/04.

## Besam cases – Inactive

Case:	Sue Moffitt, Executrix of the Estate of Virginia Bettis <i>v.</i> Wal-Mart, Besam, <i>et al.</i>				Seq. No. 188
Attorney:	Gary R. Haverstock Haverstock, Bell & Pitman 211 South 12 <sup>th</sup> Street Murray, KY 42071-2339				270-753-1694
Equipment:	Besam swinging door with VisionPulse™ sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled on September 30, 2004.

Case:	Alice Marshall <i>v.</i> Demoulas Supermarkets <i>v.</i> Besam Automated Entrance Systems, Rockingham County Superior Court Docket Nos. 04-C-0153 and 04-C-336.				Seq. No. 189
Attorney:	John A. Curran Getman, Stacey, Tamposi, Schulthess, Steere, PA 163 South River Road Bedford, NH 03110-6926				603-634-4300
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Besam swinging door closed abruptly on Plaintiff, resulting in injury.				
Deposition:		Trial:		Outcome:	Settled on or about 12/29/04.

Case:	Nellie Tricoli <i>v.</i> Besam and ManorCare Circuit Court; Fifteenth Judicial Circuit; Palm Beach County, FL; Civil Division Case No. 2003 CA 00-6228 AO				Seq. No. 190
Attorney:	Michael S. Smith Slawson Cunningham Whalen & Smith, P.L. 2401 PGA Boulevard, Suite 140 Palm Beach Gardens, FL 33410-3598				561-625-6260
Equipment:	Besam single panel sliding door with Besam Eye-Cue™ sensors.				
Description:	68 year old woman using walker, recovering from hip replacement surgery, struck while entering through sliding doors at rehabilitation facility.				
Deposition:	12/16/03	Trial:		Outcome:	Case settled on 3/9/05.

Case:	Heirs of Merrill Cook <i>v.</i> Besam, Albertson's, Action Door and Entry Systems, Inc. U.S. District Court, District of Utah, Central Division; Case No. 2:02-CV-1080				Seq. No. 191
Attorney:	Stephen G. Morgan Morgan, Minnock, Rice & James, L.C. 136 South Main Street Salt Lake City, UT 84101-1601				801-531-7888
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:					
Deposition:		Trial:		Outcome:	Case settled on 7/29/04.

## Besam cases – Inactive

Case:	Smock <i>v.</i> Wal-Mart				Seq. No. 192
Attorney:	A. J. Garcia 307 South Muskogee Avenue, Suite 5C Tahlequah, OK 74464-4444				918-453-9806
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:					
Deposition:		Trial:		Outcome:	Settled on 4/15/05.

Case:	Everett Lovejoy <i>v.</i> Demoulas Supermarkets <i>v.</i> Besam Automated Entrance Systems, Rockingham County Superior Court Docket Nos. 03-C-0852 and 04-C-0167.				Seq. No. 193
Attorney:	John A. Curran Getman, Stacey, Tamposi, Schulthess, Steere, PA 163 South River Road Bedford, NH 03110-6926				603-634-4300
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Besam swinging door closed abruptly on Plaintiff, resulting in injury.				
Deposition:		Trial:		Outcome:	Settled at the end of March, 2005.

Case:	Marion Sokolski and Estelle Sokolski <i>vs.</i> Tops Markets, LLC., and Besam Automated Entrance Systems, Inc.; Supreme Court of the State of New York, County of Monroe; Index No. 000/5123				Seq. No. 194
Attorney:	Jason L Coles Adair, Kaul, Murphy, Axelrod & Santoro, L.L.P. 300 Linden Oaks, Suite 220 Rochester, NY 14625-2883				585-248-3800
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Elderly man struck by swinging door while entering a Tops Market.				
Deposition:	8/25/04	Trial:		Outcome:	Settled on June 10, 2005, for a confidential sum.

Case:	Maria Wiswesser, <i>et al.</i> , <i>v.</i> Besam Automated Entrance Systems, Inc., <i>et al.</i> San Francisco County Superior Court, Case. No. CGC-04-427857				Seq. No. 195
Attorney:	Daniel P. Dean Taylor & Gutierrez, L.L.P. 332 Pine Street, Suite 600 San Francisco, CA 94104-3228				415-591-3300
Equipment:	Besam RDB-2-CDC revolving door.				
Description:	Five year old child allegedly injured by revolving door on entering airport.				
Deposition:		Trial:		Outcome:	Settled on, or about, August 25, 2005.

## Besam cases – Inactive

Case:	Crystal Bradshaw <i>vs.</i> Wal-Mart Stores, Inc., d/b/a Sam's Club and Besam Automated Entrance Systems, Inc.; District Court; Tarrant County, TX; Cause No. 67-200303-03				Seq. No. 196
Attorney:	Jeffrey L. Clark Kelsoe, Anderson, Khoury & Clark, P.C. 5220 Spring Valley Road, Suite 500 Dallas, TX 75254-2466				972-661-2227
Equipment:	Besam bi-parting sliding door with Besam Eye-Cue™ MW sensors.				
Description:	Besam sliding door struck an 88 year old woman while attempting to enter a Sam's store.				
Deposition:	2/7/05	Trial:		Outcome:	Settled on 9/13/05 for a confidential amount.

Case:	Patricia Cook and Sam Cook <i>vs.</i> Wal-Mart Stores, Inc., Besam Automated Entrance Systems, Inc., <i>et al.</i> ; Superior Court of California, Tehama County; No.: 51515				Seq. No. 197
Attorney:	Tamara L. Wood Maire & Beasley 2851 Park Marina Drive, Suite 300 Redding, CA 96001-2813				530-246-6050
Equipment:	Besam swinging door with VPS sensors.				
Description:	Woman pushing shopping cart struck and injured by swinging door as she was attempting to enter store.				
Deposition:		Trial:		Outcome:	Settled for \$900,000 (Wal-Mart for \$400,000 on, or about, 7/20/05, and Besam for \$500,000 on 12/7/05).

Case:	Louis Lu <i>vs.</i> Wal-Mart Retail Stores and The Stanley Works; U.S. District Court, Western District of Kentucky at Louisville; Civil Action No. 3:04-CV-84-C				Seq. No. 198
Attorney:	Donald H. Smith Don Smith Law Offices 11603 Shelbyville Road, Suite 7 Louisville, KY 40243-1309				502-244-8000
Equipment:	Besam swinging door with VisionPulse™ sensors.				
Description:					
Deposition:		Trial:		Outcome:	Settled in mediation on 3/24/06. Terms not disclosed.

Case:	Lewis F. Libby and Lorna Libby <i>vs.</i> Edgewood Management Corp., and Patricia Taylor Circuit Court, Fourth Judicial Circuit, Duval County, Florida Case No.: 6-2005-CA-002305-M, Division CV-B				Seq. No. 199
Attorney:	P. Scott Russell P. Scott Russell, P.A. 1300 Riverplace Boulevard, Suite 601 Jacksonville, FL 32207-9018				904-346-4480
Equipment:	Besam sliding door using Besam Eye-Cue MW™ sensors.				
Description:	76 year old man walking with cane, stopped in doorway and door closed on him, causing his injuries.				
Deposition:		Trial:		Outcome:	Settled in mediation on April 24, 2006, for \$82,500.

## Besam cases – Inactive

Case:	Marlene Bowman <i>vs.</i> Kroger Group Cooperative, Inc., and Kroger Limited Partnership, L.P.; Circuit Court of Marshall County, WV; Civil Action No. 5:05-CV-163				Seq. No. 200
Attorney:	James G. Bordas, Jr. Bordas & Bordas, PLLC 1358 National Road Wheeling, WV 26003-5742				304-242-8410
Equipment:	Besam single panel swinging door with VisionPulse™ sensors and BEA, Inc., VG-037/87 microwave motion sensor.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled on 5/24/06 for a confidential amount.

Case:	Brooks J. Bouillon, Jr., <i>vs.</i> Albertson's, Inc., <i>et al.</i> ; Superior Court of the State of Washington; King County; No. 04-2-37845-1 SEA				Seq. No. 201
Attorney:	Thomas B. Vertetis Gordon, Thomas, Honeywell, Malanca, Peterson & Daheim LLP 1201 Pacific Avenue, Suite 2100 P. O. Box 1157 Tacoma, WA 98401-1157				253-620-6430
Equipment:	Besam swinging door using VisionPulse-S™ sensors.				
Description:	Woman struck by swinging door while attempting to enter an Albertsons store.				
Deposition:	5/31/06	Trial:		Outcome:	Case settled on, or about, July 27, 2006.

Case:	Floyd Lovitt, <i>et al.</i> <i>v.</i> Wal-Mart Stores, Inc., <i>et al.</i> U.S. District Court, Northern District of Mississippi, Cause No. 2:04CV192-D-A				Seq. No. 202
Attorney:	Barrett J. Clisby 129 Courthouse Square Oxford, MS 38655-4068				662-234-8413
Equipment:	Besam bi-parting sliding door with Eye-Cue™ sensors.				
Description:	58 year old man with quad cane struck by prematurely closing door while trying to enter store.				
Deposition:	10/20/05	Trial:	10/26/06	Outcome:	Jury found for defendants.

Case:	Thomas Wheeler <i>v.</i> Bermuda Village Retirement Center, Inc., and Wake Forest University Baptist Medical Center; Forsyth County Superior Court; Case No. 04 CVS 6449				Seq. No. 203
Attorney:	Robert C. Cone Tuggle Duggins & Meschan, P.A. 228 West Market Street P. O. Box 2888 Greensboro, NC 27402-2888				336-271-5218
Equipment:	Retirement Center: Besam bi-parting slider with BEA, Inc., "Eagle" and Besam RBI motion sensors and single hold open beam.				
Description:	Man struck while entering through inner door of vestibule.				
Deposition:	9/19/06	Trial:		Outcome:	Settled for a confidential amount on, or about, 10/15/06.

## Besam cases – Inactive

Case:	Mary Lou Leahy <i>vs.</i> Wal-Mart Stores, Inc., Besam, Inc., and Besam Automated Entrance Systems, Inc.; Circuit Court of Loudoun County, State of Virginia; Law No. 33801				Seq. No. 204
Attorney:	Richard L. McGarry Law Office of Richard McGarry 6405 Merriman Road, Suite 201 Roanoke, VA 24018-6600				540-769-0234
Equipment:	Besam AMD II bi-parting sliding door with BEA, Inc., Wizard™ sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 4/18/07 for \$70,000 to Plaintiff.

Case:	Beverly and Allen Bell <i>v.</i> Busch's Market				Seq. No. 205
Attorney:	Russell W. Porritt, II Ward, Anderson, Porritt & Bryant, PLC 4190 Telegraph Road, Suite 2300 Bloomfield Hills, MI 48302-2081				248-593-1440
Equipment:	Besam single panel swinging door with VisionPulse™ sensors and BEA, Inc., VG-037/87 motion sensor OEM'd to Besam.				
Description:	Person struck on swing side by leading edge when door opened in response to another individual.				
Deposition:		Trial:		Outcome:	Settled on July 30, 2007, for \$240,000.

Case:	Nancy Fitzgerald <i>vs.</i> Wegmans Food Markets, Inc., and Imperial Door Controls, Inc. Supreme Court, Onondaga County, State of New York; Index No.: 2004-8299				Seq. No. 206
Attorney:	Cynthia Ann K. Manchester Levine, Gouldin & Thompson, L.L.P. 71 State Street P. O. Box F-1706 Binghamton, NY 13902-0106				607-584-5615
Equipment:	Besam Swingmaster™ MP with BEA, Inc., Bodyguard™ and LO-21 lock out relay.				
Description:	Woman struck from behind after entering store through the subject swinging door.				
Deposition:		Trial:		Outcome:	Case settled.

Case:	Jean M. White <i>v.</i> Beth Israel Deaconess Medical Center, <i>et al.</i> Commonwealth of Massachusetts; Suffolk Superior Court; Civil Action No. 06-1785-E				Seq. No. 207
Attorney:	Jonathan A. Karon Karon & Dalimonte, LLP 85 Devonshire Street, Suite 1000 Boston, MA 02109-3572				617-367-3311
Equipment:	Besam (Entré-Matic) RDB-2-14' two-wing revolving door.				
Description:	Woman struck and seriously injured while using the subject revolving door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 2/8/08 for a confidential amount.

## Besam cases – Inactive

Case:	Kathleen and Thomas Cooper <i>v.</i> Timberline Shop-N-Bag, Besam, <i>et al.</i> Superior Court of New Jersey, Law Division, Gloucester County, Docket No. GLO-L-1114-02				Seq. No. 208
Attorney:	Ross Begelman Begelman & Orlow, P.C. 411 Marlton Pike East, Suite 245 Cherry Hill, NJ 08034-2414				856-428-6020
Equipment:	Besam biparting sliding door with BEA, Inc., CPSS-12 sensors.				
Description:	Besam biparting sliding door closed suddenly on Plaintiff as she was exiting store.				
Deposition:	5/5/05 10/14/05	Trial:		Outcome:	Settled on, or about, 2/22/07. Terms not disclosed.

Case:	Linda and Michael Burke <i>v.</i> Wegmans Food Markets, Inc., <i>et al.</i> Court of Common Pleas, Lehigh County, PA, Case No. 2007-C-1691				Seq. No. 209
Attorney:	Edward A. Greenberg Daller, Greenberg & Dietrich, L.L.P. Eight Tower Bridge 161 Washington Street, Suite 900 Conshohocken, PA 19428-2085				215-836-1100
Equipment:	Besam SwingMaster™ swinging door with VisionPulse™ sensors.				
Description:	Swinging door opened into woman as she attempted to enter store.				
Deposition:		Trial:		Outcome:	Settled on 1/7/09 for an undisclosed amount.

Case:	Jeff Lancaster, Individually and as Representative of the Estate of Naomi Elizabeth Lancaster <i>vs.</i> Besam U.S., Inc., f/k/a Besam Automated Entrance Systems, Inc., and Trinity Mother Frances Health System; District Court of Anderson County, TX; Cause No. 87-10679				Seq. No. 210
Attorney:	Reid Wm. Martin Martin Walker, P.C. 522 South Broadway, Suite 200 Tyler, TX 75702-8111				903-526-1600
Equipment:	Besam Uni-Turn™ 2-wing (RDB2B) 14' diameter revolving door.				
Description:	Woman struck from behind while exiting within revolving door and died of resultant intracranial bleed.				
Deposition:	5/11/09	Trial:		Outcome:	Case settled on, or about, July 17, 2009, for \$400,000.

Case:	Janet Pike and James Davis <i>v.</i> Besam and Save Mart d/b/a/ Food Maxx.				Seq. No. 211
Attorney:	Arthur L. Morgan Halkides, Morgan & Kelley P. O. Drawer 492170 Redding, CA 96049-2170				530-221-8150
Equipment:	Besam bi-parting sliding door model P64000 with BEA, Inc., Wizard™ sensors on both sides of door.				
Description:	61 year old woman using cane struck by sliding door while entering Food Maxx store and died subsequently from complications of required surgery.				
Deposition:		Trial:		Outcome:	Settled on 10/12/09 for \$210,000.

## Besam cases – Inactive

Case:	Elaine Seidenberg <i>vs.</i> Bethesda Memorial Hospital, Inc.; Circuit Court of the Fifteenth Judicial District; Palm Beach County, Florida; Case No. 50 2010 CA 000205 XXXX MB AB				Seq. No. 212
Attorney:	Michael A. Acker Acker Morris, P.L. 179 S.E. Mizner Boulevard Boca Raton, FL 33432-5007				561-910-6620
Equipment:	Besam KDB-3-30 10' (3000 mm) 3-wing revolving door with no wing sensors at time of accident.				
Description:	Woman struck and injured by revolving door lacking wing sensors required by ANSI A156.27-2003.				
Deposition:	9/3/10	Trial:		Outcome:	Settled on 9/16/10 for a confidential amount.

Case:	Johanna Jacoby <i>vs.</i> Wal-Mart Stores, Inc.; U.S. District Court for the Middle District of Pennsylvania; Civil Action 09 CV 903				Seq. No. 213
Attorney:	Carl J. Greco Carl J. Greco, P.C. 4th Floor, Professional Arts Building 327 North Washington Avenue Scranton, PA 18503-1511				570-346-4434
Equipment:	Besam Swingmaster 300 dual panel swing door utilizing BEA, Inc., Eagle™ microwave motion sensor, BEA, Inc., Bodyguard™ header-mounted presence sensor, and BEA, Inc., Superscan™ presence sensors on both sides of both door panels.				
Description:	Woman struck and broke hip exiting through entrance door.				
Deposition:		Trial:	6/17-18/10	Outcome:	Jury found for defendant.

Case:	Margene Castro <i>v.</i> Maxi Drug, Inc., d/b/a Rite Aid and Besam US Inc.; Commonwealth of Massachusetts Superior Court, Bristol County; Civil Action No.: BRCV2009-01001-A				Seq. No. 214
Attorney:	Sharon D. Sybel Brian Cunha & Associates 311 Pine Street Fall River, MA 02720-3230				508-675-9500
Equipment:	Stanley Dura-Glide™ 3000 bi-parting slider serviced by Besam.				
Description:	Woman struck while attempting to enter store through exterior slider.				
Deposition:		Trial:		Outcome:	Settled in mediation on 8/9/11 for a confidential amount.

## Gyro-Tech/Lanson/NABCO cases – Active

Case:	Flora Salivaras, <i>et al. vs.</i> Riser Foods, Inc., <i>et al.</i> State of Ohio, Cuyahoga County, Court of Common Pleas, Case #258301				Seq. No. 215
Attorney:	John J. McCarthy 1370 Ontario Street, First Floor Cleveland, OH 44113-1792				216-621-2300 216-694-5218
Equipment:	Gyro-Tech swinging door with control mats.				
Description:	Middle aged woman struck by prematurely closing door – tore rotator cuff.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Donna and Edmund Krzeminski <i>v.</i> County of Wayne and The Stanley Works, Civil Action No. 98-822994-NO				Seq. No. 216
Attorney:	Charles W. Palmer 20500 Eureka Road, Suite 313 Taylor, MI 48180-6395				734-284-5550
Equipment:	Gyro Tech, Inc. swinging door maintained by Stanley.				
Description:	Plaintiff's shoulder injured with torn rotator cuff, July, 1995.				
Deposition:		Trial:		Outcome:	

Case:	Donaletta Lisenby Kouns <i>v.</i> Randalls Food Markets, Inc., <i>et al.</i> Cause No. CC-04-01402-C				Seq. No. 217
Attorney:	Garnett E. Hendrix, Jr. 211 N. Record Street, Suite 400 LB-28 Dallas, TX 75202-3349				214-761-5641
Equipment:	Gyro-Tech sliding door using BEA sensors.				
Description:	91 year old woman struck by inner door of vestibule.				
Deposition:	11/15/05	Trial:		Outcome:	

Case:	Joan M. Ross and Donald R. Ross <i>vs.</i> NABCO Entrances, Inc., <i>et al. vs.</i> BEA, Inc.; Court of Common Pleas of Westmoreland County; Pennsylvania; Civil Division No. 9560 of 2004				Seq. No. 218
Attorney:	Dwayne E. Ross Reeves and Ross 438 Depot Street Latrobe, PA 15650-1567				724-539-1733
Equipment:	Gyro Tech, Inc., GT1100 W.S. bi-parting sliding door.				
Description:	Woman injured while exiting from store.				
Deposition:		Trial:		Outcome:	

## Gyro-Tech/Lanson/NABCO cases – Inactive

Case:	Celia DeMario and Joseph DeMario <i>vs.</i> Erspamers, Inc., Gyro Tech, Inc., Microwave Sensors, Inc., <i>et al.</i> State of Wisconsin Circuit Court, Iron County, No. 93-CV-31				Seq. No. 219
Attorney:	A. Dennis Cossi COSSI LAW OFFICE 225 East Aurora Street Ironwood, MI 49938-2111				906-932-1221
Equipment:	Gyro-Tech, Inc. biparting sliding door actuated by Microwave Sensors, Inc. D7 microwave motion sensor and single hold open beam.				
Description:	Woman struck by prematurely closing door while leaving store.				
Deposition:	10/25/96	Trial:		Outcome:	Case settled in 4/97 in favor of plaintiff. Amount undisclosed.

Case:	Alice Hart and John Hart <i>vs.</i> Automated Entrance Systems, Inc.; Lanson Industries, Inc., <i>et al.</i> ; Court of Common Pleas, Allegheny County, PA, Civil Division G.D. No. 96-15426				Seq. No. 220
Attorney:	Daniel M. Berger BERGER LAW FIRM, P.C. The Frick Building, Suite 912 Pittsburgh, PA 15219-6003				412-471-4300
Equipment:	Gyro-Tech biparting sliding door. Single hold open beam and BEA, Inc. VG047 unidirectional microwave motion sensors.				
Description:	Woman in 80's entering supermarket struck and injured by sliding door.				
Deposition:		Trial:	9/24/98	Outcome:	Jury awarded \$450,000 to plaintiff with \$40,000 in delay damages pending.

Case:	Lora Bird and husband Virg Bird <i>vs.</i> The Kroger Co., Access Services, Inc., NABCO, Inc. and Gyro Tech, Inc.; District Court, Hood County, TX; Cause No.: C099071				Seq. No. 221
Attorney:	Paul V. Previte Adam & Previte, P.L.L.C. 500 Throckmorton Street, Suite 3400 Ft. Worth, TX 76102-3821				817-332-2580
Equipment:	Gyro-Tech "Whisper Slide" Series 1100 bi-parting sliding door equipped with dual hold open beams and BEA, Inc. VG087/C unidirectional microwave motion sensors.				
Description:	Plaintiff exiting Kroger store struck by prematurely closing door on February 7, 1997.				
Deposition:		Trial:		Outcome:	Case settled on or about April 28, 2000.

Case:	Lavoie <i>v.</i> Price Chopper				Seq. No. 222
Attorney:	Roger J. Brunelle 7 State Street Worcester, MA 01609-2895				508-755-2277
Equipment:	Swinging door actuated by control mats.				
Description:	Woman lost part of finger trying to extract it when swinging door closed on her unexpectedly while she was standing on the swing side control mat.				
Deposition:		Trial:		Outcome:	Settled, January, 2002

## Gyro-Tech/Lanson/NABCO cases – Inactive

Case:	Marguerite A. Sellers <i>v.</i> Camden-Clark Foundation, Inc. <i>et al.</i> Civil Action No. 96-C-74, Circuit Court of Wood County, WV.			Seq. No. 223
Attorney:	Harry G. Deitzler HILL, PETERSON, CARPER, BEE & DEITZLER 500 Tracy Way Charleston, WV 25311-1555			304-345-5667
Equipment:	Gyro Tech, Inc. sliding door.			
Description:	Woman injured while attempting to leave through automatic sliding doors at Camden-Clark Memorial Hospital in Parkersburg, WV.			
Deposition:		Trial:		Outcome: Settled in favor of Plaintiff in 1997.

Case:	Mary Johnson <i>vs.</i> Ocean State Jobbers, Inc., <i>et al.</i>			Seq. No. 224
Attorney:	Alexander P. Borré Morrison, Mahoney & Miller, L.L.P. 250 Summer Street Boston, MA 02210-1181			617-439-7423
Equipment:	Gyro Tech, Inc. swinging door with Microwave Sensor D-7 and BEA, Inc., DK-12/LO-21.			
Description:	86 year old woman struck and injured while attempting to exit through door.			
Deposition:		Trial:		Outcome: Settled for \$60,000 on, or about, 12/20/04.

Case:	Verna Monson (Deceased) <i>vs.</i> Albertson's Inc., Boon Edam, Inc., and John Does I-X District Court of Seventh Judicial District, Bingham County, Idaho; Case No. CV-04-2250			Seq. No. 225
Attorney:	Michael G. Brady Brady Law, Chartered 9300 Overland Road, Suite 200 P. O. Box 1398 Boise, ID 83701-1398			208-327-8900
Equipment:	Gyro-Tech dual panel swinging door using Microwave Sensors, Inc., D7 and D14 sensors.			
Description:	72 year old woman struck while entering Alberston's store. Died two days later of brain injuries sustained in fall.			
Deposition:		Trial:		Outcome: Settled on, or about, December 27, 2005.

Case:	Ronald E. Brown and Sheryl Brown <i>v.</i> Meijer Stores Limited Partnership Wayne Superior Court of Indiana; Cause No. 89D01-0301-CT-003.			Seq. No. 226
Attorney:	Scott A. Faultless Craig Kelly & Faultless 5845 Lawton Loop East Drive, Suite 1 Indianapolis, IN 46216-1072			317-545-1760
Equipment:	Gyro-Tech single panel swinging door actuated on approach by BEA, Inc., VG087C and with control mat on swing side.			
Description:	Man struck and injured while entering through outer swinging door.			
Deposition:		Trial:		Outcome: Settled on, or about, July 11, 2006.

## Gyro-Tech/Lanson/NABCO cases – Inactive

Case:	Beverly Salisbury <i>v.</i> Talbert Medical Group and NABCO Entrances Superior Court, Los Angeles County, South District, California Case No. NC037340				Seq. No. 227
Client:	Richard Chandler Chandler & Associates 10091 Suntan Circle Huntington Beach, CA 92646-6630				714-963-8088
Equipment:	NABCO GT-100 sliding door with GT Intellisensor				
Description:					
Deposition:		Trial:		Outcome:	Consultation completed November, 2006.

Case:	Edward and Anne King <i>vs.</i> Hannaford Bros. Co. State of New Hampshire, Superior Court, Strafford County; Docket No. 05-C-0622				Seq. No. 228
Attorney:	Benjamin T. King Douglas, Leonard & Garvey, P.C. 6 Loudon Road, Suite 502 Concord, NH 03301-5321				603-224-1988
Equipment:	Gyro-Tech sliding door with hold open beams and X-band microwave motion sensors.				
Description:	Woman struck while attempting to exit through interior sliding door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 3/2/07 for a confidential amount.

## Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Active

Case:	Estate of Lillian Woodward and Phyllis L. Crowe <i>v.</i> BJs Wholesale Club, Inc.				Seq. No. 229
Attorney:	F. Dore' Hunter Flanagan & Hunter, P.C. 64 Broad Street, Suite 200 Boston, MA 02109-4346				617-482-3366
Equipment:	Dor-O-Matic Astro-Slide bi-parting sliding door actuated by microwave motion sensors and dual hold open beams.				
Description:	Plaintiff struck by prematurely closing door while exiting from BJs on December 20, 1997. See also Elsie Wolf case on page 3.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Dorothy Farewell <i>vs.</i> Kmart Corporation, NT Dor-O-Matic, Inc., and Automatic Entrances, Inc.; District Court, Lancaster County, Nebraska; Case No. C101-1281				Seq. No. 230
Attorney:	Edward F. Hoffman Cada & Associates 1024 K Street Lincoln, NE 68508-2851				402-477-2233
Equipment:	Dor-O-Matic Astro-Slide® single panel sliding door with Astro-Scan® motion sensors and dual hold open beams.				
Description:	Door closed prematurely on woman using a walker as she exited Kmart store.				
Deposition:		Trial:		Outcome:	

Case:	Mary Jane Postizzi <i>vs.</i> Accuracy Glass & Mirror, Co., Inc., <i>et al.</i> District Court of Clark County, Nevada; Case No. A442195				Seq. No. 231
Attorney:	Justin M. Clouser Edward M. Bernstein & Associates 500 South Fourth Street Las Vegas, NV 89101-6599				702-384-4000
Equipment:	Dor-O-Matic series 9600 bi-parting sliding door				
Description:	Woman stuck and injured by bi-parting sliding door.				
Deposition:	7/14/04	Trial:		Outcome:	

Case:	Lemma Louise Barton <i>v.</i> SAKS, Incorporated, d/b/a Parisian, <i>et al.</i> Knox County Circuit Court No. 1-205-03				Seq. No. 232
Attorney:	Mark E. Floyd Pryor, Flynn, Priest & Harber Two Centre Square, Suite 600 625 Gay Street Knoxville, TN 37902-1604				865-522-4191
Equipment:	Dor-O-Matic Astroslide bi-parting slider with hold open beams.				
Description:	85 year old woman struck and injured while entering Parisian department store.				
Deposition:		Trial:		Outcome:	

## Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Active

Case:	Edith Peselnick <i>vs.</i> Fry's Food & Drug Stores			Seq. No. 233
Attorney:	C. Kevin Dykstra Bonnett, Fairbourn, Friedman & Balint, P.C. 2901 N. Central Avenue, Suite 1000 Phoenix, AZ 85012-2730			602-274-1100
Equipment:	Dor-O-Matic telescoping bi-parting sliding door with Stanley Stan-Guard™ presence sensor, microwave motion sensors, and dual hold open beams.			
Description:	92 year old woman knocked down and injured while attempting to exit from Fry's store.			
Deposition:		Trial:		Outcome:

Case:	Salzberg <i>v.</i> Costco, <i>et al.</i> Docket No.: MID-L-4229-03			Seq. No. 234
Attorney:	Harold J. Gerr 47 Raritan Avenue, 2nd Floor Highland Park, NJ 08904-2452			732-249-4600
Equipment:	Horton bi-parting sliding door with K-band microwave motion sensors and dual hold open beams.			
Description:	56 year old woman struck by door while entering Costco.			
Deposition:		Trial:		Outcome:

Case:	Barbara Hartigan <i>v.</i> Hospital Center Medical Pavilion Condominium Association, <i>et al.</i> ; Circuit Court for Fairfax County, VA; At Law No. CL2007-13119			Seq. No. 235
Attorney:	Robert C. Adams Odin, Feldman & Pittleman, P.C. 9302 Lee Highway, Suite 1100 Fairfax, VA 22031-1214			703-218-2146
Equipment:	Dor-O-Matic automatic bi-parting sliding door.			
Description:	75 year old woman struck by door and knocked down while exiting from building through the exterior door of two at a vestibule. Broke her hip, and incurred other injuries.			
Deposition:		Trial:		Outcome:

Case:	Nancy Smithson <i>vs.</i> No Frills Supermarkets, Inc.; District Court, Pottawattamie County, IA; Case No. 04781 LACV 098292			Seq. No. 236
Attorney:	Ryan M. Sewell Stuart Tinley Law Firm, L.L.P. 310 West Kaneshville Boulevard, 2nd Floor P. O. Box 398 Council Bluffs, IA 51502-0398			712-322-4033
Equipment:	Dor-O-Matic/LCN Closers, Inc., bi-parting sliding door.			
Description:	37 year old woman who had had stroke struck, knocked down and injured while standing in door closing path.			
Deposition:		Trial:		Outcome:

**Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Active**

Case:	Tina Tritto vs. Ingersoll-Rand Company; Suffolk Superior Court; Case No. 09-4170			Seq. No. 237
Attorney:	Jonathan A. Karon Karon & Dalimonte, LLP 85 Devonshire Street, Suite 1000 Boston, MA 02109-3572			617-367-3311
Equipment:	Dor-O-Matic/Ingersoll-Rand/LCN Closers, Inc., low-energy single panel swing door.			
Description:	Woman struck by door as the door closed on her when she was entering.			
Deposition:		Trial:		Outcome:

## Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Inactive

Case:	Valda Levesque <i>v.</i> Shaw's Supermarket, Inc., <i>et al.</i>				Seq. No. 238
Attorney:	John E. Sedgewick BERMAN & SIMMONS, P.A. 129 Lisbon Street, P.O. Box 961 Lewiston, ME 04243-0961				207-784-3576
Equipment:	Dor-O-Matic swinging door with infrared presence detector.				
Description:	Woman struck by premature closing of swinging door while on swing side of door.				
Deposition:		Trial:		Outcome:	

Case:	Claus <i>vs.</i> Memorial Medical Center, <i>et al.</i>				Seq. No. 239
Attorney:	James O. Wilson, Jr. WALDROP & WILSON 329 Lawrence Street P. O. Box 667 Marietta, GA 30061-2056				770-427-2476
Equipment:	Dor-O-Matic biparting sliding door with microwave motion sensors and dual hold open beams.				
Description:	Woman struck by premature closing of sliding door while leaving rehabilitation center.				
Deposition:	5/14/99	Trial:		Outcome:	Case settled in favor of the plaintiff with a confidentiality agreement on or about July 1, 1999.

Case:	Whiting/Kuhlthau <i>vs.</i> Fred Meyers Stores, Inc., Dor-O-Matic, <i>et al.</i>				Seq. No. 240
Attorney:	Stuart Goldstein Stuart Goldstein Law Firm 2700 North 3rd Street, Suite 2010 Phoenix, AZ 85004-4602				602-279-1666
Equipment:	Dor-O-Matic Astro-Slide® bi-parting sliding door actuated by microwave motion sensors and Look-See® IR presence sensor.				
Description:	86 year old woman struck by prematurely closing door while exiting from supermarket. Woman died of her injuries.				
Deposition:		Trial:		Outcome:	Case settled on 8/1/03.

Case:	Frances Mulhall <i>v.</i> Gordon Food, <i>et al.</i> Circuit Court, Cook County, IL; Case No. 02 L 005435				Seq. No. 241
Attorney:	David J. Heyer Law Office of David J. Heyer, Ltd. 212 West Washington, Suite 908 Chicago, IL 60606-3426				312-372-4950
Equipment:	Dor-O-Matic bi-parting sliding door				
Description:	Elderly woman stuck and injured (hairline hip fracture) by bi-parting sliding door.				
Deposition:	1/22/04	Trial:		Outcome:	Settled on 1/22/04 for \$75,000 to Plaintiff.

## Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Inactive

Case:	Stevie <i>v.</i> Southern Ohio Door Control, <i>et al.</i> U.S. District Court for the Eastern Division of Kentucky; Case No. 2001-216-WOB				Seq. No. 242
Attorney:	William B. Strubbe Suite 1925 Kroger Building 1014 Vine Street Cincinnati, OH 45202-1141				513-621-4775
Equipment:	Dor-O-Matic low energy power operated swinging door.				
Description:	Man fractured hip after being struck and knocked down by prematurely closing door.				
Deposition:	9/23/04	Trial:		Outcome:	Settled on, or about, January 26, 2005.

Case:	Claudia Gonzalez vs. Staples vs. United Door Service Civil Action No. B-03-125				Seq. No. 243
Attorney:	Ron Armstrong R. W. Armstrong & Associates 2600 Old Alice Road, Suite A Brownsville, TX 78521-1456				956-546-5556
Equipment:	Dor-O-Matic bi-parting sliding door with BEA, Inc., Eagle microwave motion sensor and dual hold open beams				
Description:	Plaintiff injured while exiting from the store.				
Deposition:		Trial:		Outcome:	Settled on, or about, 10/10/05 for approx. \$95,000.

Case:	Traci Anselm <i>vs.</i> Botsford Center for Rehabilitation and Health Circuit Court for Wayne County, State of Michigan; Case No. 04-420544 NO				Seq. No. 244
Attorney:	Brian A. Kutinsky Mindell, Malin & Kutinsky 25505 West Twelve Mile Road, Suite 1000 Southfield, MI 48034-1811				248-353-5595
Equipment:	Dor-O-Matic single panel low energy power operated swinging door.				
Description:	Woman with cane struck by door as she was entering building.				
Deposition:		Trial:		Outcome:	Settled in October, 2005, for \$100,000.

Case:	Merriott <i>v.</i> Supermarket Investors, Inc., Crain Enterprises, Inc., and Dor-O-Matic Garland County Circuit No.: CV-05-520 Div III				Seq. No. 245
Attorney:	Donald C. Pullen Lane, Muse, Arman & Pullen 201 Market Street Hot Springs, AR 71901-4029				501-623-3356
Equipment:	Dor-O-Matic biparting sliding door with hold open beams.				
Description:	82 year old woman using a walker knocked down and injured while attempting to exit from store.				
Deposition:		Trial:		Outcome:	Settled on March 7, 2006, for a confidential amount.

## Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Inactive

Case:	Aloysius and Antoinette Staal <i>v.</i> Munson Healthcare, Inc. State of Michigan, Circuit Court for County of Grand Traverse; Case No. 03-23343-NO				Seq. No. 246
Attorney:	Daniel P. O'Neil Thompson, O'Neil & Vanderveen 309 East Front Street Traverse City, MI 49684-2554				231-929-9700
Equipment:	Dor-O-Matic swinging door with Super-Nova™ surface mounted IR presence sensors.				
Description:					
Deposition:		Trial:		Outcome:	Settled in March, 2005.

Case:	Jack and Fran Marku <i>vs.</i> LNT West d/b/a Linens 'n Things District Court, Clark County, Nevada; Case No.: A482218; Dept. No.: IX				Seq. No. 247
Attorney:	Nadia von Magdenko Barron, Vivone & Pruitt, L.L.P. 1404 South Jones Boulevard Las Vegas, NV 89146-1231				702-870-3940
Equipment:	Dor-O-Matic Astro-Slide® biparting automatic sliding door with hold open beams and Look-See® presence sensor.				
Description:	Woman struck and seriously injured while entering store through inner door of vestibule.				
Deposition:	2/16/06 7/14/06 7/24/06	Trial:	8/17/06	Outcome:	Jury found for the Plaintiff. Award confidential.

Case:	Elizabeth M. Nelson, Admx. of The Estate of Rita Heaslip <i>vs.</i> Circuit City, Inc. Superior Court of the Commonwealth of Massachusetts; Suffolk County; Civil Action No. 05-0056F				Seq. No. 248
Attorney:	Dante G. Mummolo Iannella and Mummolo 55 Court Street, Suite 510 Boston, MA 02108-2104				617-742-1388
Equipment:	Dor-O-Matic Astro-Slide® biparting automatic sliding door.				
Description:	Woman using a walker struck and seriously injured while exiting store.				
Deposition:		Trial:		Outcome:	Settled on May 6, 2008, for a confidential amount.

Case:	Roberta Fine <i>vs.</i> Pedriana Gustafson, Inc., LCN Closers, and Rock Valley Glass of Rockford, Inc.; State of Illinois, Circuit Court of the 17th Judicial Circuit; Winnebago County, Illinois; No. 09 L 41				Seq. No. 249
Attorney:	Jan H. Ohlander Reno & Zahm 2902 McFarland Road, Suite 400 Rockford, IL 61107-6801				815-987-4050
Equipment:	Dor-O-Matic/LCN Closers swinging door.				
Description:	Elderly woman struck when exterior swinging door closed upon her as she attempted to exit from clinic.				
Deposition:		Trial:		Outcome:	Settled on, or about, May 7, 2010.

## Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Inactive

Case:	The Estate of Mabel Lillian Cowle, deceased, <i>vs.</i> The Kroger Company d/b/a Kroger Food Stores, Crain Enterprises, Inc., d/b/a Mid-South Automatic Door and John Does 1-5 U.S. District Court, Western District of Arkansas, Hot Springs Division; Case No. CV 09-6040				Seq. No. 250
Attorney:	Michael A. Crockett Crockett Personal Injury Law Firm 320 Executive Court, Suite 302 West Little Rock, AR 72205-4545				501-375-1919
Equipment:	Dor-O-Matic bi-parting sliding door with Astro-Scan® motion sensors, Look-See I® through door overhead presence sensor and dual hold open beams.				
Description:	98 year old woman using quad cane struck by door, broke hip and died within 12 hours.				
Deposition:	3/5/10	Trial:	3/25/10	Outcome:	\$75,000 to plaintiff as per high/low agreement.

Case:	Ann Booth <i>vs.</i> Safeway, Inc., and Shane McCarthy; In The United States District Court for the District of Montana, Butte Division; Cause No. CV-09-77-BU-RFC				Seq. No. 251
Attorney:	William P. Joyce Joyce, Johnston & MacDonald, PLLP 321 West Galena Street, Suite B Butte, MT 59701-1603				406-723-8700
Equipment:	Dor-O-Matic/LCN Closers, Inc., bi-parting sliding door with BEA, Inc, Eagle™ microwave motion sensors and dual hold open beams.				
Description:	92 year old woman using a walker struck and injured by door while exiting through exterior door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 4/28/10 for a confidential amount.

## Keane Monroe/KM Systems, Inc., cases – Active

Case:	Mary Ernst and Irven Ernst <i>vs.</i> The United States Postal Service U.S. District Court; Middle District of Florida – Ocala Division; Case No. 5:03CV52-OC-10GRJ			Seq. No. 252
Attorney:	Victor J. & Kelly H. Musleh P. O. Box 1866 Ocala, FL 34478-1866			352-732-0600
Equipment:	Bi-parting sliding door using Microwave Sensors, Inc., X-band microwave motion sensors and dual hold open beams.			
Description:	Elderly woman struck by sliding door, knocked down and broke hip while attempting to enter post office.			
Deposition:	6/25/04	Trial:		Outcome:

Case:	Dennis Macquillen <i>vs.</i> K M Systems, Inc., <i>et al.</i>			Seq. No. 253
Attorney:	Mark Bongiovanni Leary, Bride, Tinker & Moran 7 Ridgedale Avenue Cedar Knolls, NJ 07927-1120			973-539-2090
Equipment:	K M Systems, Inc., swinging door.			
Description:	Person struck while exiting from A&P Food Store.			
Deposition:		Trial:		Outcome:

## Keane Monroe/KM Systems, Inc., cases – Inactive

Case:	Roseann and Timothy Bartzler <i>v.</i> Keane Monroe <i>et al.</i> , Court of Common Pleas, Montgomery County, PA, Civil Division, Case Nos: 91-20964 and 92-21388.			Seq. No. 254
Attorney:	Stuart W. Kessler KESSLER & ASSOCIATES, P.C. 111 West Germantown Pike Plymouth Meeting, PA 19462-1450			610-834-1060
Equipment:	Keane Monroe sliding door actuated by a single hold open beam and a C&K microwave motion sensor on each side of door at time of accident.			
Description:	Young woman's shoulder pinned between sliding door panels. She subsequently suffered severed nerves in left brachial plexus during surgery resulting from injuries sustained in attempting to extricate herself from the door.			
Deposition:		Trial:		Outcome: Settled on October 21, 1997, for \$800,000 on the eve of trial.

## Boon Edam, Inc. cases – Active

Case:	Elfrieda Doris Dobrowa <i>v.</i> Sparrow Hospital			Seq. No. 255
Attorney:	Brian A. Kutinsky Mindell, Malin & Kutinsky 25505 West Twelve Mile Road, Suite 1000 Southfield, MI 48034-1811			248-353-5595
Equipment:	Boon Edam 12' <i>Doutour</i> revolving door with handicapped button.			
Description:				
Deposition:		Trial:		Outcome:

Case:	Leon Fox			Seq. No. 256
Attorney:	Camille F. Sarrouf, Sr. Sarrouf, Tarricone & Flemming 95 Commercial Wharf Boston, MA 02110-3816			617-227-5800
Equipment:	Boon Edam 12' <i>Doutour</i> revolving door with BEA, Inc., "Eagle" microwave motion sensors.			
Description:	Man knocked down while exiting through revolving door at Boston-Newton Marriott Hotel.			
Deposition:		Trial:		Outcome:

Case:	Wayne and Shirley Gaines <i>v.</i> Boon Edam, Inc., and North Mississippi Medical Center, Inc., Union County Mississippi Circuit Court; Cause No. CV 2011-061			Seq. No. 257
Attorney:	Michael B. Gratz, Jr. Gratz & Gratz 213 North Green Street Tupelo, MS 38804-3828			662-844-5531
Equipment:	Boon Edam <i>Doutour</i> revolving door evidently lacking required wing sensors.			
Description:	87 year old woman struck by door while entering hospital.			
Deposition:		Trial:		Outcome:

## Boon Edam, Inc. cases – Inactive

Case:	Setta Masse <i>vs.</i> Flamingo Hilton Hotel and Casino District Court, Clark County, Nevada; Case No.: A436590; Dept. No.: IV				Seq. No. 258
Attorney:	Daniel E. Carvalho Pico & Mitchell, Ltd. 2000 South Eastern Avenue Las Vegas, NV 89104-4100				702-457-9099
Equipment:	Tournex Diamondhead Model 202 16 foot diameter revolving door.				
Description:	Woman struck from behind by revolving door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 3/26/02

Case:	Nancy Charleston <i>v.</i> St. John Macomb Hospital, <i>et al.</i> Circuit Court, County of Macomb, Michigan; Case No. 01 5287 NO				Seq. No. 259
Attorney:	Leslie H. Kutinsky Leslie H. Kutinsky, P.C. 201 West 13 Mile Road Madison Heights, MI 48071-1803				248-588-7272
Equipment:	Boon Edam <i>Doutour</i> revolving door with handicapped button.				
Description:	84 year old woman struck and broke hip.				
Deposition:	1/20/03 3/13/03	Trial:	7/30/03	Outcome:	Jury awarded \$450,000 to Plaintiff. Found defective sensor design.

Case:	Carolyn LaForest <i>v.</i> St. John Macomb Hospital, <i>et al.</i>				Seq. No. 260.
Attorney:	Brian J. Bourbeau Denardis McCandless & Miller, PC 70 Macomb Place, Suite 200 Mount Clemens, MI 48043-5626				
Equipment:	Boon Edam <i>Doutour</i> revolving door with handicapped button.				
Description:	Revolving door closed on Plaintiff's foot/ankle, causing her to fall, as she attempted to enter the hospital.				
Deposition:	9/20/06	Trial:	12/14/06	Outcome:	Judgment for defendant.

Case:	Gerard M. Lehrer <i>vs.</i> Marriott International, Inc. Superior Court, Commonwealth of Massachusetts; C.A. No. 03-2587.				Seq. No. 261
Attorney:	W. Thomas Smith Sugarman and Sugarman, P.C. 1 Beacon Street, Floor 13 Boston, MA 02108-3107				617-542-1000
Equipment:	Boon Edam 16' <i>Duotour</i> revolving door with BEA Focus™ and BEA Superscan™ sensors				
Description:	Older man knocked down by revolving door, breaking his hip.				
Deposition:		Trial:		Outcome:	Settled on, or about, 8/8/07 for a confidential amount.

## Boon Edam, Inc. cases – Inactive

Case:	Evelyn Saunders and Glenn Saunders <i>v.</i> Boon Edam, Inc., <i>et al.</i> ; Commonwealth of Kentucky, Boyd Circuit Court, Civil Action No. 04-CI-00774, Division I				Seq. No. 262
Attorney:	Wendell S. Roberts Gray, Woods & Cooper 510 16th Street P. O. Box 70 Ashland, KY 41105-0070				606-329-2121
Equipment:	Boon Edam "TQA" three-wing revolving door with BEA, Inc., Focus™ and SuperScan™ sensors.				
Description:	74 year old woman struck and injured by revolving door while entering hospital.				
Deposition:	5/26/06	Trial:	1/5/07 Daubert 2/13/08	Outcome:	Jury awarded \$600,000 plus \$30,000 medicals.

Case:	Simon Osher <i>v.</i> Victoria Partners d/b/a Monte Carlo Resort & Casino, <i>et al.</i> Nevada Eighth Judicial District Court; Clark County, Case No. A536739				Seq. No. 263
Attorney:	Steven L. Day Cohen, Johnson & Day 1060 Wigwam Parkway Henderson, NV 89074-8175				702-309-3333
Equipment:	Boon Edam TQA™ three-wing revolving door.				
Description:	90 year old man, not using a walker or cane, struck by leading edge of revolving door as he was about to exit from the door.				
Deposition:	3/6/08	Trial:		Outcome:	Settled on or about 4/3/08 for a confidential amount.

Case:	Syd Zoss <i>v.</i> The Cleveland Clinic Foundation, <i>et al.</i> Court of Common Pleas, Cuyahoga County, OH; Case No. CV-06-582011				Seq. No. 264
Attorney:	Stuart A. Strasfeld Daniel P. Dascenzo Roth, Blair, Roberts, Strasfeld & Lodge 100 Federal Plaza East, Suite 600 Youngstown, OH 44503-1893				330-744-5211
Equipment:	Boon Edam "Tournex" Model 22-01 4-wing 14' revolving door.				
Description:	Woman struck and injured as she was about to exit from the sweep of the door				
Deposition:	7/24/07	Trial:		Outcome:	Settled in mediation in January, 2008, for \$105,000.

Case:	Ruth D. Tromp <i>vs.</i> Boon Edam Tomsed, Inc., <i>et al.</i> ; Circuit Court of the State of Oregon Deschutes County; Case No. 07CV0215AB				Seq. No. 265
Attorney:	Paul B. Heatherman Paul Heatherman, PC 250 N.W. Franklin Avenue, Suite 402 Bend, OR 97701-2814				541-389-1010
Equipment:	Boon Edam 14' <i>Doutour</i> revolving door.				
Description:	Woman using walker struck while exiting from clinic.				
Deposition:		Trial:		Outcome:	Settled on 5/14/10 for a confidential amount.

## Boon Edam, Inc. cases – Inactive

Case:	Estate of Margaret Robert, deceased, <i>vs.</i> Boon Edam, Inc., <i>et al.</i> District Court, Clark County, Nevada; Case No.: A445446; Dept. No.: II			Seq. No. 266
Attorney:	Lawrence J. Smith Benson Bertoldo Baker & Carter, Chtd. 7408 West Sahara Avenue Las Vegas, NV 89117-2740			702-228-2600
Equipment:	Boon Edam revolving door.			
Description:	Woman struck and injured while attempting to enter the Flamingo Hilton Hotel, Las Vegas, NV, through subject revolving door.			
Deposition:		Trial:		Outcome: Resolved. Details unknown.

## Miscellaneous cases – Active

Case:	LaDonna Marie DeCoursey <i>vs.</i> Simon Property Group, Inc. and Retail Property Trust			Seq. No. 267
Attorney:	Peter J. Galasso Galasso Langione 600 Old Country Road, Suite 304 Garden City, NY 11530-2010			516-222-6500
Equipment:	Swinging door. Manufacturer unknown at this time.			
Description:	Elderly woman using walker struck by prematurely closing door.			
Deposition:		Trial:		Outcome:

Case:	Theresa M. Ghiloni <i>v.</i> New England Rehabilitation Hospital			Seq. No. 268
Attorney:	Theresa A. Welch Robert K. Rainer, P.C. 60 VFW Parkway Revere, MA 02151-2557			781-656-0351
Equipment:	Single slider using hold open beams and microwave motion sensor. Manufacturer unknown at this time.			
Description:	Woman using walker struck and injured while exiting through door.			
Deposition:		Trial:		Outcome:

Case:	Constance Cameron <i>vs.</i> Cost Plus of Kentucky, Inc., <i>et al.</i> Jefferson Circuit Court, Division 8; No. 06-CI-11252			Seq. No. 269
Attorney:	Eric M. Lamb Lamb & Lamb, PSC P. O. Box 34275 Louisville, KY 40232-4275			502-451-6881
Equipment:	Dorma automatic sliding door model ESA200 with BEA, Inc., Eagle™ motion sensors OEM'd to Dorma and dual hold open beams.			
Description:	82 year old woman struck while exiting exterior door and broke hip.			
Deposition:		Trial:		Outcome:

Case:	Madeline Richardson <i>v.</i> Ultimate Health Services, Inc., d/b/a Huntington Internal Medicine Group, New Tristate Ventures, LLC and Virray, LLC Circuit Court of Cabell County, West Virginia; Civil Action No. 07-C-1008			Seq. No. 270
Attorney:	Richard R. Fredeking II Fredeking & Fredeking Law Offices, L.C. 511 Eighth Street Huntington, WV 25701-2017			304-525-7701
Equipment:	Tormax SmartDrive™ 1101 (TTX II) single panel power assist swing door operator with handicapped button.			
Description:	Elderly woman struck and injured when door opened into her.			
Deposition:	6/8/10	Trial:	7/27/10	Outcome:

## Miscellaneous cases – Active

Case:	Natalie Zamirowski <i>vs.</i>				Seq. No. 271
Attorney:	Thomas J. Fedick Harman & Fedick, Ltd. 222 North LaSalle Street, Suite 430 Chicago, IL 60601-1012				312-263-6452
Equipment:	Single panel power assist swing door with handicapped button. No sensors. Mfgr unknown at this time.				
Description:	Elderly woman stuck by door and died as a consequence.				
Deposition:		Trial:		Outcome:	

Case:	Lance and Michelle Dunfer <i>vs.</i> City of Philadelphia and Rytec Corporation Court of Common Pleas, Philadelphia County, Pennsylvania November term, 2007; Case No. 01960				Seq. No. 272
Attorney:	John F. Cordisco Stark & Stark P. O. Box 1500 Newtown, PA 18940-0894				267-907-9600
Equipment:	Rytec "Fast-Seal" model FS-1000 high speed overhead door.				
Description:	Door closed on head of user passing through the door.				
Deposition:		Trial:		Outcome:	

Case:	Estate of Stephen J. Kaufman, deceased.				Seq. No. 273
Attorney:	J. Randolph Pickett Pickett Dummigan LLP 621 Southwest Morrison Street, Suite 900 Portland, OR 97205-3823				503-226-3628
Equipment:	2007 IMCO 53A102V Self-Unloader truck.				
Description:	Crushed to death by hydraulically controlled, top hinged trailer door while unloading truck.				
Deposition:		Trial:		Outcome:	

Case:	Selma Hirshberg <i>vs.</i> Maggio's Famous Pizzas, Inc., <i>et al.</i> ; Court of Common Pleas Philadelphia County, March term 2009; No. 04984				Seq. No. 274
Attorney:	Patrick D. MacAvoy Billet & Associates, LLC 2000 Market Street, Suite 2803 Philadelphia, PA 19103-3201				215-496-7500
Equipment:	Bi-parting sliding door. Manufacturer unknown at this time.				
Description:	Woman in 80's with recent hip replacement using walker struck by door while exiting from restaurant.				
Deposition:		Trial:		Outcome:	

### Miscellaneous cases – Active

Case:	Russell Woodbury <i>v.</i> First Center Southfield, L.L.C., <i>et al.</i> ; Oakland County, MI, Circuit Court Case No. 08-093828-NI			Seq. No. 275
Attorney:	Steven W. Wells Schnelz Wells, P.C. 280 North Old Woodward Avenue, Suite 250 Birmingham, MI 48009-5392			248-258-7074
Equipment:	Gunnebo Entrance Control, Inc., knowing-act security revolving door.			
Description:	Man caught in door, fell down and was injured.			
Deposition:		Trial:		Outcome:

Case:	Andrew Morrissette <i>vs.</i> Dynamic Dock & Door, Inc., and Albany International Corp. d/b/a Albany Door Systems; Massachusetts; Superior Court, Hampden County, Massachusetts; Civil Action HDCV2008-01164			Seq. No. 276
Attorney:	Patrick J. McHugh Pellegrini, Seeley, Ryan & Blakesley, P.C. 1145 Main Street P. O. Box 30009 Springfield, MA 01103-0009			413-785-5300
Equipment:	Albany Rapid Roll 230 industrial door.			
Description:	Man walking through doorway struck on the top of head by the descending door.			
Deposition:		Trial:		Outcome:

### Miscellaneous cases – Inactive

Case:	Gold <i>v.</i> Panasonic			Seq. No. 277
Attorney:	Paul R. Schneider ARDIFF & MORSE, P.C. One Corporate Place 55 Ferncroft Road Danvers, MA 01923			508-774-7123
Equipment:	Panasonic microwave oven			
Description:	Woman developed skin and blood symptoms that may have resulted from radiation from defective seal on microwave oven.			
Deposition:		Trial:		Outcome: Case abandoned by plaintiff for lack of cause.

Case:	Hawley <i>v.</i> Wonder Market Companies, AAEC, <i>et al.</i>			Seq. No. 278
Attorney:	Roger J. Brunelle 7 State Street Worcester, MA 01609-2895			508-755-2277
Equipment:	American Automatic Entrance Corporation (AAEC) "Power-Slide" with Microwave Sensors, Inc. D7W microwave motion sensor. Presence sensor is "photobeam and reflector" of currently unknown manufacturer.			
Description:	Woman struck by left slider panel as she attempted to get around a man who preceded her through the door.			
Deposition:		Trial:		Outcome: Case settled on or about January 20, 2000.

Case:	Jean Louise Tennihill <i>v.</i> Delta Airlines, Inc., Cause No. 93-5079-B. District Court, Nueces County, TX, 117th Judicial District			Seq. No. 279
Attorney:	Paul J. Raleigh RALEIGH & VELA 545 N. Upper Broadway, Suite 1000 Corpus Christi, TX 78476			512-887-1888 800-835-3521
Equipment:	Refurbished 3-wing, 8-foot revolving door set up as one-way security door originally manufactured by RESS (Related Energy and Security Systems) International. Microwave motion sensor on activate side only. Sectorial control mat and metal detectors within door preventing use in reverse direction.			
Description:	Middle aged woman sustained brain damage when struck on head due to sudden reversal of door as a result of security stop and reversal sequence.			
Deposition:		Trial:		Outcome: Settled in mediation on 10/12/95 in favor of Plaintiff for approximately \$250,000.

Case:	Ralph Groom, Mary-Jo Piggott Groom <i>v.</i> Frommelt Dock & Door			Seq. No. 280
Attorney:	Linda J. Keogh Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490			617-742-1900
Equipment:	Rite-Hite Corp. "Protecdoor" Model 8000 "Hi-speed" door			
Description:	Worker struck and seriously injured by overhead door.			
Deposition:		Trial:		Outcome: Settled on an unknown date for an unknown amount.

### Miscellaneous cases – Inactive

Case:	Grassley <i>v.</i> Rite-Hite Corporation, Franklin Superior Court docket No.			Seq. No. 281
Attorney:	David M. Yarnell KISSANE, YARNELL, CRONIN, BUGBEE & COUNOS Two North Main Street St. Albans, VT 05478-1668			802-524-9546
Equipment:	Rite-Hite Model 8050 SR industrial automatic door.			
Description:	Plaintiff, David Grassley, an employee of Ben & Jerry's, was injured when the subject industrial door closed on him as he was passing through the door opening.			
Deposition:		Trial:		Outcome: Case settled on, or about, January 2, 1999, for an undisclosed amount.

Case:	Bernettie V. Krieger <i>v.</i> CB Building Corp., <i>et al.</i>			Seq. No. 282
Attorney:	Adam T. Suroff Walters, Bender, Strohbehn, Vaughan, P.C. 1100 Main Street, Suite 2500 Kansas City, MO 64105-5193			816-421-6620
Equipment:	International Revolving Door Co., manual revolving door			
Description:	Pedestrian within manual revolving door struck from behind when door pushed too fast.			
Deposition:		Trial:		Outcome: Settled on, or about, January 3, 2003.

Case:	Sally Aguilar <i>v.</i> Walgreens Circuit Court of Cook County, Illinois; Case Number 99 L 14486			Seq. No. 283
Attorney:	John J. Seno Executive Towers 5901 N. Cicero Avenue, Suite 310 Chicago, IL 60646-5719			773-545-9000
Equipment:	Crane 6' 6" diameter manual revolving door.			
Description:	Elderly woman struck from behind by door panel.			
Deposition:	4/5/02	Trial:		Outcome: Settled on, or about, April 1, 2003.

Case:	Jay L. Holleman <i>v.</i> Albany International Corp.			Seq. No. 284
Attorney:	Joseph E. Allman Macey Swanson and Allman 445 North Pennsylvania Street, Suite 401 Indianapolis, IN 46204-1800			317-637-2345
Equipment:	"Rapid Roll" Model 670 overhead door manufactured by Albany International Corp.			
Description:	Man struck and injured.			
Deposition:		Trial:		Outcome: Settled on October 31, 2005, for confidential amount.

### Miscellaneous cases – Inactive

Case:	Mildred Russo <i>v.</i> Handicap Mobility				Seq. No. 285
Attorney:	David P. Angueira Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490				617-742-1900
Equipment:	Swinging door. Manufacturer unknown at this time.				
Description:					
Deposition:		Trial:		Outcome:	Settled for an undisclosed amount.

Case:	Glenn J. Hookham <i>vs.</i> Walt Disney Co.; Superior Court of California Orange County Central Justice Center; Case No. 04CC10509				Seq. No. 286
Attorney:	Stephanie K. Nathanson Romanucci & Blandin, L.L.C. 33 North LaSalle Street, Suite 2200 Chicago, IL 60602-2616				312-458-1000
Equipment:	Single slider door on Disneyland monorail vehicle.				
Description:	9 year old boy struck and injured by Disneyland monorail sliding door as he attempted to exit from the vehicle.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Todd McMillen, <i>et al.</i> , <i>v.</i> Ford Motor Company; U.S. District Court Western District of Kentucky, Civil Action No. 3:07-CV-309				Seq. No. 287
Attorney:	D. Tysen Smith, II Dolt, Thompson, Shepherd, Kinney & Wilt, P.S.C. 13800 Lake Point Circle Louisville, KY 40223-4219				502-244-7772
Equipment:	Rytec "Fast-Seal" model FS-1000 high speed overhead door.				
Description:	Door closed on head of user passing through the door.				
Deposition:	1/5/09	Trial:		Outcome:	Settled on 5/10/11 for an undisclosed amount.

**ATTORNEYS**

Acker, Michael A.	58	Chandler, Richard (consultant)	62
Adams, Robert C.	64	Chapin, Charles S.	17
Alexander, Bradley D.	43	Chapin, Donald E.	17
Allman, Joseph E.	80	Cherry, Craig D.	37
Anderson, Robert S.	4	Chirokas, Thomas J.	11
Angueira, David P.	5, 20, 81	Clark, Jeffrey L.	54
Arleo, Frank P.	19	Clisby, Barrett J.	55
Armstrong, Ron W.	67	Clouser, Justin M.	63
Aurichio, Patricia	31	Cochran, Les	43
Awbrey, Nolan E.	50	Coldwell, Colbert N.	43
		Coles, Jason L.	53
		Collins, John L.	10
		Conboy, Timothy	23
Barton, W. Harvey	22	Cone, Robert C.	22, 36, 55
Bauer, Lane D.	46	Cordisco, John F.	77
Beausay, T. Jeffery	46	Coren, E. Steven	51
Begelman, Ross	57	Cossi, A. Dennis	60
Bell, James L.	45	Cramer, James J.	3
Berger, Daniel M.	60	Crockett, Michael A.	69
Beveridge, William	48	Crow, Michael J.	49
Bishop, L. Randall	50	Crumpton, Charles W.	21
Bloomenthal, Leslie E.	4	Curran, John A.	52, 53
Blumberg, Edward R.	5		
Bongiovani, Mark	70	Dascenzo, Daniel P.	74
Bordas, James G.	55	Davis, Mark W.	3
Borré, Alexander P.	61	Day, Steven L.	74
Bourbeau, Brian J.	73	Dean, Daniel P.	53
Bowers, John D.	42	DeFrank, Peter J.	10
Bradley, Brent F.	39, 48	Deitzler, Harry G.	61
Brady, Michael G.	61	Depew, Craig V.	47
Branam, James T.	10	Devoti, Matthew J.	36
Brennwald, Stephen F.	26	Dochney, Kevin R.	34
Bromagen, William L.	12	Duncan, Richard L.	30
Brunelle, Roger J.	46, 60, 79	Dykstra, C. Kevin	64
Burke, Robert L.	33		
Burney, J. Brent	30	Faultless, Scott A.	61
		Fedick, Thomas J.	77
Caldwell, John W.	3	Feiner, Michael A.	34
Cain, Jr., David S.	29	Fitzgerald, William P.	29
Cardillo, Matthew J.	50	Floyd, Mark E.	63
Carvalho, Daniel E.	73	Forchione, Frank G.	4
Catalano, Ralph P.	26	Fredeking, Richard R., II	76

Fredrickson, Robert A.	8	Johnson, Ronald E.	44
Friedlander, William S.	28	Joyce, William P.	69
Gair, Anthony H.	42	Kagan, Daniel G.	24, 35
Galasso, Peter J.	76	Karon, Jonathan A.	56, 65
Garcia, A. J.	53	Karz, Laurence M.	41
Garza, Richard L.	51	Kellner, John L.	24
Gathings, Honora M.	42	Keogh, Linda J.	79
Germeroth, Thomas P.	7	Kerrick, Thomas N.	38
Gerr, Harold J.	64	Kessler, Stuart W.	71
Gierach, James E.	21	King, Benjamin T.	62
Gill, Jeffrey P.	39	King, Brandon R.	6
Giosa, Anthony J.	9	Kirk, E. Clyde	45
Godbout, Kevin M.	47	Knafo, Jerry R.	25
Goldstein, Stuart	66	Koch, J. Michael	14
Gratz, Michael B., Jr.	72	Kopsick, Richard S.	20
Greco, Carl J.	58	Kowalski, Michael J.	18
Greenberg, Edward A.	57	Krein, J. Scott	27
Grimes, Gant	42	Kunken, Stephen	13
Grimm, Eric C.	10	Kushlefsky, Noah H.	20
Grisi, Charles E.	43	Kutinsky, Brian A.	16, 67, 72
Guerke, I. Barry	37	Kutinsky, Leslie H.	73
Hasbrook, T. David	49	Lamb, Eric M.	76
Hatala, Robert S.	16	Lambert, Christopher	19
Haubrich, Greg	34	Lambert, Pamela A.	27
Haverstock, Gary R.	52	Lancione, John A.	33
Hay, Richard W.	13	Lantz, Michael W.	35
Hayes, John	50	Ledbetter, Mark P.	24
Hearne, David A.	5	Lipsky, Joseph I.	11
Heatherman, Paul B.	74	Loftis, James D.	5
Hendrix, Jr., Garnett E.	59	Long, David K.	6
Hersh, Harry D.	41	Lord, Greg R.	13
Heyer, David J.	66	Lucas, Thomas E., Jr.	9
Hoch, Timothy M.	46	Lyman, Christopher B.	19
Hof, Philip M.	41	MacAvoy, Patrick D.	77
Hoffman, Edward F.	63	Madison, Kevin R.	20
Holzberg, Glenn J.	35	Magdenko, Nadia von	68
Hunter, F. Dore'	63	Malloy, Kevin M.	27
Jensen, Travis N.	45	Manchester, Cynthia Ann K.	56
Johnson, Michael S.	49	Maniloff, Howard R.	22

Martin, Reid Wm.	57	Poliakoff, Gary W.	39
Martinez, David B.	11	Porritt, Russell W., II	56
Martinovich, Bogdan	23	Potter, Steven B.	40
Massey, Edward R.	51	Pottinger, Robert C.	32
McCarthy, John J.	59	Powell, James C.	31
McElhaney, Rocky	7	Previte, Paul V.	60
McGarry, Julieann	29	Primerano, Andrew J.	31
McGarry, Richard L.	56	Pullen, Donald C.	67
McHugh, Patrick J.	78		
McNally, Thomas J.	19	Rafferty, Edson H.	16
Meinecke, M. Jalie	32	Raleigh, Paul J.	79
Mills, Floyd S.	37	Ramey, Hardin R.	40
Mohan, Daniel J.	36	Rico, Andres O.	18
Molnar, Edward S.	12	Roberts, Wendell S.	74
Moore, Jr., Edward H.	21	Ronaldson, Glenn C.	8
Morgan, Arthur L.	57	Rosato, James R.	15
Morgan, Stephen G.	52	Rose, Kevin M.	51
Mullins, Stacey D.	2	Ross, Dwayne E.	59
Mummolo, Dante G.	68	Rothermel, Frank A.	22
Musleh, Victor J. & Kelly H.	70	Russell, P. Scott	54
Najeway, John Patrick	34	St. Denis, Donald	48
Nathanson, Stephanie K.	81	Salinas, Marco A.	25
Newcombe, Paul	8	Salzman, Robert M.	41
Nielsen, Richard D.	31	Sanders, David M.	15, 47
Noll, Carl F.	2	Sarrouf, Camille F.	72
Noriega, James E.	14	Schneider, Kent B.	3
Norvell, David L.	15	Schneider, Paul R.	79
		Schydlower, Leon	7
O'Brien, Ann Marie	28	Scull, Robert L.	9
Ohlander, Jan H.	68	Sedgewick, John E.	66
O'Neil, Daniel P.	30, 68	Segal, Kenneth	17
O'Rourke, Shawn P.	7	Seno, John J.	80
Ovoian, Robert S.	23	Seuthe, Eric Bryan	12
		Sewell, Ryan M.	64
Pakenas, Thomas E.	26	Shabbick, Barry C.	33
Palmer, Charles W.	59	Shebell, Thomas F.	6, 40
Payne, R. Mark	29	Sheldon, Donald S.	28
Peraldo, Jeffrey K.	18	Shulman, Joshua	6
Perry, Henry Lawrence	45	Sigler, Daniel J.	2
Pickett, J. Randolph	77	Simonson, Terry A.	26
Pittman, Keith A.	14	Small, Douglas D.	2

		<b>PLAINTIFFS</b>	
Smith, D. Tysen	81		
Smith, Donald H.	54		
Smith, Edward J., III	38	Aguilar, Sally	80
Smith, W. Holt	25	Allard	34
Smith, Lawrence J.	75	Allen, Lucy	2
Smith, Michael S.	52	Ammons, Flora Carzeal	25
Smith, W. Thomas	73	Anselm, Traci	67
Smock, Thomas F.	13	Asbed, Mona	7
Strasfeld, Stuart A.	74	Atkinson, Georgia & Larry	31
Strubbe, William B.	67	Augustus	2
Suroff, Adam T.	80		
Sybel, Sharon D.	58	Balizer, Trudy & Joel	13
		Ball	14
Taenzer, Uri H.	8	Barajas, Javier	26
Thetford, John M.	35	Barton, Lemma L.	63
Thorson, J. Brandt	9	Bartzer, Roseann & Timothy	71
Todd, Terry	17	Baxter, Tommie Lou	9
Tollison, Gray	40	Becker, Sally	16
Trombly, Kenneth M.	12	Bell, Beverly & Allen	56
		Bernin, Jean & Victor	36
Vecchio, Richard S.	28	Bettis, Virginia	52
Vertetis, Thomas B.	55	Bird, Lora	60
		Booth, Nancy	69
Wadington, Robert N.	38	Bouillon, Jr., Brooks J.	55
Walker, John F. (Jack)	48	Bowman, Marlene	55
Watson, Leila H.	21	Bradshaw, Crystal	54
Weinberger, Robert A.	30	Brooks, Doris L.	36
Welch, Theresa A.	76	Brookshire Grocery Company	48
Wells, Steven W.	78	Brown, Elizabeth	37
Wilhite, George W.	15	Brown, Ronald E.	61
Williams, Steven J.	39	Brown, Sheryl	61
Williams, Timothy C.	49	Bryant, David	19
Wilson, James O.	66	Buckey, Sarah	47
Wold, Alexander A.	11, 36	Burke, Linda & Michael	57
Wood, Tamara L.	54	Busch, Grace	32
Wright, Matthew E.	24	Bush, Preston	29
		Butler	45
Yarnell, David M.	18, 33, 80		
Young, Thomas J.	16	Cain, Julia	4
		Caines, Lisa & Perry	9
Zolot, Lawrence P.	4	Cameron, Constance	76
		Cannon, Bonnie	42

Cartwright, Vlasta A.	50	Ford, Agnes M. & Nate	30
Castro, Margene	58	Ford, Joseph	6
Charleston, Nancy	73	Foust, Pearl M. & Arthur	28
Chapa, Enrique & Maria	25	Fox, Leon	72
Clark, Eula C. & Devon	18	Frahm, Geraldine	21
Claus, Linda	66	Francisco, Bruce	29
Cline, Linda & Gary	27	Franke, Herman & Janice	40
Cohen, Kitty	51	Frazer, Jean	30
Connolly, Robert	13		
Cook, Merrill	52	Gaines, Wayne & Shirley	72
Cook, Patricia & Sam	54	Galea, Joyce	35
Cooper, Kathleen & Thomas	57	Galitzer, Hymen	41
Cowle, Mabel Lillian	69	Gamez, Frances F.	51
Crowe, Phyllis L.	63	Garson, Frances R. and Warfield	23
Curry, William S.	17	Gauldin, Ruby	42
		Gay, Elizabeth	13
Davis, James	57	Geissinger, David A.	10
DeCourcey, LaDonna Marie	76	Ghiloni, Theresa M.	76
Delliquadri, Kenneth	4	Gold	79
Deloach, Tambra	43	Gonzalez, Claudia	67
DeMario, Celia & Joseph	60	Goolsby, Mary	8
Derogatis, Olga	34	Grassley, David	80
Devoti, Jeanette	11	Griego, Joyce	11
Dignan, Dorothy	46	Grimes, Mary Francis	15
Dobrowa, Elfrieda Doris	72	Groom, Ralph	79
Doerr, Betty Rae	43	Groom, Mary-Jo Piggott	79
Doty, Harriet L.	46	Grost, Mable Jo	5
Dunfer, Lance & Michelle	77		
Durrstein, Shirley	32	Haines, Leila	8
		Halpern, Lucille & Bernard	22
Ebersold, Pamela	50	Hanawitt, Sylvia	17
Edwards, Grace L.	33	Harkins, Sibyl	49
Eisenstein, Grete	18	Harnar, Marlys	9
Erhard, Kathryn & Jeff	6	Hart, Alice & John	60
Ernst, Mary and Irven	70	Hartigan, Barbara	64
		Hawley	79
Fanion, Evelyn	19	Hayes, Catherine	16
Farewell, Dorothy	63	Hayes, Leroy	2
Farrin, Annette	24	Heft, Debbie	25
Fine, Roberta L.	68	Henderson, Laurie	36
Fitzgerald, Nancy	56	Hess, Charlotte Ann	45
Fitzgerald, Nancy & Arthur	51	Higgins, Mary B.	20

Hill, Gertrude	7	LaForest, Carolyn	73
Hirshberg, Selma	77	Lancaster, Jeff	57
Holleman, Jay L.	80	Langus-Galitzer, Ruth	41
Holloway, Pauline D.	48	Lavoie	60
Holtzman, Ruth	29	Leahy, Mary Lou	56
Hooker, Beverly	12	Leary, Carolyn D.	28
Hookham, Glenn J.	81	Legato, Teresa	40
Hopper, Dorothy	6	Lehman, Charles	46
Hurst, Carl W. & Alta B.	45	Lehrer, Gerard M.	73
		Levesque, Valda	66
Ihle, Mary Elizabeth	51	Libby, Lewis & Lorna	54
		Long, Eva	40
Jacoby, Johanna	58	Lovejoy, Everett	53
Janjigian, Joyce	31	Lovitt, Floyd	55
Jenkins	34	Lu, Louis	54
Johnson, Mary	61	Lube, Robert	38
Jones, Gloria	12	Lyons, Mary	7
Jordan, Geneva	47		
		Macke, Rita	49
Kascsak, Al	3	Macquilken, Dennis	70
Kaufman, Stephen J.	77	Maerten, Kathleen A.	8
Kick, Laura	20	Mahan, Farrah	9
Kiefer, Lindsey	15	Marku, Jack & Fran	68
King, Alice	16	Marlow, Stephen & Lydia	38
King, Edward & Anne	62	Marshall, Alice	52
Klofkorn, Edith M.	47	Martin, Polly	30
Klunck, Jenen	5	Masse, Setta	73
Knight, Hazel	39	Massengale, Jean & Bryce	39
Knox, Hyla	48	Masters, Margaret	47
Koonce, Angela	15	McCarthy, Debora & Michael	45
Kos, Lila	11	McCowan, Carol A.	7
Kouns, Donaletta Lisenby	59	McDonald, Pamela	34
Kozlowski, Frederick L.	9	McLaughlin, Catherine H.	22
Krieger, Bernettie V.	80	McLaughlin, Jeremy T.	37
Krzeminski, Donna & Edmund	59	McMillen, Jean	22
Kubach, Helen	3	McMillen, Todd	81
Kuhlthau	66	Merriott	67
Kull	14	Miller, Lorraine	42
Kurz	8	Miyazaki, Kikuko Zutrau	5
		Moffitt, Sue	52
Labbe, Pamela & Brian	15	Monson, Verna	61
Labelle	46	Morrisette, Andrew	78

Morsch	33	Russo, Mildred	81
Mulhall, Frances	66		
		Salisbury, Beverly	62
Nelson, Elizabeth M.	68	Salivaras, Flora	59
Newton, Leigh	39	Salzberg	64
Neyhard, Bonny	31	Sanders, Roben L. J.	48
		Saunders, Evelyn & Glenn	74
Ontiveros, Trinidad & Domingo	20	Schlienz, Jean and Albert	21
Osher, Simon	74	Seebeck, Anne	22
		Seely, Mary K.	27
Pacini	3	Seidenberg, Elaine	58
Palek, Paul	19	Sellers, Marguerite A.	61
Palo, Frank (Estate of)	10	Shetler, Elizabeth Ann	44
Payless Drug Stores	13	Siegel, Nick	30
Perez, Isolina	23	Siegel, Sharon	30
Peselnick, Edith	64	Silver, Deborah R.	4
Peterson, Geraldine & Albert	24	Skinner, James	23
Pignona Estate	33	Smithson, Nancy	64
Pike, Janet	57	Smock	53
Pittman, Loretta	35	Sokolski, Estelle & Marion	53
Placencia, Margarita	18	Speirs, Esther & Stanley	26
Poritzky	28	Spencer, Dorris P.	24
Postizzi, Mary Jane	63	Staal, Aloysius and Antoinette	68
Prescott, Adelaide	47	Starr, Bernard	26
Price, Galen, Jr.	43	Stein, Evelyn	33
Pritchard, George P.	10	Stevie, Robert J.	67
Pritchard, Helen	5	Stineman, Celia	11
Prugo, Teresa	42		
Pullis, Elizabeth	50	Tarr, Paula	39
		Tears, Edward	41
Ramsay, Margaret	16	Teitelbaum, Betty	40
Ray, Elizabeth	21	Tennihill, Jean Louise	79
Rettino, Marjorie A.	27	Terajima, Michiko	41
Richardson, Madeline	76	Tessier, Rose	18
Richardson, Virginia T.	49	Tichenor, Mary L.	43
Rivera, Elizabeth & Edward	4	Tidwell, Alice M.	38
Robert, Margaret	75	Tingen, Mark L.	27
Rorick	33	Toolan	20
Rosenblum, Alan & Robin	41	Tricoli, Nellie	52
Ross, Joan & Donald	59	Tritto, Tina	65
Roznovsky, Bertha	31	Tromp, Ruth D.	74
Rupnik, Patricia	24	Tuman, Silvia	35

Turoso, Patsy	12
Turtora, Ronald	6
Verkuil, Beatrice	21
Vitale, Carmela & Alberto	2
Voelter, David	37
Voelter, Martha	37
Vowell, Constance P.	35
Walker, Mary C.	7
Washburn	17
Washington, Leslie	28
Weisinger, Ruby	29
Wenner, Seymour	12
Wheeler, Thomas	36, 55
White, Jean M.	56
Whiting	66
Williams, Stacy N.	50
Winningham, Kay & Mike	10
Wirell, Gudrun S.	19
Wiswesser, Maria	53
Witzke, Laurie R.	26
Wood, Audrey Laine	49
Woodbury, Russell	78
Woodward, Lillian	63
Wolf, Elsie	3
Zamirowski, Natalie	77
Zeier, Karl A.	50
Zoss, Syd	74