

SUMMARY OF LITIGATION CASES

handled by

Warren F. Davis, Ph.D.

Davis Associates, Inc.
43 Holden Road
Newton, MA 02465-1909

Tel. 617-244-1450 S FAX 617-964-4917

April 24, 2025

CONTENTS

Stanley cases - Active	2
Stanley cases - Inactive	7
Horton cases - Active	51
Horton cases - Inactive	53
Besam/Assa Abloy cases - Active	68
Besam/Assa Abloy cases - Inactive	71
Gyro-Tech/Lanson/NABCO cases - Active	92
Gyro-Tech/Lanson/NABCO cases - Inactive	93
Dor-O-Matic/Ingersoll-Rand/LCN Closers cases - Active	99
Dor-O-Matic/Ingersoll-Rand/LCN Closers cases - Inactive	101
Keane Monroe/KM Systems, Inc./Record USA, Inc., cases - Active	108
Keane Monroe/KM Systems, Inc./Record USA, Inc., cases - Inactive	108
Boon Edam, Inc. cases - Active	111
Boon Edam, Inc. cases - Inactive	111
Miscellaneous cases - Industrial Roll Up	117
Miscellaneous cases - Manual	120
Miscellaneous cases - Other	122

Stanley cases S Active

Case:	Lucy Allen vs. Wells Community Hospital, The Stanley Works, and Automated Entrances, Inc.; State of Indiana, Wells County Circuit Court, Cause No. 90C01-9604-CP-48				Seq. No. 1
Attorney:	Daniel J. Sigler ZWICK & SIGLER 227 South Second Street P. O. Box 231 Decatur, IN 46733-1666				219-728-9666
Equipment:	Stanley sliding door with Stan-Ray™ and Stan-Guard™ sensors.				
Description:	93 year old woman struck and knocked down by prematurely closing sliding door.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Carmela M. Vitale and Alberto Vitale v. Dayton Hudson Corporation, d/b/a Target Stores, and The Stanley Works and Stanley Magic-Door, Inc.				Seq. No. 2
Attorney:	Douglas D. Small FOLEY & SMALL 1002 East Jefferson Blvd. South Bend, IN 46617-3106				219-288-7676
Equipment:	Stanley double swinging doors equipped with dual Sentrex™ sensors per panel per side and, apparently, BEA, Inc. K-band microwave motion sensors.				
Description:	Elderly woman struck while using a walker exiting a Target store through the interior set of swinging doors of vestibule.				
Deposition:	6/18/99	Trial:		Outcome:	May have settled.

Case:	Helen Kubach v. Rite Aid, Inc.				Seq. No. 3
Attorney:	Kent B. Schneider Herman Cahn & Schneider L.L.P. 1301 East Ninth Street, Suite 500 Cleveland, OH 44114-1876				216-781-5515
Equipment:	Stanley bi-parting sliding door actuated by K-band Stan-Ray™, and Stan-Guard™ sensors.				
Description:	Elderly woman struck by sliding door as she entered Rite Aid store on August 28, 1999.				
Deposition:		Trial:		Outcome:	

Case:	Julia Cain vs. Revco Discount Drug Centers, <i>et al.</i> Court of Common Pleas, Summit County, OH; Case No. CV2002-08-4542				Seq. No. 4
Attorney:	Frank G. Forchione 500 Courtyard Centre 116 Cleveland Avenue, NW Canton, OH 44702-1729				330-453-7676
Equipment:	Stanley bi-folding door actuated by microwave motion sensors and IR presence sensor.				
Description:	Woman struck repeatedly by bi-folding door as she was entering store on August 27, 2000.				
Deposition:	9/17/04	Trial:		Outcome:	

Stanley cases S Active

Case:	Helen Pritchard v. Target Stores, Inc., Stanley Works, Inc., and Stanley Security Solutions, Inc.; In the Circuit Court of the City of Chesapeake, Virginia; Case No. CL05001594-00				Seq. No. 5
Attorney:	David A. Hearne Outland, Gray, O'Keefe & Hubbard 112 Coastal Way Chesapeake, VA 23320-4604				757-547-0171
Equipment:	Stanley swinging door with Stan-Ray™ X-band motion sensor and BEA, Inc., Bodyguard™ and LO-21.				
Description:	Elderly woman struck by swinging door while entering Target store.				
Deposition:		Trial:		Outcome:	

Case:	Kikuko Zutrau Miyazaki v. The Stanley Works and CVS Corporation Middlesex County Massachusetts, Middlesex Superior Court, C.A. No.: 06-1903				Seq. No. 6
Attorney:	David P. Angueira Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490				617-742-1900
Equipment:	Stanley bi-folding door with BEA, Inc., VG-037/87 microwave motion sensors, Stanley Stan-Guard™ presence sensor and Optex Technologies, Inc., Pro-Swing™ (OA-603) presence sensor.				
Description:	Woman struck and injured by closing door.				
Deposition:	3/28/08	Trial:	10/7/08	Outcome:	

Case:	Mable Jo Grost v. Stanley Access Technologies, L.L.C., and Safeway, Inc., d/b/a Tom Thumb Food & Pharmacy				Seq. No. 7
Attorney:	James D. Loftis Loftis & Associates, P.A. 225 North Peters, Suite 1 Norman, OK 73069-7232				405-366-1400
Equipment:	Stanley Dura-Glide™ 2000 bi-parting slider with hold open beams and BEA, Inc., Wizard™ sensors.				
Description:	80 year old woman struck while entering Safeway, Inc., store.				
Deposition:		Trial:		Outcome:	

Case:	Joseph Ford v. K-Mart & The Stanley Works; U.S. District Court; District of New Jersey; Civil Action No. 1:06-CV-2251 (RBK)				Seq. No. 8
Attorney:	David K. Long David K. Long & Associates 1555 Zion Road, Suite 100 Northfield, NJ 08225-1860				609-645-8585
Equipment:	Stanley Magic Swing™ door with Sentrex™ sensors.				
Description:	Man struck by leading edge of the subject door as he was about to clear the door closing path.				
Deposition:		Trial:		Outcome:	

Stanley cases S Active

Case:	Mona Asbed vs. St. John's Mercy Medical Center; Circuit Court of St. Louis County, MO Cause No. 07CC-002506; Division 8				Seq. No. 9
Attorney:	Thomas P. Germeroth Kolker and Germeroth, L.L.C. 7730 Carondelet Avenue, Suite 310 St. Louis, MO 63105-3328				314-727-4529
Equipment:	Stanley Dura-Glide™ 5300 telescoping door with SU-50 and Stan-Ray™ (X-band) motion sensors and Stan-Guard™ presence sensor.				
Description:	Closed on woman, knocking her down.				
Deposition:	3/30/11	Trial:		Outcome:	

Case:	Carol A. McCowan as Personal Representative of the Estate of Mary C. Walker, Deceased, and Carol A. McCowan and James T. Walker, Individually as Statutory Wrongful Death Beneficiaries of Mary C. Walker, Deceased, v. Albertson's, Inc., Continental Automatic Doors of El Paso, Inc., and Stanley Access Technologies, Inc.; In County Court Number Three; El Paso, Texas; Cause No. 2007-3423				Seq. No. 10
Attorney:	Leon Schydlower Attorney at Law 303 Texas Avenue, 9th Floor El Paso, TX 79901-1456				915-532-0900
Equipment:	Stanley Dura-Glide™ 3000 door.				
Description:	Elderly woman stuck by sliding door and consequently died.				
Deposition:		Trial:		Outcome:	

Case:	Gertrude V. Hill v. The Stanley Works; In the Circuit Court for Davidson County, Tennessee at Nashville; Case No. 3 08 0284				Seq. No. 11
Attorney:	Rocky McElhaney Rocky McElhaney Law Firm 1311 Sixth Avenue North Nashville, TN 37208-2603				615-425-2500
Equipment:	Stanley Double Diamond™ sliding door with hold open beams.				
Description:	Woman in late 80's using walker struck by sliding door while exiting from Home Depot store.				
Deposition:	11/20/08	Trial:		Outcome:	

Case:	Tommie Lou Baxter v. SIS Management d/b/a Holiday Inn Express, et al. In the Circuit Court of Saline County Arkansas, Third Division; Cause No. CV-08-1198-3				Seq. No. 12
Attorney:	J. Brandt Thorson Mayfield Weedon, L.L.P. 208 North Green Street, Suite 200 Longview, TX 75601-7321				903-757-9600
Equipment:	Stanley bi-parting sliding door.				
Description:	Woman struck by subject door and seriously injured while entering building.				
Deposition:		Trial:		Outcome:	

Stanley cases S Active

Case:	Frederick L. Kozlowski and Farrah Mahan v. Rite Aid of Pennsylvania, Inc.; Court of Common Pleas, Philadelphia County, Pennsylvania; November Term, 2009; No. 2216				Seq. No. 13
Attorney:	Anthony J. Giosa Giosa & Hetznecker, P.C. 1900 Spruce Street Philadelphia, PA 19103-6697				215-735-6464
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	Man struck and injured by door while exiting.				
Deposition:		Trial:		Outcome:	

Case:	David A. Geissinger v. Lowe's Home Centers, Inc., <i>et al.</i> Case No. 10-47027-NO				Seq. No. 14
Attorney:	Eric C. Grimm Williams, Hughes & Cook, PLLC 120 West Apple Avenue P. O. Box 599 Muskegon, MI 49443-0599				231-726-4857
Equipment:	Stanley Double-Diamond™ sliding door.				
Description:	Door closed on plywood on carrying rack, injuring Plaintiff.				
Deposition:		Trial:		Outcome:	

Case:	Joyce Griego vs. ABQ South LLC, Automatic Door Distributors, Inc.; ISBS, LLC; and Stanley Access Technologies, LLC, a division of The Stanley Works; 2 nd Judicial District Court, Bernalillo County, NM; Case No.: CV-2010-05294				Seq. No. 15
Attorney:	Alexander A. Wold Alexander Wold & Associates, P.C. 302 Silver Avenue, S.E. Albuquerque, NM 87102-3546				505-242-3444
Equipment:	Stanley Dura-Glide™ 2000 single panel sliding door. ID = A379973				
Description:	Woman injured when door panel allegedly fell off track.				
Deposition:	12/5/11	Trial:		Outcome:	

Case:	Michelle Kerban vs. Kohl's Department Stores, Inc., and D.H. Pace Company, Inc., Jointly and Severally; U.S. District Court, Western District of Michigan, Northern Division; Case No. 2-16-cv-168-GJQ-TPG				Seq. No. 16
Attorney:	Phillip B. Toutant Numinen, DeForge & Mathieu, P.C. 105 Meeske Avenue Marquette, MI 49855-3101				906-226-2580
Equipment:	Stanley low-energy button-operated swinging door.				
Description:	Elderly woman struck from behind by door, knocked down and sustained intracranial bleed, but survived.				
Deposition:		Trial:		Outcome:	

Stanley cases S Active

Case:	Cynthia Carothers, as the Executrix of the Estate of Lois Cameron vs. SCP 2004 E-070, LLC, CVS Pharmacy, Inc., Stanley Access Technologies, LLC, and Advanced Door Services, Inc.; U.S. District Court, Eastern District of Pennsylvania; Civil Action, Docket No. 2:19-cv-04324			Seq. No. 17
Attorney:	James W. Sutton, III James W. Sutton, Attorney at Law 1014 Mill Creek Drive, Frnt Feasterville, PA 19053-7377			215-364-7900
Equipment:	Stanley bi-parting telescoping sliding door with BEA, Inc., Eagle™ microwave motion sensors interior and exterior, and Stanley Stanguard™ overhead presence sensor. No hold open (safety) beams.			
Description:	Active 90 year old woman using cane knocked down and injured by door while entering, precipitating her death.			
Deposition:		Trial:		Outcome:

Case:	Michael A. Oien v. Home Depot U.S.A, Inc., d/b/a The Home Depot and Stanley Access Technologies, LLC.; U.S. District Court, District of Minnesota; Case No. 20-cv-01982 (NEB-ECW)			Seq. No. 18
Attorney:	Nate J. Weimer Tewksbury & Kerfeld, P.A. 88 South 10th Street, Ste. 300 Minneapolis, MN 55403-2543			612-334-3399
Equipment:	Stanley sliding door.			
Description:	Man, struck, knocked down and injured by the door.			
Deposition:		Trial:		Outcome:

Case:	Melissa Cullen and Joseph Cullen, vs. Christiana Mall, LLC, Brookfield Properties Retail, Inc., Brookfield Properties, LLC, and Door Services Corporation, d/b/a Del-Mar Door Services; Superior Court of The State of Delaware; Civil Action No N20C-11-117 EMD			Seq. No. 19
Attorney:	Nicholas M. Kraye Pratcher Kraye, LLC 1300 N. Grant Avenue, Ste. 206 Wilmington, DE 19806-2456			302-803-5291
Equipment:	Stanley bi-parting Dura-Glide™ 2000 sliding door with BEA, Inc., IXIO™ sensors.			
Description:	Woman struck and injured while exiting through exterior door.			
Deposition:		Trial:		Outcome:

Stanley cases S Inactive

Case:	Gloria Jones v. Thrifty Corporation, Stanley Magic Door, Inc., and Does 2 through 20, inclusive.				Seq. No. 20
Attorney:	Eric Bryan Seuthe LAW OFFICE of SEUTHE and MATUSEK 509 South Beverly Drive Beverly Hills, CA 90212-4514				310-277-8020 x1
Equipment:	Stanley Dura-Glide™ 3000 with a single hold open beam and Stan-Ray™ microwave motion sensors.				
Description:	Woman in 60's trapped in the closing door sustained injuries as she attempted to extricate herself.				
Deposition:		Trial:		Outcome:	Case settled. Amount of settlement undisclosed.

Case:	Patsy Turoso, <i>et al.</i> vs. Stanley Magic Door and Handy Andy Home Improvement, Cuyahoga County Ohio, Court of Common Pleas, Case No. 233865.				Seq. No. 21
Attorney:	Edward S. Molnar 920 Terminal Tower Cleveland, OH 44113				216-241-0300
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensors.				
Description:	84 year old man struck by premature closing of sliding door.				
Deposition:	1/26/94	Trial:		Outcome:	Settled approx. 10/1/94 for \$50,000 to plaintiff.

Case:	Estate of Seymour Wenner v. Georgetown University Hospital, Georgetown University, Stanley Magic-Door, Inc., and The Stanley Works.				Seq. No. 22
Attorney:	Kenneth M. Trombly, P.C. 1825 K Street, N.W., Suite 901 Washington, DC 20006				202-887-5000
Equipment:	Double set of Stanley swinging doors equipped with Stan-Ray™ microwave motion sensors and Sentrex™ infrared sensors.				
Description:	80 year old man using walker struck on swing side of door when door triggered to open by another pedestrian				
Deposition:		Trial:		Outcome:	Settled on, or about, 11/1/94 for a confidential amount.

Case:	Hooker, Beverly i/a/a/g of Brian Hooker, a minor v. Food Lion, Inc. and Stanley Magic Door, Inc.				Seq. No. 23
Attorney:	William L. Bromagen BLACKWELL & WALKER 2400 SunBank International Center One Southeast Third Avenue Miami, FL 33131-1774				305-995-5586
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.				
Description:	6 year old child fell in doorway and was struck by closing door.				
Deposition:	8/8/94	Trial:		Outcome:	Defense settled 9/22/94 for \$35,000 to plaintiff.

Stanley cases S Inactive

Case:	Robert Connolly v. CAMC				Seq. No. 24
Attorney:	Greg R. Lord 910 Quarrier Street, Suite 312 P.O. Box 3601 Charleston, WV 25336				800-416-9013 304-345-3232
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor				
Description:	Man in early 50's struck on head and shoulder by prematurely closing door				
Deposition:		Trial:		Outcome:	Case settled in favor of plaintiff. Amount undisclosed.

Case:	Payless Drug Stores v. the Stanley Works				Seq. No. 25
Attorney:	Thomas F. Smock JONES, JONES, CLOSE and BROWN 300 South Fourth Street, Suite 700 Las Vegas, NV 89101-6026				702-385-4202
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Ray™ motion sensor and Stan-Guard™ presence sensor.				
Description:	Elderly woman broke hip when struck by closing door.				
Deposition:		Trial:		Outcome:	Case brought by Effie May Hunt settled by defendants Payless and Stanley for \$90,000 with agreement to subsequent arbitration of apportionment between them. Trial occurred before plaintiff's expert Warren Davis was retained. Participated in arbitration 3/28/95. Arbitrator let stand the 50-50 apportionment of the \$90,000 settlement between Payless and Stanley.

Case:	Trudy Balizer & Joel Balizer v. Staples, Inc., The Stanley Works, Stanley Magic Door, Inc., and Islandia Development, Co.				Seq. No. 26
Attorney:	Stephen Kunken 6165 Jericho Turnpike Commack, NY 11725-2835				516-462-5950
Equipment:	Stanley swinging door with Sentrex™ and Stan-Ray™ sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled in favor of plaintiff. Amount undisclosed.

Stanley cases S Inactive

Case:	Elizabeth Gay vs. Malone & Hyde, Inc., d/b/a Super 1 Foods and Stanley Magic Door, Inc.; Commonwealth of Kentucky, 25th Judicial Circuit; Madison Circuit Court, Division II; No. 92-CI-00432				Seq. No. 27
Attorney:	Richard W. Hay 203 West Columbia Street P. O. Box 1124 Somerset, KY 42502				606-679-2214
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.				
Description:	Elderly woman struck by prematurely closing door.				
Deposition:	5/12/93	Trial:	6/22/93	Outcome:	Jury awarded \$40,000 to plaintiff.

Case:					Seq. No. 28
Attorney:	J. Michael Koch J. MICHAEL KOCH & ASSOCIATES 9201 Silverdale Way, N.W. P. O. Box 368 Silverdale, WA 98383				206-692-5551
Equipment:	Stanley bi-parting sliding door with one Stan-Ray™ microwave motion sensor and a hold open beam (IR photobeam) sensor.				
Description:	Door closed prematurely on plaintiff.				
Deposition:		Trial:	Tried about 6/28/93	Outcome:	Defendant prevailed. I was retained only for a few hours consulting by telephone.

Case:	Kull v. Stanley Magic Door, Inc. and San Joaquin Hospital				Seq. No. 29
Attorney:	James E. Noriega ETCHEVERRY, RODRIQUEZ & NORIEGA Commonwealth Plaza 3300 Truxtun Avenue, Suite 350 Bakersfield, CA 93301				805-322-7900
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.				
Description:	Elderly woman using walker struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled 6/2/93 for \$385,000 to plaintiff.

Stanley cases S Inactive

Case:	Virginia Maude Ball <i>v.</i> The Stanley Works, <i>et al.</i> , State Court of Fulton County, Georgia, Civil Action No. 92VS-64094D			Seq. No. 30
Attorney:	Keith A. Pittman BUTLER, WOOTEN, OVERBY, CHEELEY, PEARSON & FRYHOFFER P. O. Box 95068 2719 Buford Highway Atlanta, GA 30347			404-321-1700
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.			
Description:	84 year old woman struck by prematurely closing door at St. Joseph Hospital in Atlanta, GA and broke left femur.			
Deposition:		Trial:		Outcome: Case settled for an amount that was ordered confidential. However, it is known that the amount is in the \$60,000 to \$70,000 range.

Case:	Lindsey Kiefer <i>v.</i> Wegman's Food Market and Stanley Access Technologies, Centre County, Pennsylvania; CCP No. 2007-5154			Seq. No. 31
Attorney:	James R. Rosato, Jr. Rosato Law Offices 133 East Lancaster Avenue Downingtown, PA 19335-2917			610-873-1819
Equipment:	Stanley dual panel Magic-Swing™ swinging door.			
Description:	Door failed to open properly for man entering store.			
Deposition:		Trial:		Outcome: Resolved on, or about, 5/28/10 for an undisclosed amount.

Case:	Pamela P. Labbe and Brian R. Labbe <i>v.</i> Shaw's Supermarkets, Inc.			Seq. No. 32
Attorney:	David M. Sanders Two Pine Avenue P.O. Box 271 Livermore Falls, ME 04254-0271			207-897-5775
Equipment:	Stanley swinging door actuated by Larco control mats.			
Description:	Woman in early 30's struck while standing on swing side mat.			
Deposition:	8/6/96	Trial:		Outcome: Case settled in 3/97 in favor of plaintiff for an undisclosed amount.

Stanley cases S Inactive

Case:	Angela Koonce v. Stanley Magic Doors				Seq. No. 33
Attorney:	David L. Norvell THE NORVELL LAW FIRM 1401 Central Ave., NW, Suite B P.O. Box 1426 Albuquerque, NM 87103-1426				505-242-1600
Equipment:	Stanley swinging door using control mats.				
Description:	Woman struck while standing on swing side mat.				
Deposition:	5/8/95	Trial:		Outcome:	Case settled in favor of plaintiff for an undisclosed amount.

Case:	Mary Francis Grimes v. Randalls Foor & Drug, Inc. and Stanley Magic-Door				Seq. No. 34
Attorney:	George W. Wilhite GEORGE W. WILHITE & ASSOCIATES, INC. 17101 Kuykendahl Road, Suite A Houston, TX 77068-1629				713-537-2171
Equipment:	Stanley bi-parting sliding door.				
Description:	Woman struck repeatedly by prematurely closing door.				
Deposition:	9/22/95	Trial:		Outcome:	Case settled in favor of plaintiff for an undisclosed amount.

Case:	Sally Becker v. The Kroger Co., Stanley Access Technologies and Stanley Magic Door, Inc. U.S. District Court; Southern District of Indiana, Indianapolis Division; Cause No. IP94-624-C				Seq. No. 35
Attorney:	Thomas J. Young YOUNG & RILEY 277 East 12th Street Indianapolis, IN 46202				317-639-2000 317-639-2889
Equipment:	Stanley Dura-Glide™ sliding door with Stan-Ray™ motion and Stan-Guard™ presence sensors.				
Description:	Woman in 80's struck by prematurely closing door leading to extensive injuries.				
Deposition:		Trial:		Outcome:	Defense settled 4/3/95 for \$25,000 to plaintiff.

Case:	Catherine Hayes v. the Mount Auburn Hospital, Stanley Magic Door, Inc., The Stanley Works and Stanley Magic Door Division of The Stanley Works, Civil Action No. 89-3122, Middlesex Superior Court, Commonwealth of Massachusetts				Seq. No. 36
Attorney:	Edson H. Rafferty RAFFERTY, POLICH & SHAW 545 Concord Avenue, Suite 10 Cambridge, MA 02138-1122				617-864-1600
Equipment:	Stanley automatic sliding door with Stan-Ray™ motion and Stan-Guard™ presence sensors.				
Description:	Eighty year old woman shattered hip when struck by sliding door.				
Deposition:		Trial:		Outcome:	Defense settled for \$200,000 to plaintiff.

Stanley cases S Inactive

Case:	Alice King v. Stanley Magic Door, Inc. and City of Cedar Rapids, Iowa				Seq. No. 37
Attorney:	Robert S. Hatala CRAWFORD, SULLIVAN, READ, ROEMERMAN & BRADY, P.C. IES Tower 200 First Street, S.E., Suite #1910 Cedar Rapids, IA 52401-1454				319-364-0171
Equipment:	Stanley Dura-Glide™ 3000 sliding door with Stanley Stan-Guard™ IR presence sensor and Stanley Stan-Ray™ microwave motion sensors.				
Description:	Ninety year old woman struck by prematurely closing door, broke hip and died of complications.				
Deposition:		Trial:		Outcome:	Case settled in 3/97 for a confidential amount.

Case:	Margaret Ramsay v. Dollar General Corporation; U.S. District Court, Eastern Division of Michigan, Southern Division; USDC Case No. 2:09-cv-12103				Seq. No. 38
Attorney:	Brian A. Kutinsky Mindell, Malin & Kutinsky 25505 West Twelve Mile Road, Suite 1000 Southfield, MI 48034-1811				248-353-5595
Equipment:	Stanley single panel swing door with Sentrex™ sensors and Stanley Stan-Ray™ X-band motion sensor				
Description:	Door closed on elderly woman as she attempted to exit through subject door.				
Deposition:	2/2/10	Trial:		Outcome:	Settled on, or about, 3/19/10 for an undisclosed amount.

Case:	William S. Curry v. Eddie Storer, Airport Manager; Natrona County International Airport; Natrona County International Airport Board; Builders Service Bureau, Incorporated; Stanley Magic-door, Inc., a Division of Stanley Works; and BEA, Inc.				Seq. No. 39
Attorney:	Donald E. Chapin, Charles S. Chapin CROWELL and CHAPIN, P.C. First Interstate Bank Bldg., Suite 600 104 South Wolcott Casper, WY 82601				307-234-7321
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Guard™ infrared presence sensor and BEA, Inc. VG017-A microwave motion sensors.				
Description:	Elderly man using walker struck by premature closing of sliding door.				
Deposition:	12/1-2/93 1/13/94	Trial:	#1: 3/3-4/94 #2: 1/20/95	Outcome:	First trial ended in hung jury. Second trial jury concluded the door had not struck the plaintiff and therefore found for the defense.

Stanley cases S Inactive

Case:	Sylvia Hanawitt v. Publix Supermarkets, Inc., and Stanley Access Technologies, Inc.				Seq. No. 40
Attorney:	Kenneth Segal HOFFMAN and SEGAL, P.A. 9070 Kimberly Boulevard, Suite 57 Boca Raton, FL 33434-2861				407-482-2000
Equipment:	Stanley Dura-Glide™ bi-parting sliding door with Stan-Guard™ and (presumably) Stan-Ray™ motion sensors.				
Description:	Elderly woman struck by door as she exited a Publix supermarket. Fractured hip and then had a (non-fatal) heart attack				
Deposition:		Trial:		Outcome:	Case settled in favor of plaintiff for approximately \$45,000.

Case:	Washburn v. Hillcrest Medical Center and Stanley Magic Door.				Seq. No. 41
Attorney:	Terry Todd BARKLEY & RODOLF 401 South Boston Avenue, Suite 2700 Tulsa, OK 74103-4063				918-599-9991
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Ray™ and Stan-Guard™ sensors.				
Description:	Elderly woman using walker. Outside-in door struck walker as woman attempted to enter the building. Knocked down and to the left, never having entered the building. Door repeatedly struck walker after fall until door disabled. Defective Stan-Guard™ replaced immediately after accident.				
Deposition:		Trial:		Outcome:	Defense settled on April 22, 1996. Amount believed to be between \$62,000 and \$63,000 plus medical expenses.

Case:	Rose Tessier v. Martins Foods of South Burlington, Inc. Franklin Superior Court docket No. S163-95-Fc				Seq. No. 42
Attorney:	David M. Yarnell KISSANE, YARNELL, CRONIN, BUGBEE & COUNOS Two North Main Street St. Albans, VT 05478-1668				802-524-9546
Equipment:	Stanley Magic Swing™, Model No. SM300, SN A8801081, apparently actuated by control mats.				
Description:	Plaintiff reports she got about halfway through the automatic door, when it closed on her and knocked her down.				
Deposition:		Trial:		Outcome:	Resolved through mediation.

Case:	Eula C. Clark and Devon Clark v. The Stanley Works, Inc., et al.				Seq. No. 43
Attorney:	Jeffrey K. Peraldo DONALDSON & HORSLEY, P.A. 208 West Wendover Avenue Greensboro, NC 27401-1307				910-273-3812
Equipment:	Stanley Magic Swing™ door with Sentrex™.				
Description:	61 year old woman stuck on swing side of door.				
Deposition:	7/7/98	Trial:		Outcome:	Settled in early March, 1999, in favor of Plaintiff for an amount that is confidential.

Stanley cases S Inactive

Case:	Margarita Placencia vs. Stanley <i>et al.</i>				Seq. No. 44
Attorney:	Andres O. Rico Nakagawa & Rico 2535 Capitol Oaks Drive, Suite 130 Sacramento, CA 95833-2944				916-923-2800
Equipment:	Stanley bi-parting sliding door.				
Description:	Elderly woman stuck by prematurely closing door on September 11, 1998. Incident on videotape.				
Deposition:		Trial:		Outcome:	Case settled on or about July 28, 2000.

Case:	Grete Eisenstein v. K-Mart and Stanley Magic Door				Seq. No. 45
Attorney:	Michael J. Kowalski Hourigan, Kluger, Spohrer & Quinn 8 West Market Street, Suite 700 Wilkes Barre, PA 18701-1867				570-825-9401
Equipment:	Stanley swinging door with Stan-Ray™ microwave motion sensor and Sentrex™ presence sensor, one head per door panel side.				
Description:	Elderly woman stuck by prematurely closing door while exiting from K-Mart store on April 30, 1997.				
Deposition:		Trial:	7/18/00	Outcome:	Jury awarded plaintiff \$230,000 plus additional delay damages.

Case:	Paul Palek, Sr. v. Mountainside Hospital, <i>et al.</i> Superior Court of New Jersey, Law Division, Essex County; Docket No. ESX-L-6597-99				Seq. No. 46
Attorney:	Frank P. Arleo Arseneault & Krovatin 560 Main Street Chatham, NJ 07928-2119				973-736-8660
Equipment:	Stanley bi-parting sliding door.				
Description:	Woman struck by prematurely closing door on July 16, 1997				
Deposition:	4/24/01	Trial:		Outcome:	Case settled on 5/8/01.

Case:	Evelyn Fanion vs. CVS Pharmacy				Seq. No. 47
Attorney:	Christopher Lambert Rodio & Ursillo, Ltd. 86 Weybosset Street, Floor 4 Providence, RI 02903-2800				401-331-6400
Equipment:	Stanley single-panel swinging door actuated by unidirectional K-band Stan-Ray™ microwave motion sensor on approach and dual Sentrex™ sensors on each side of door panel.				
Description:	Woman struck by swinging door as she exited CVS pharmacy				
Deposition:	2/7/02	Trial:		Outcome:	Settled approximately 2/28/02

Stanley cases S Inactive

Case:	David A. Bryant vs. Mt. Vernon Towers Condominium Association, The Stanley Works and Carolina Door Controls, Inc.; State Court of Fulton County, State of Georgia; Case No. 99VS159570J				Seq. No. 48
Attorney:	Christopher B. Lyman Kilpatrick & Stockton 1100 Peachtree Street N.E., Suite 2800 Atlanta, GA 30309-4530				404-815-6537
Equipment:	Stanley bi-parting sliding door actuated by push button, and Stan-Ray™ and Stan-Guard™ sensors.				
Description:	Door struck 92 year old man using walker while exiting building on June 2, 1999. Incident on videotape.				
Deposition:	10/6/00	Trial:		Outcome:	Settled on, or about, April 29, 2002

Case:	Gudrun S. Wirell v. Ukrops Supermarkets, <i>et al.</i>				Seq. No. 49
Attorney:	Thomas J. McNally Emroch & Kilduff, L.L.P. 3600 West Broad Street, Suite 700 Richmond, VA 23230-4995				804-358-1568
Equipment:	Stanley swinging door with Sentrex™ sensors, replaced with BEA DK-12				
Description:	89 year old woman sustained femoral neck hip fracture when struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled for \$125,000 to Plaintiff on July 16, 2003.

Case:	Mary B. Higgins v. Stanley Magic Door, Inc. and Bread and Circus, Inc. Commonwealth of Mass., Suffolk Superior Court; Civil Action 96-7119A				Seq. No. 50
Attorney:	David P. Angueira Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490				617-742-1900
Equipment:	Stanley sliding door with Stan-Guard™ and Stan-Ray™ sensors.				
Description:	87 year old woman struck by prematurely closing door. Accident resulted in cerebral bleeding and intermittent coma.				
Deposition:	3/30/00	Trial:	12/18/01	Outcome:	Jury found for defendants. Settled in, or about, March, 2003, prior to re-trial.

Case:	Toolan v. The Stanley Works, <i>et al.</i>				Seq. No. 51
Attorney:	Noah H. Kushlefsky Kreindler & Kreindler 100 Park Avenue New York, NY 10017-5590				212-687-8181
Equipment:	Stanley Dura-Glide™ 3000 series door equipped with BEA, Inc. VG-087 unidirectional K-band microwave motion sensors, Stan-Guard™ presence sensor and a single hold open beam.				
Description:	Woman struck by sliding door as she entered CVS store on December 28, 1996.				
Deposition:		Trial:		Outcome:	Settled on, or about, June 4, 2004.

Stanley cases S Inactive

Case:	Laura Kick vs. Wal-Mart Stores, Inc.; Stanley Technologies; Besam Automated Entrance Systems Seq. No. 52 General No. 01 L 995			
Attorney:	Richard S. Kopsick 847-263-5100 Gibson & Kopsick, Ltd. 415 Washington Street, Suite 103 Waukegan, IL 60085-5564			
Equipment:	Stanley swinging doors with Sentrex™ II sensors.			
Description:	87 year old man struck by door while leaving Wal-Mart store.			
Deposition:		Trial:		Outcome: Settled for \$250,000 to Plaintiff on 8/25/04.

Case:	Trinidad & Domingo Ontiveros vs. Daughters of Charity Health Services of Austin and Seq. No. 53 Stanley Works, Inc., 261-th Judicial District Court, Travis County, Texas; Cause No. 97-03669			
Attorney:	Kevin R. Madison 512-708-1650 1609 Shoal Creek Boulevard, Suite #300 Austin, TX 78701-1022			
Equipment:	Stanley bi-parting sliding door with BEA, Inc., VG-047 microwave motion sensors and Stanley Stanguard™ IR presence sensor.			
Description:	70 year old woman struck by prematurely closing door on final follow up consultation after successful arthroscopic knee surgery. Fractured femur and now no longer able to walk unassisted.			
Deposition:		Trial:		Outcome: Settled in 2000 for approx. \$250,000 to Plaintiff.

Case:	Elizabeth Ray v. Lloyd Nolan Hospital, Stanley Magic-Door Seq. No. 54 Civil Action No. CV-95-520			
Attorney:	Leila H. Watson 205-328-2200 CORY, WATSON, CROWDER & PETWAY, P.C. 300 21st Street North, Suite 900 Birmingham, AL 35203-3322			
Equipment:	Stanley 4000 series Weatherwise™ biparting sliding door installed in 1984.			
Description:	Woman in 80's broke hip when struck by handicapped area door at hospital.			
Deposition:		Trial:		Outcome: Settled in favor of Plaintiff.

Case:	Geraldine Frahm v. Ala Moana Shopping Center d/b/a General Growth, <i>et al.</i> Seq. No. 55 Circuit Court of the First Circuit, State of Hawaii; Civil No. 03-1-0148-01-GWBC			
Attorney:	Charles W. Crumpton 808-535-8400 Stanton Clay Chapman Crumpton & Iwamura Attorneys at Law 700 Bishop Street, Suite 2100 Honolulu, HI 96813-4120			
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door.			
Description:	Elderly woman struck and injured by sliding door.			
Deposition:		Trial:		Outcome: Settled on, or about, 9/9/04 for approx. \$100,000.

Stanley cases S Inactive

Case:	Jean and Albert Schlien <i>v.</i> Jewel Food Stores, Inc., <i>et al.</i> Circuit Court, Cook County, Illinois; No. 02 L 65012				Seq. No. 56
Attorney:	James E. Gierach Law Office of James E. Gierach, P.C. 9759 Southwest Highway Oak Lawn, IL 60453-3661				708-424-1600
Equipment:	Stanley Magic Swing™ door with Sentrex-III sensors and Stan-Ray™ X-band microwave motion sensors.				
Description:	79 year old woman struck and injured by sliding door while attempting to enter Jewel store.				
Deposition:		Trial:		Outcome:	Settled on 6/28/05 for \$330,000 with approx. \$100,000 medical lien.

Case:	Beatrice Verkuil <i>vs.</i> Best Buy Stores, L.P., <i>et al.</i> In the 191st District Court of Dallas County, Texas; Cause No. 04-02328-J				Seq. No. 57
Attorney:	Edward H. Moore, Jr. The Cochran Firm Dallas, L.L.P. 3811 Turtle Creek Boulevard, Suite 1400 Dallas, TX 75219-4492				214-651-4260
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door with MS-SEDCO D38 microwave motion sensor on approach side, Stanley Stan-Ray™ on egress side and Stanley Stan-Guard™ presence sensor.				
Description:	Woman struck by door while trying to enter store.				
Deposition:		Trial:		Outcome:	Settled on, or about, September 1, 2005.

Case:	Jean McMillen <i>v.</i> Big Lots Stores, Inc., <i>et al.</i> U.S. District Court, Southern District of Mississippi, Southern Division; Cause No. 1:04CV817GRo				Seq. No. 58
Attorney:	W. Harvey Barton Law Office of W. Harvey Barton 3007 Magnolia Street Pascagoula, MS 39567-4126				228-769-2070
Equipment:	Stanley Dura-Glide™ biparting sliding door with BEA, Inc., "Eagle" microwave motion sensors and "Crystal" presence sensors.				
Description:	77 year old woman using walker struck and injured by door while entering store.				
Deposition:	12/19/05	Trial:		Outcome:	Plaintiff deceased. Case settled on, or about, 5/20/06.

Case:	Lucille Halpern, <i>et vir.</i> <i>v.</i> Wadsworth CVS, Inc., and Stanley Access Technologies, Inc., <i>et al.</i> ; Court of Common Pleas for Philadelphia County, First Judicial District of Pennsylvania; June term, 2004; No. 3841				Seq. No. 59
Attorney:	Howard R. Maniloff Tabas & Rosen, P.C. 1845 Walnut Street Philadelphia, PA 19103-4708				215-569-5050
Equipment:	Stanley single panel Magic Swing™ door with dual Stanley Sentrex III™ sensors.				
Description:	Elderly, legally blind woman struck and seriously injured on back side of opening door.				
Deposition:	1/27/06	Trial:		Outcome:	Settled on, or about, 6/6/06.

Stanley cases S Inactive

Case:	Catherine H. McLaughlin vs. The Stanley Works, Inc., <i>et al.</i> U.S. District Court, Eastern District of Pennsylvania; No. 04-CV-1630			Seq. No. 60
Attorney:	Frank A. Rothermel Bernhardt & Rothermel, P.C. 1515 Market Street, Suite 1540 Philadelphia, PA 19102-1917			215-568-0100
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding doors with Stanley SU-50 motion sensors and Stan-Guard™ IR presence sensor.			
Description:	Woman in mid-50's struck by sliding door while attempting to enter Acme store where she worked.			
Deposition:		Trial:	Testified at binding arbitration on 7/25/06	Outcome: Unknown

Case:	Anne Seebeck v. Harris-Teeter, Inc., <i>et al.</i> ; Guilford County Superior Court Case No. 05 CVS 9195			Seq. No. 61
Attorney:	Robert C. Cone Tuggle Duggins & Meschan, P.A. 228 West Market Street P. O. Box 2888 Greensboro, NC 27402-2888			336-271-5218
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.			
Description:	Woman struck while attempting to exit through door.			
Deposition:		Trial:		Outcome: Settled on, or about, 8/9/06 for a confidential amount.

Case:	James Skinner v. Lowe's Home Centers, Inc., and The Stanley Works; District Court of Massachusetts, Civil Action No.: 06-cv-11439-JLT			Seq. No. 62
Attorney:	Robert S. Ovoian Attorney at Law 120 North Main Street, Suite 306 Attleboro, MA 02703-2248			508-226-4342
Equipment:	Stanley bi-parting sliding door with Stanley Stan-Guard™ presence sensor, dual hold open beams and BEA, Inc., "Eagle" K-band microwave motion sensors OEM'd to Stanley. Door set up for unidirectional traffic into store.			
Description:	Elderly man using walker struck and seriously injured while attempting to exit through open entrance door.			
Deposition:		Trial:		Outcome: Settled on or about 4/17/08 for a confidential amount.

Stanley cases S Inactive

Case:	Isolina Perez vs. Albertson's Inc., d/b/a Jewel-Osco and The Stanley Works Circuit Court of the Nineteenth Judicial Circuit, Lake County, Illinois; Case No. 05 L 505				Seq. No. 63
Attorney:	Bogdan Martinovich Ray & Glick, Ltd. 611 South Milwaukee Avenue Libertyville, IL 60048-3256				847-970-3845
Equipment:	Stanley single-panel swinging door with Stan-Ray™ X-band motion sensor, and BEA, Inc., SuperScan™ infrared and MS-SEDCO D14-1 ultrasonic presence sensors.				
Description:	Door opened into, and injured, woman standing behind the door.				
Deposition:	3/19/07	Trial:		Outcome:	Settled on 8/10/07 for a confidential amount.

Case:	Jeanette Devoti v. Smith's Food and Drug Stores, Stanley Access Technologies, LLC, and Automated Door, Inc.				Seq. No. 64
Attorney:	David B. Martinez Martinez, Hart & Thompson, P.C. 1801 Rio Grande Blvd., NW Albuquerque, NM 87104-2566				505-343-1776
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	Woman in 80's struck and injured by inner door of vestibule while attempting to enter Smith's-Kroger store.				
Deposition:		Trial:		Outcome:	Settled on or about 7/25/12.

Case:	Frances R. Garson and Warfield Garson, wife and husband vs. North Pittsburgh Hotel, LLC d/b/a Pittsburgh Marriott North, Winegardner & Hammons, Inc., Eagle Realty Investments, Inc., and Stanley Access Technologies LLC Common Pleas of Butler County, Pennsylvania, Civil Division; Case No.: 2006-10999				Seq. No. 65
Attorney:	Timothy Conboy Caroselli, Beachler, McTiernan & Conboy LLC 312 Boulevard of the Allies, Eighth Floor Pittsburgh, PA 15222-1916				412-391-9860
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stan-Guard™, BEA, Inc., Eagle™ motion sensors and hold open beam.				
Description:	80 year old woman struck by back edge of sliding door panel as it opened.				
Deposition:		Trial:		Outcome:	Settled on or about 12/3/07 for a confidential amount.

Stanley cases S Inactive

Case:	Geraldine and Albert Peterson <i>v.</i> Wilcox Pharmacy, Inc., Richard W. Moore Construction, Inc., and The Stanley Works, Inc. Superior Court, Rutland County, Vermont; Docket No. 701-10-05RDCV				Seq. No. 66
Attorney:	John L. Kellner O'Neil Kellner & Green, P.C. 159 Bank Street, Suite 200 P. O. Box 5359 Burlington, VT 05402-5359				802-865-4700
Equipment:	Stanley Dura-Glide™ 2000 single slider with SU-50 microwave motion sensor and Stan-Guard presence sensor.				
Description:	Woman struck by back edge of sliding panel as door opened while standing next to building.				
Deposition:		Trial:		Outcome:	Settled on 9/14/07 for a confidential amount.

Case:	Dorris P. Spencer <i>vs.</i> The Stanley Works, <i>et al.</i> ; Circuit Court of Shelby County, Tennessee; No. CT-006831-05 Div. VIII				Seq. No. 67
Attorney:	Mark P. Ledbetter Taylor, Halliburton & Ledbetter 254 Court Avenue, Suite 305 Memphis, TN 38103-2361				901-523-8153
Equipment:	Stanley Dura-Glide™ 3000 sliding door with SU-100 motion sensors, Stan-Guard™ presence sensor and a single hold open beam.				
Description:	Woman struck by door while entering building.				
Deposition:	9/11/08	Trial:		Outcome:	Settled on 9/15/08 for an undisclosed amount.

Case:	Patricia Rupnik <i>vs.</i> K-mart Corporation, The Stanley Works, <i>et al.</i> Circuit Court of Rutherford County, TN; No. 56030				Seq. No. 68
Attorney:	Matthew E. Wright Craft & Sheppard, P.L.C. Shiloh Building, Suite 233 214 Centerview Drive Brentwood, TN 37027-5274				615-309-1707
Equipment:	Stanley double swinging door.				
Description:	Women struck by right hand interior swinging door while entering the K-mart.				
Deposition:		Trial:		Outcome:	Settled on, or about, 11/22/08 for \$325,000.

Stanley cases S Inactive

Case:	Annette Farrin vs. Rite Aid				Seq. No. 69
Attorney:	Daniel G. Kagan Berman & Simmons, P.A. 129 Lisbon Street P. O. Box 961 Lewiston, ME 04243-0961				207-784-3576
Equipment:	Stanley single slider with BEA, Inc., "Eagle" microwave motion sensors and Stanley Stan-Guard™ presence sensor.				
Description:	Woman entering store was pinned against the frame as the door continued to open and close on her.				
Deposition:		Trial:		Outcome:	Case abandoned.

Case:	Flora Carzeal Ammons vs. Wade's Food Center, Inc., d/b/a Piggly Wiggly No. 2, Mid-South Automatic Door, BEA, Inc., and Stanley Access Technologies, LLC; Circuit Court for McMinn County, Tennessee, at Athens; Docket No. 16593				Seq. No. 70
Attorney:	W. Holt Smith 209 Tellico Street North Madisonville, TN 37354-1188				423-442-4012
Equipment:	Stanley Dura-Glide™ 3000 bi-sliding door with Stanley SU-50 microwave motion sensors and Stan-Guard™ presence sensor.				
Description:	Small, elderly woman entering store through sliding door. Knocked down by door as it closed. Broke hip and suffered medical complications.				
Deposition:	5/29/07	Trial:		Outcome:	Unknown

Case:	Debbie Heft, Executrix of Estate of Rose Heft, Deceased, v. The Stanley Works, Weis/Kings Supermarket and CT Corporation System; Court of Common Pleas; Lehigh County, Pennsylvania; Civil Action-Law No. 2005-C-425				Seq. No. 71
Attorney:	Jerry R. Knafo Knafo Law Offices 4201 Tilgham Street Allentown, PA 18104-4429				610-432-2221
Equipment:	Stanley Dura-Glide™ 2000 sliding door with SU-50 microwave motion sensors and Stan-Guard™ presence sensor.				
Description:	75 year old woman using cane struck from behind. Broke hip.				
Deposition:		Trial:		Outcome:	Arbitrated on, or about, 5/4/09 for \$808,000 to plaintiff.

Stanley cases S Inactive

Case:	Enrique O. Chapa and Maria Enedina Chapa vs. H. E. Butt Grocery Company, L.P., <i>et al.</i> 38th Judicial District; Uvalde County, TX; Cause No. 06-12-25552-CV				Seq. No. 72
Attorney:	Marco A. Salinas Knickerbocker, Heredia, Jasso & Stewart, P.C. 468 Main Street Eagle Pass, TX 78852-4509				830-773-9228
Equipment:	Stanley slider with Stanley Stan-Guard™ presence sensor.				
Description:	Man struck by door at H.E.B. Grocery was a stroke victim.				
Deposition:		Trial:		Outcome:	Settled for a substantial, but confidential, amount on, or about, March 31, 2009.

Case:	Laurie R. Witzke vs. Office Depot, Inc., and The Stanley Works, Inc. District Court, Tulsa County, OK; Case No. CJ 2002-05816				Seq. No. 73
Attorney:	Terry A. Simonson Vestal & Simonson 1515 East 71st Street, Suite 309 Tulsa, OK 74136-5040				918-524-4677
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding doors with Stan-Ray™ motion sensors and Stan-Guard™ IR presence sensor.				
Description:	Elderly woman using walker struck by prematurely closing door as she was entering store, causing her to fall backward against the Plaintiff, knocking Plaintiff down and causing Plaintiff's injuries.				
Deposition:	5/19/04	Trial:		Outcome:	Dismissed on July 14, 2008.

Case:	Estate of Javier Barajas, Deceased v. KMart Holding Corporation a/k/a KMart Corporation In the Circuit Court of Cook County, Illinois; Court No. 04 L 2725				Seq. No. 74
Attorney:	Thomas E. Pakenas Dale & Pakenas 641 West Lake Street, Suite 400 Chicago, IL 60661-1007				312-258-1800
Equipment:	Stanley double swinging door with BEA, Inc., BodyGuard™ and LO-21.				
Description:	Man struck and broke hip while attempting to enter K-Mart.				
Deposition:	9/13/07	Trial:		Outcome:	Settled on, or about, 10/08 for \$1,800,000.

Stanley cases S Inactive

Case:	Esther Speirs and Stanley Speirs v. Marriott International, Inc., The Stanley Works, Inc., and/or Stanley Magic Door, <i>et al.</i> ; U.S. District Court, Eastern District of Pennsylvania Civil Action No. 07-3610				Seq. No. 75
Attorney:	Ralph P. Catalano Sentry Office Plaza, Suite 100 216 Haddon Avenue Westmont, NJ 08108-2809				856-858-1115
Equipment:	Stanley bi-parting sliding door with Stan-Guard™ presence sensor, Stanley Stan-Ray™ X-band microwave motion sensor on exterior side and Stanley SU-100 microwave motion sensor in interior side.				
Description:	Door closed on woman as she was entering through the outer door of a vestibule.				
Deposition:		Trial:		Outcome:	Settled on March 19, 2010, for \$50,000.

Case:	Bernard Starr <i>et al.</i> v. Hebrew Home of Greater Washington, Inc., <i>et al.</i> In the Circuit Court of Maryland for Montgomery County; Case No. 296990 V				Seq. No. 76
Attorney:	Stephen F. Brennwald Brennwald & Robertson, L.L.P. 922 Pennsylvania Avenue, SE Washington, DC 20003-2140				301-928-7727
Equipment:	Stanley Dura-Glide™ 2000 bi-parting slider.				
Description:	Door closed on and knocked down a woman exiting who was using a cane.				
Deposition:	10/8/09	Trial:		Outcome:	Settled on 7/17/09 for an undisclosed amount.

Case:	Marjorie A. Rettino vs. American Entrance Service, Stanley Access Technologies, <i>et al.</i> Court of Common Pleas; April Term 2007; No. 002496				Seq. No. 77
Attorney:	Kevin M. Malloy DiSandro & Malloy, P.C. 1760 Market Street, Suite 1201 Philadelphia, PA 19103-4120				215-587-9900
Equipment:	Stanley Dura-Glide™ 3000 sliding door with Stan-Ray™ (X-band) motion sensors and Stan-Guard™ presence sensor.				
Description:	94 year old woman struck and knocked down by closing door.				
Deposition:		Trial:		Outcome:	Settled on 10/20/08. Amount unknown.

Stanley cases S Inactive

Case:	Mary K. Seely, Personal Representative of Mark L. Tingen v. Home Depot U.S.A., Inc., Stanley Black & Decker, Inc., and Stanley Access Technologies, L.L.C.; U.S. District Court for the Eastern District of Virginia, Alexandria Division; Case No. 1:10-cv-01243 LMB/IDD				Seq. No. 78
Attorney:	J. Scott Krein Krein Law Firm 4000 Genesee Place, Suite 117 Prince William, VA 22192-8302				703-580-8377
Equipment:	Stanley Double-Diamond™ door with SU-100 microwave motion sensors, Optex OA-203C presence sensors and dual Telco hold open beams.				
Description:	Door closed on man using a walker while attempting to exit from the Home Depot store.				
Deposition:		Trial:		Outcome:	Settled on 8/12/11 for a confidential amount.

Case:	Linda Cline and Gary Cline v. Lowe's Home Centers, Inc., The Stanley Works, Stanley Access Technologies, LLC, David Craw, and John Doe; Circuit Court of Logan County, West Virginia, Civil Action No. 2:10-0489				Seq. No. 79
Attorney:	Pamela A. Lambert Law Office of Pamela Lambert P. O. Drawer 926 Gilbert, WV 25621-0926				304-664-3096
Equipment:	Stanley dual-panel Magic-Swing™ door with BEA, Inc., Eagle™ motion sensor and Stanley Sentrex™ presence sensors.				
Description:	Elderly woman using cane entering Lowe's. Door opened suddenly causing her to fall into the store.				
Deposition:		Trial:		Outcome:	Settled on, or about, 8/22/11 for an as yet unknown amount.

Case:	Lila Kos vs. Besam US, Inc., and Target Corporation; U.S. District Court for the Southern District of Florida; Case No.: 11-60889-CIV-Dimitrouleas				Seq. No. 80
Attorney:	Joseph I. Lipsky Law Office of Joseph I. Lipsky, P.A. 1200 South Pine Island Road, Suite 320 Plantation, FL 33324-4463				954-693-0073
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with BEA, Inc., Wizard™ sensors.				
Description:	90 year old woman struck and injured when attempting to enter building through subject door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 2/2/12 for an as yet unknown amount.

Stanley cases S Inactive

Case:	George Pritchard vs. Stanley Access Technologies, LLC, and Wal-Mart Stores East, LLP U. S. District Court, District of Massachusetts, Docket No. 1:08-cv-11762				Seq. No. 81
Attorney:	John L. Collins Hamel, Waxler, Allen & Collins 7 North Sixth Street P. O. Box 6000 New Bedford, MA 02740-6000				508-993-8000
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	Plaintiff ran into edge of door as it closed on him while exiting from building.				
Deposition:	8/12/10	Trial:		Outcome:	Summary judgment for Defendants on 1/27/11.

Case:	Mary Goolsby vs. Bed, Bath & Beyond, Inc., d/b/a Bed, Bath & Beyond Store #628, The Stanley Works, Stanley Access Technologies, LLC, and Engle Martin & Associates, Inc. In the Circuit Court of the Twelfth Judicial Court; Will County, Illinois; No. 08 L 231				Seq. No. 82
Attorney:	Glenn C. Ronaldson Ronaldson and Kuchler, LLC 205 West Wacker Drive, Suite 1015 Chicago, IL 60606-1453				312-425-2600
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stan-Guard™ presence sensor, Stanley SU-100 microwave motion sensors and a single hold open beam.				
Description:	Woman using a walker struck and injured by door.				
Deposition:	4/29/10	Trial:		Outcome:	Settled on, or about, 6/23/10 for an undisclosed amount.

Case:	Marlys Harnar v. Stanley Access Technologies, Affiliated Foods Southwest, Harvest Foods, and Mid South Automatic Door; Circuit Court of Pulaski County, Arkansas; Third Division No. CV-2008-9535				Seq. No. 83
Attorney:	Robert L. Scull Law Office of Peter A. Miller 1601 South Broadway Street Little Rock, AR 72206-1218				501-374-6300
Equipment:	Stanley Dura-Glide™ 3000 bi-parting slider with SU-050 motion sensors and Stanley Stanguard™ presence sensor. No hold open beams.				
Description:	Woman using a walker struck and injured by door.				
Deposition:	9/27/10	Trial:		Outcome:	Unknown.

Stanley cases S Inactive

Case:	Celia Stineman v. 110 Liberty Street Realty Company, L.L.C., Plymouth County Superior Court, Case No. 10-1307-B			Seq. No. 84
Attorney:	Thomas J. Chirokas Attorney at Law 969 Main Street, Suite 206 Walpole, MA 02081-2972			508-668-4440
Equipment:	Stanley Dura-Glide™ sliding door.			
Description:	90+ year old woman struck and injured by door.			
Deposition:		Trial:		Outcome: Case dismissed on, or before, March 23, 2013.

Case:	Dee Hershey, Power of Attorney for Clarissa Cullen v. Schnuck Markets, Inc., and Stanley Access Systems, Inc.; U.S. District Court for the Central District of Illinois, Springfield Division; Case No.: 3:12-cv-03278-RM-BGC			Seq. No. 85
Attorney:	Jack D. Davis Davis Law Offices, LLC The Centrum Building 319 East Madison Street, Suite 2C Springfield, IL 62701-3120			217-679-0393
Equipment:	Stanley bi-parting sliding door.			
Description:	93 year old woman struck and injured by Stanley bi-parting sliding door while exiting from building.			
Deposition:		Trial:		Outcome: Settled. Date and amount not yet known (7/8/13).

Case:	Al Kasczak vs. Super Target, <i>et al.</i>			Seq. No. 86
Attorney:	James J. Cramer Payne & Jones, Chtd. College Boulevard at King, 11000 King Overland Park, KS 66225-5625			913-469-4100
Equipment:	Stanley swinging doors with Sentrex™ sensors.			
Description:	72 year old man struck by door while leaving Super Target store.			
Deposition:		Trial:		Outcome: Unknown

Case:	Robert Feldmann, <i>et al.</i> , vs. The Kroger Company, <i>et al.</i> , In the Court of Common Pleas, Hamilton County, Ohio; Case No. A2102990			Seq. No. 87
Attorney:	Matthew C. Metzger Wolterman Law Office, LPA 434 West Loveland Avenue Loveland, OH 45140-2322			513-488-1135
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.			
Description:	Door closed without warning injuring man exiting from store.			
Deposition:		Trial:		Outcome: Settled in mediation in July, 2022, for \$140,000.

Stanley cases S Inactive

Case:	Ida M. Books and Barney B. Cowart Individually, and Barney B. Cowart as Administrator of The Estate of Willie Lee Jones, Deceased v. Best Buy Co., Inc., Stanley Security Solutions, Inc., Stanley Black & Decker, Inc., Stanley Access Technologies LLC, and Optex Technologies Inc.; and Door Control Services, Inc., District Court, 241 st District Court of Smith County, Texas; Cause No. 12-0693-C				Seq. No. 88
Attorney:	Houston M. Smith Law Offices of Houston M. Smith 210 East Moore Avenue Terrell, TX 75160-3208				972-524-1903
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door.				
Description:	95 year old woman using walker struck and knocked down as she attempted to exit through interior entrance door, breaking her back.				
Deposition:		Trial:		Outcome:	Settled on 7/30/13 for a confidential amount.

Case:	Elizabeth Skrovan vs. Jo-Ann Stores, Inc., et al.; 268th Judicial District Court of Fort Bend County, Texas; Case No.: 11-DCV-189322				Seq. No. 89
Attorney:	Hugh J. Howerton Law Office of Hugh J. Howerton 13030 Rummel Creek Houston, TX 77079-3729				713-984-9848
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door.				
Description:	Elderly woman exiting using walker struck by door and injured.				
Deposition:		Trial:		Outcome:	Settled for a confidential amount in December, 2012.

Case:	Kurz v. Blain Supply, Inc., and/or Farm & Fleet of Rockford, Inc.; Circuit Court, 17 th Judicial Circuit; Winnebago County, IL; Case No. 2009-L-382				Seq. No. 90
Attorney:	Robert A. Fredrickson Reno & Zahm 2902 McFarland Road, Suite 400 Rockford, IL 61107-6801				815-987-4050
Equipment:	Stanley Magic Swing™ swinging door with BEA, Inc., VG-087 motion sensor, BEA, Inc., DK-12 presence sensor and a DB11 guide rail photobeam.				
Description:	Woman struck by reverse-swinging door while attempting to exit through entrance door.				
Deposition:	6/5/12 8/3/12	Trial:		Outcome:	Summary judgment for Stanley Access Technologies.

Stanley cases S Inactive

Case:	Valerie Rodriguez vs. Automatic Door Systems, Inc., and Does 1 through 25; Superior Court of the State of California; For the County of San Mateo; Case No. CIV513408.				Seq. No. 91
Attorney:	Eric S. Ritigstein Boxer & Gerson, L.L.P. 300 Frank H. Ogawa Plaza, Suite 500 Oakland, CA 94613-2040				510-286-2994
Equipment:	Single panel Stanley Dura-Glide™ 3000 sliding door. Actuated via access code.				
Description:	Employee at facility struck and injured by door.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Eve Rodis vs. HCRI Massachusetts Properties Trust II, and Massachusetts Assisted Living, L.L.C., d/b/a Kindred Assisted Living - Avery Crossings; Superior Court Commonwealth of Massachusetts; Civil Action No. 2012-00980				Seq. No. 92
Attorney:	Joseph T. Desmond Law Offices of William T. Kennedy, P.C. 21 McGrath Highway, Suite 404 Quincy, MA 02169-5311				617-773-7100
Equipment:	Stanley DuraGlide™ bi-parting sliding door.				
Description:	88 year old woman exiting using walker paused in bi-parting sliding door. Door closed on her knocking her down with concomitant injuries.				
Deposition:		Trial:		Outcome:	Settled on 4/2/14 for an undisclosed amount.

Case:	Augustus v. Builder's Square, Inc.				Seq. No. 93
Attorney:	Stacey D. Mullins ROMANO, ERIKSEN & CRONIN 1655 Palm Beach Lakes Blvd., Suite 901 West Palm Beach, FL 33401-2225				561-533-6700
Equipment:	Stanley Dura-Glide™ 3000 with Stan-Ray™ motion and Stan-Guard™ presence sensors				
Description:	Woman in early 50's struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	May have settled. Specifics not known.

Case:	Leroy Hayes, etc. v. K-Mart Corporation, et al., Case No. 93 CV 110048				Seq. No. 94
Attorney:	Carl F. Noll NOLL & SCARBERRY Spitzer Park Plaza 511 Broad Street Elyria, OH 44035-5531				216-322-8018
Equipment:	Stanley swinging doors using control mats.				
Description:	Woman struck by prematurely closing door leading to her death				
Deposition:		Trial:		Outcome:	May have settled. Specifics not known.

Stanley cases S Inactive

Case:	Maria Martinez v. The Home Depot USA, Inc., The Home Depot, Julian Ordonez d/b/a Automatic Door Services and Auto Doors, Inc., of Georgia; District Court; 404th Judicial District; Cameron County, Texas; Cause No. 2013-DCL-04327-G				Seq. No. 95
Attorney:	Malorie J. Peacock The Cowen Law Group 62 East Price Road Brownsville, TX 78521-3508				956-541-4981
Equipment:	Stanley Double-Diamond™ sliding door.				
Description:	Woman entering injured when door closed on her.				
Deposition:		Trial:		Outcome:	Plaintiff's attorney withdrew from the case.

Case:	Judith W. Farnham v. Stanley Access Technologies, LLC & Wal-Mart Stores East, LP; State of Vermont, Superior Court, Washington Unit, Civil Division; Docket No. 674-10-13 Wncv.				Seq. No. 96
Attorney:	Patrick L. Biggam Biggam, Fox & Skinner, L.L.P. 453 Stone Cutters Way, Suite 2 Montpelier, VT 05602-4433				802-229-5146
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanguard™ and StanVision™ sensors..				
Description:	Woman struck and injured while entering through interior door, resulting in surgery for shoulder.				
Deposition:		Trial:		Outcome:	Wal-Mart admitted liability on, or prior to, 3/3/15. Final award unknown.

Case:	Viola Snyder v. Stanley Access Technologies, LLC; CBRE, Inc.; CB Richard Ellis, Inc.; and Bucks E.A., LP; Court of Common Pleas; Philadelphia County, Philadelphia; Case No.: 1304002950				Seq. No. 97
Attorney:	Steven E. Wolfe Pheasant Valley Center 295 Buck Road, Suite 202 Holland, PA 18966-1749				267-614-2000
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door with Stanley SU-100 microwave motion sensors				
Description:	Woman struck and injured while attempting to enter building through subject door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 3/24/15.

Case:	Delliquadri v. PETCO Animal Supplies, Inc., et al. District Court, Adams County, Colorado; Case No.: 03 CV 650				Seq. No. 98
Attorney:	Robert S. Anderson Ireland Stapleton Pryor Pascoe, P.C. 1675 Broadway, Suite 2600 Denver, CO 80202-4626				303-623-2700
Equipment:	Stanley bi-parting sliding door.				
Description:	73 year old man struck by sliding door as he was entering store on August 26, 2002.				
Deposition:	12/10/04	Trial:		Outcome:	Settled in 2008 for an unknown amount.

Stanley cases S Inactive

Case:	Mary Lyons vs. CVS - Stoughton, MA.				Seq. No. 99
Attorney:	Shawn P. O'Rourke Barron & Stadfeld, P.C. 100 Cambridge Street, Suite 1310 Boston, MA 02114-2548				617-531-6583
Equipment:	Stanley bi-folding door.				
Description:	Elderly woman using cane exiting struck by door as it closed.				
Deposition:		Trial:		Outcome:	Referred out to another attorney. Disposition thereafter unknown.

Case:	Michelle Wilf v. Walgreen Co.; Circuit Court of 15th Judicial Circuit In and For Palm Beach County, Florida; Case No.: 2014CA005207				Seq. No. 100
Attorney:	Albert H. Lechner Terrell Hogan Yegelwel, P.A. 233 E. Bay Street, Suite 804 Jacksonville, FL 32202-3459				904-632-2424
Equipment:	Stanley DG-2000 single slider with Stanguard™ and BEA, Inc., Eagle™ motion sensors. H.O. beams?				
Description:	Woman struck by closing door.				
Deposition:		Trial:		Outcome:	Law firm no longer representing plaintiff (5/2/15).

Case:	Naomi Feinberg vs. Joslin Diabetes Center, Inc., Gaetano Lentini, a/k/a Guy Lentini, and ASSA Abloy Entrance Systems US, Inc., f/k/a Besam US, Inc.; Superior Court; Commonwealth of Massachusetts; Civil Action No.: 12-4482G				Seq. No. 101
Attorney:	Norman J. Fine Norman J. Fine, P.C. 1150 Walnut Street Newton, MA 02461-1229				617-332-8600
Equipment:	Stanley Dura-Glide™ bi-parting sliding door.				
Description:	Door closed on elderly woman while attempting to exit bldg through inner door of vestibule.				
Deposition:		Trial:		Outcome:	Settled for \$70,000 on or about 5/27/15 due to the imminent death of the plaintiff.

Case:	Mardoche Marc Dahan vs. Safeway, Inc., et al.; Circuit Court of Loudoun County, State of Virginia; Case No.: CL00087503-00				Seq. No. 102
Attorney:	James W. Taglieri Cadeaux, Taglieri & Notarius, P.C. 1100 Connecticut Avenue, N.W., Suite 800 Washington, DC 20036-4115				202-785-3373
Equipment:	Stanley swinging door with Stanley Sentrex™ sensors.				
Description:	72 year old man struck by swinging door as he was exiting from store, injuring is left shoulder, arm and hand.				
Deposition:		Trial:		Outcome:	Settled for a confidential amount on, or about, 9/2/15.

Stanley cases S Inactive

Case:	Guy Magnuson v. Seventy-Eight Harvard Avenue Associates, LLC, and Stanley Access Technologies, Inc.; Superior Court of Connecticut, Judicial District of Stamford/Norwalk at Stamford; Docket No.: FST CV-12-6014002S.				Seq. No. 103
Attorney:	Brenden P. Leydon Tooher Woel & Leydon, L.L.C. 80 Fourth Street Stamford, CT 06905-5009				203-324-6164
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanguard™ presence sensor, SU-100 motion sensors and a single hold open beam.				
Description:	Door opened only partially for man entering, causing man in late 40's to run into door injuring his right eye.				
Deposition:	2/3/14	Trial:		Outcome:	Case settled with Stanley on, or about, 5/29/15, for an unknown amount.

Case:	Beverly Meadow v. D & G Limited Assortment Inc., d/b/a Millersville's Save-A-Lot; Sumner County Circuit Court; State of Tennessee, Docket No.: 83CC1-2011-CV-1121				Seq. No. 104
Attorney:	Luvell L. Glanton Law Offices of Luvell L. Glanton 915 Jefferson Street, 2nd Floor Nashville, TN 37208-2633				615-244-4511
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door with Stanguard™, two SU-100 and dual hold open beams.				
Description:	Older woman exiting from store struck by door. Broke femur and injuries to ankle and knee.				
Deposition:		Trial:	6/25/13 6/26/13 6/2/15	Outcome:	First trial: Directed verdict for defendant. Overturned and remanded for re-trial on appeal. Second trial: Jury found for the defendant.

Case:	Julia Rojas and Hermenegildo Rojas v. United Supermarkets, L.L.C.; In the 100 th District Court In and For Childress County, Texas; Cause No. 10376				Seq. No. 105
Attorney:	Leslie Lowe Wood Law Firm, L.L.P. 1222 S. Fillmore P. O. Box 1439 Amarillo, TX 79105-1439				806-372-1727
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Optex i-sensors™.				
Description:	Slowly walking woman struck and injured by door.				
Deposition:		Trial:		Outcome:	Settled on 8/27/15 for a confidential amount.

Stanley cases S Inactive

Case:	Mariam Bailey v. Stanley Access Technologies.; DeSoto Inns, Inc.; and John and Jane Does A; B; C; and D; U.S. District Court for the Northern District of Mississippi, Oxford Division; Cause No.: 3-14-CV-072-SA-JMV				Seq. No. 106
Attorney:	Michael J. Crow Beasley, Allen, Crow, Methvin, Portis & Miles, P.C. P. O. Box 4160 218 Commerce Street Montgomery, AL 36103-4160				334-495-1152
Equipment:	Stanley 3-panel telescoping Dura-Glide™ 5300 slider with Stanley SU-050 microwave motion sensors and Stanguard™ presence sensor. No hold open beams.				
Description:	82 year old woman using a cane struck by interior sliding door, knocked down and fractured hip while attempting to exit from building.				
Deposition:	4/28/15	Trial:		Outcome:	Settled on, or about, 12/4/15 for a confidential amount.

Case:	Kathleen McCann v. ASSA Abloy Entrance Systems US, Inc., d/b/a Besam Entrance Solutions, BESAM US INC., BESAM AUTOMATED ENTRANCE SYSTEMS, INC., TARGET CORPORATION, B.E.A., INC., STANLEY ACCESS TECHNOLOGIES, LLC, and John Doe, Alias Defendants; U.S. District Court, District of Rhode Island; Civil Action No.: 13-783L				Seq. No. 107
Attorney:	Rebecca McSweeney Law Offices of Rebecca McSweeney 49 Bellevue Avenue Newport, RI 02840-3207				401-662-0263
Equipment:	Stanley swinging door with BEA, Inc., Eagle™ motion sensor, and Bodyguard™ and Superscan™ presence sensors.				
Description:	Woman exiting ran into door when it opened only part way.				
Deposition:		Trial:		Outcome:	Settled in mediation on 9/28/15 for an undisclosed amount.

Case:	May Gorelick and Murray Gorelick v. Star Markets Company, Inc., Shaw's Supermarkets, Inc., and New Albertson's, Inc.; Commonwealth of Massachusetts; Superior Court; Middlesex County; Civil Action No.: MICV2014-03597				Seq. No. 108
Attorney:	Jonathan A. Karon Karon & Dalimonte, LLP 85 Devonshire Street, Suite 1000 Boston, MA 02109-3572				617-367-3311
Equipment:	Stanley bi-parting Dura-Glide™ 3000 door using Stanley SU-100 microwave motion sensors, Stanley Stanguard™ presence sensor and dual hold open beams.				
Description:	84 year old woman using cane exiting through interior slider struck and injured.				
Deposition:	5/11/15	Trial:	2/3-4/16	Outcome:	Jury found for defense.

Stanley cases S Inactive

Case:	Nannie Hughes vs. Kroger Company, Stanley Access Technologies, L.L.C., and Southern Ohio Door Controls, Inc.; United States District Court; Eastern District of Kentucky; Northern Division at Covington; Case No: 2:13-CV-00014-DLB-CJS			Seq. No. 109
Attorney:	T. Lawrence Hicks Cetrulo, Mowery & Hicks, P.S.C. 130 Dudley Road, Suite 200 Edgewood, KY 41017-4313			859-331-4900
Equipment:	Stanley DuraGlide™ 3000 bi-parting sliding door with BEA, Inc., VG087 motion sensors and Stanguard™ presence sensor. No hold open beams.			
Description:	Approx. 90 year old woman entering exterior bi-parting sliding door struck by door, knocked down and injured.			
Deposition:	9/18/13	Trial:		Outcome: Settled in late 2014 for a confidential amount.

Case:	Maria L. Corral vs. Home Depot U.S.A., Inc., and Stanley Access Technologies; U.S. District Court for the District of New Mexico; Cause No.: 2:13-CV-555-JCH-CG			Seq. No. 110
Attorney:	J. Marcos Perales-Piña Perales Law Group 1127 E. Idaho Avenue Las Cruces, NM 88001-3751			575-523-0144
Equipment:	Stanley bi-parting Diamond™ series sliding door.			
Description:	Door closed on elderly woman using cane while entering building.			
Deposition:		Trial:		Outcome: Settled in July, 2015, for a confidential amount.

Case:	Estate of Helen Marie McComb and Roger McComb vs. Jo-Ann Stores, LLC, d/b/a Jo-Ann Fabrics and Crafts vs. Front Street Facility Solutions, Inc.; Circuit Court for Wayne County; State of Michigan; Case No.: 14-001454-NO			Seq. No. 111
Attorney:	Roman J. Ficaj Law Offices of Roman J. Ficaj 15461 Middlebelt Road Livonia, MI 48154-3805			734-762-0700
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanley Stanguard™ presence sensor and BEA, Inc., Eagle™ motion sensors OEM'd to Stanley.			
Description:	92 year old woman exiting through sliding door knocked down and repeatedly struck by door.			
Deposition:		Trial:		Outcome: Settled on 4/1/16 for a confidential amount.

Stanley cases S Inactive

Case:	Yvonne Schwartz <i>et al.</i> v. WalMart Canada and Stanley Black & Decker Canada Corporation c.o.b. Stanley Access Technologies and Active Automated Doors, Ltd.; Superior Court of Justice, Ontario, Canada; Court File No. 13-58786				Seq. No. 112
Attorney:	Kevin Butler Diamond & Diamond 1081 Carling Avenue, Suite 704 Ottawa, ON K1Y 4G2 Canada				416-256-1600
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with BEA, Inc., Eagle™ motion sensors, a Stanguard™ presence sensor and a single hold open beam.				
Description:	47 year old woman struck and injured by door while entering WalMart.				
Deposition:		Trial:		Outcome:	Settled in late July, 2018, for a confidential amount.

Case:	Kathryn and Jeff Erhard vs. Lowe's Home Improvement; State of New York, Supreme Court, County of Onondaga; Index No. 07-7486, RJI No. 33-09-1872.				Seq. No. 113
Attorney:	Brandon R. King Smith, Sovik, Kendrick & Sugnet, P.C. 250 Clinton Street, Suite 600 Syracuse, NY 13202-1252				315-474-2911
Equipment:	Stanley bi-parting sliding door with SU-100 microwave motion sensors, Stan-Guard™ presence sensor and dual hold open beams.				
Description:	Sliding door panel opened over and injured child's foot.				
Deposition:		Trial:		Outcome:	Settled. Amount and date unknown.

Case:	June Morin vs. Longmont Assisted Living Limited Partnership d/b/a the Bridge Assisted Living at Life Care Center of Longmont, Longmont Medical, Inc., <i>et al.</i> , Case No.: 16CV30146				Seq. No. 114
Attorney:	David A. Klibaner Klibaner Law Firm, P.C. 899 Logan Street, Suite 200 Denver, CO 80203-3154				303-863-1445
Equipment:	Stanley single panel sliding door with SU-050 motion sensors, Stanguard™ presence sensor and no hold open beams.				
Description:	87 year old woman entering building using walker struck and knocked down while standing on the threshold of the interior vestibule sliding door.				
Deposition:	7/28/16	Trial:		Outcome:	Settled on, or about, September 15, 2016.

Stanley cases S Inactive

Case:	Juanita Minor vs. Moran Foods, LLC, d/b/a Save-A-Lot, Ltd., <i>et al.</i> ; Superior Court of New Jersey; Law Division - Atlantic County; Docket No. ATL-L-277-15				Seq. No. 115
Attorney:	John J. Bublewicz Attorney at Law 196 Princeton Hightstown Road, Suite 10 Princeton Junction, NJ 08550-1673				609-426-8755
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door.				
Description:	Door closed upon and knocked down 88 year old woman attempting to enter building.				
Deposition:		Trial:		Outcome:	Settled on 3/27/17 for \$237,500.

Case:	Lisa Caines and Perry Caines vs. Rite-Aid of Pennsylvania, Inc., d/b/a Rite-Aid Pharmacy and Besam U.S., Inc.; Court of Common Pleas, Lackawanna County, PA; Civil Action No. 4391-CIV-2008				Seq. No. 116
Attorney:	Thomas E. Lucas, Jr. O'Malley & Langan, P.C. 426 Mulberry Street Scranton, PA 18503-1500				570-344-2667
Equipment:	Stanley Dura-Glide™ 3000 bi-parting slider with SU-050 motion sensors and Stanguard™ presence sensor.				
Description:	40 year old woman struck by door while entering store.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Catherine Kopinski vs. Stanley Works, Stanley Black & Decker, Inc., Stanley Access Technologies, LLC, GFTV Sterling Owner, LLC, GFTV Sterling Lessee, LLC, and Integral Senior Living Management, LLC; Circuit Court of Macomb County; State of Michigan; Case No. 2016-666-NP				Seq. No. 117
Attorney:	Samuel Serra Serra & Isopi, P.C. 43455 Schoenherr Road, Suite 7 Sterling Heights, MI 48313-1972				586-323-4400
Equipment:	Stanley Dura-Glide™ 2000 with Stanley SU-100 sensors, Stanley Stanguard™ presence sensor and a single hold open beam.				
Description:	84 year old woman using walker struck by exterior sliding door while attempting to exit through vestibule.				
Deposition:		Trial:		Outcome:	Settled on, or about, 7/12/17, for a confidential amount.

Stanley cases S Inactive

Case:	Ann Driss vs. Stanley Access Technologies, L.L.C., Dillon Companies, Inc., Kroger Co., and Edelman-Lyon Co.; District Court of Shawnee County, Kansas; Case No. 16-CV-55				Seq. No. 118
Attorney:	Roger D. Fincher Law Office of Roger Fincher 1320 SW Topeka Boulevard P. O. Box 2125 Topeka, KS 66601-2125				785-430-5770
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with dual hold open beams, Stanley SU-100 motion sensors and Stanley Stanguard™ presence sensor.				
Description:	85 year old woman struck and knocked down by door, breaking her left hip.				
Deposition:		Trial:		Outcome:	Settled on, or about, 4/5/17 for an unknown amount.

Case:	Jean Morrone vs. J. C. Penney Corporation, Inc.; Circuit Court of the 10th Judicial District; Civil Division; Highlands County, State of Florida; Case No: GC14374				Seq. No. 119
Attorney:	James R. Wilson Morgan & Morgan 201 N. Franklin Street, 7th Floor Tampa, FL 33602-5157				813-223-0992
Equipment:	Stanley low energy swinging door.				
Description:	Woman struck by exterior door while exiting when door timed out.				
Deposition:	12/19/16	Trial:		Outcome:	Settled on 10/6/17 for \$100,000 to Plaintiff.

Case:	Mary DiMarco and Craig DiMarco vs. CVS Pharmacy and Stanley Access Technologies and Stanley Black & Decker, Inc.; Court of Common Pleas, Philadelphia County, First Judicial District, Civil Trial Division; Case No. 160500240.				Seq. No. 120
Attorney:	John J. Fonash Law Office of John J. Fonash III 600 West Germantown Pike, Suite 400 Plymouth Meeting, PA 19462-1046				888-355-0214
Equipment:	Stanley bi-parting Dura-Glide™ 3000 door with Stanguard™ presence, Stanley SU-100 motion sensors an dual hold open beams.				
Description:	68 year old woman with MS pushing shopping cart struck by exterior bi-parting sliding door as she attempted to exit from bldg. Sustained fractured hip.				
Deposition:		Trial:		Outcome:	Resolved in mediation on 11/28/17 for a confidential amount.

Stanley cases S Inactive

Case:	Rita Oquendo vs. Mercy Medical Center and Stanley Access Technologies; Supreme Court of the State of New York; County of Nassau; Index No. 12-014587				Seq. No. 121
Attorney:	William Bird III T. Kevin Murtha & Associates, P.C. 45 Post Avenue Westbury, NY 11590-4313				516-997-4800
Equipment:	Stanley bi-parting Dura-Glide™ 2000 non-pocketed door.				
Description:	73 year old woman struck and injured by non-pocketed door that opened into here.				
Deposition:		Trial:		Outcome:	Settled on 1/22/18 for an unknown amount.

Case:	Mary Jean Carrico Thompson vs. Lexington II MOB Owners, LLC, <i>et al.</i> and Mary Wolfe vs. Lexington II MOB Owners, LLC, <i>et al.</i> ; Commonwealth of Kentucky, Fayette Circuit Court, 9th Division; Civil Action No. 16-CI-0260 and Civil Action No. 15-CI-04018				Seq. No. 122
Attorney:	E. Megan Lyons Ward, Hocker & Thornton, P.L.L.C. 333 West Vine Street, Suite 1100 Lexington, KY 40507-1628				859-422-6000
Equipment:	Stanley Dura-Glide™ 3000 single panel slider with Stan-Ray™ X-band microwave motion sensors, Stanguard™ presence sensor, and single hold open beam.				
Description:	Woman using walker struck and knocked down while attempting to exit through exterior door of vestibule.				
Deposition:	4/24/17	Trial:		Outcome:	Thompson matter settled on 12/14/17 for a confidential amount.

Case:	Richard L. Stephens, on behalf of, and as Personal Representative of the Estate of Eleanor Doris Stocker, Deceased, v. AMISUB (SFH), Inc., d/b/a Saint Francis Hospital, Stanley Access Technologies, LLC, Individually and d/b/a Mid-South Automatic Doors and d/b/a Stanley Automatic Doors; Circuit Court of Shelby County, 13 th Judicial District at Memphis, Tennessee; Docket No.: CT-000769-10				Seq. No. 123
Attorney:	David A. Siegel Nahon Saharovich & Trotz, P.L.C. 488 South Mendenhall Road Memphis, TN 38117-4220				901-462-3352
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door with StanGuard™ presence sensor, SU-100 motion sensors and a single hold open beam.				
Description:	Door closed on 83 year old woman using walker while exiting from building.				
Deposition:	11/28/12	Trial:		Outcome:	Settled on, or about, 1/10/14, for an unknown amount.

Stanley cases S Inactive

Case:	Shirley Eubanks & Aron Eubanks vs. Shree Jee Hospitality, Inc., d/b/a Comfort Suites Hotel, Circuit Court of the First Judicial Circuit; Williamson County, Illinois; Docket No. 15 L 142				Seq. No. 124
Attorney:	Joshua A. Humbrecht Hassakis & Hassakis, P.C. 206 South 9th Street, Suite 201 Mount Vernon, IL 62864-4240				618-244-5338
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	83 year old woman using quad cane struck and injured while exiting through exterior door of vestibule.				
Deposition:		Trial:		Outcome:	Settled on 3/8/18 for a confidential amount.

Case:	Lewis Andrews vs. Tractor Supply Company, <i>et al.</i>				Seq. No. 125
Attorney:	Alan L. Pepicelli Watts and Pepicelli, P.C. 916 Diamond Park Meadville, PA 16335-2605				814-336-4000
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanley SU-100 sensor on the interior and exterior sides, a Stanguard™ presence sensor and a single hold open beam.				
Description:	77 year old man using walker struck and injured while entering through exterior door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 2/14/18 for a confidential amount.

Case:	Susan Siedschlag v. Publix Super Markets, Inc., Stanley Black & Decker, Inc.; Stanley Access Technologies, L.L.C.; Automatic Doors, Inc., of Georgia; Miner Florida, GP, L.L.C. and Miner Florida, Ltd.; In The Circuit Court of the 17th Judicial Circuit, in and for Broward County, Florida; Case No.: CACE 14-005378 (08)				Seq. No. 126
Attorney:	Scott L. Henratty Malove Henratty, P.A. 14 Rose Drive Fort Lauderdale, FL 33316-1012				954-767-1000
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	Woman using crutches struck by outer sliding door of vestibule.				
Deposition:		Trial:		Outcome:	Settled for a confidential amount in October, 2017.

Case:	Elizabeth and Edward Rivera v. Publix Super Markets, Inc. and Stanley Works Circuit Court; Seventeenth Judicial Circuit; Broward County, FL; Case No. 01-007569 03				Seq. No. 127
Attorney:	Lawrence P. Zolot 3864 Sheridan Street Hollywood, FL 33021-3634				954-745-2100
Equipment:	Stanley series 3000, Model 9-3348, bi-parting sliding doors with Stan-Ray™ and Stan-Guard™ sensor .				
Description:	Woman struck and injured while attempting to enter store.				
Deposition:	5/2/03	Trial:		Outcome:	Unknown.

Stanley cases S Inactive

Case:	Ebony Dee Washington v. CVS Pharmacy d/b/a CVS a/k/a CVS CAREMARK and (JOHN/JANE DOES 1-5 and ABC/XYZ CO./CORP. 1-5) (fictitious defendants); Superior Court of New Jersey, Law Division: Middlesex County; Docket No. MID-L-1106-16				Seq. No. 128
Attorney:	John R. Gorman Lutz, Shafranski, Gorman & Mahoney, P.A. 77 Livingston Avenue New Brunswick, NJ 08901-2523				732-249-0444
Equipment:	Stanley bi-folding door.				
Description:	Woman exiting pinned between sides of bi-folding door causing her to fall and sustain injuries.				
Deposition:		Trial:		Outcome:	Settled on 5/8/18 for a confidential amount.

Case:	Glenda Berg vs. Bed Bath & Beyond, Inc.; Stanley Black & Decker, Inc., and Stanley Access Technologies, LLC.; United States District Court, District of Hawaii; Civil Case No.: 1:15-cv-00361 HG-KSC				Seq. No. 129
Attorney:	David G. Geffen David Geffen Law Firm 1717 4th Street, 3rd Floor Santa Monica, CA 90401-3319				310-434-1111
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanguard™ presence sensor and BEA, Inc., VG-087C (Stanley SU-050) motion sensors. No hold open beams at the time of the incident.				
Description:	Woman using crutches struck and injured while exiting through the subject door.				
Deposition:	5/10/17	Trial:		Outcome:	Settled on 3/27/18 for an undisclosed amount.

Case:	Barbara Dunbar vs. Rite Aid of Maryland, Inc.; Circuit Court for Charles County, Maryland; Case No. C-08-CV-17-000312				Seq. No. 130
Attorney:	Michael J. Schreyer Alpert Schreyer, LLC 8 Post Office Road Waldorf, MD 20602-2709				301-932-9997
Equipment:	Stanley Dura-Glide™ 3000 bi-parting door.				
Description:	Woman stuck and injured while entering through exterior door.				
Deposition:		Trial:		Outcome:	Settled on 9/7/18 for \$175,000.

Stanley cases S Inactive

Case:	Patricia Cahill vs. LM Fruit & Produce, Inc.; Superior Court; Commonwealth of Massachusetts; Civil Action No. 1772CV00384				Seq. No. 131
Attorney:	Stephen M. O'Shea Martin, Magnuson, McCarthy & Kenny 101 Merrimac Street, Suite 700 Boston, MA 02114-4776				617-227-3240
Equipment:	Stanley single panel Dura-Glide™ 2000 sliding door with Stanley Stanguard™ presence sensor and SU-100 motion sensors. May have dual hold open beams.				
Description:	85 year old woman pushing shopping cart struck, knocked down and injured having approached the subject door from a steep angle.				
Deposition:		Trial:		Outcome:	Settled on 12/5/18 for a confidential amount.

Case:	Roberta Kay Kompoltowicz, Personal Representative of Estate of Lucille L. Eaton v. Marshalls of MA, Inc., and Stanley Access Technologies, LLC; In The Circuit Court for the Twelfth Judicial Circuit in and for Sarasota County, Florida; Case No.: 2015-CA-001966 NC				Seq. No. 132
Attorney:	Kari A. Metzger Metzger Law Group, P.A. 3018 W. Horatio Street Tampa, FL 33609-4122				813-288-2650
Equipment:	Stanley bi-parting Dura-Glide™ 3000 with SU-100 motion sensors, Stanley Stanguard™ presence sensor, and dual hold open beams.				
Description:	Wrongful death case. Woman using cane entering through exterior door.				
Deposition:	11/2/17	Trial:	4/30/18 Daubert 10/2/18 Trial	Outcome:	Jury found for the plaintiff.

Case:	Mary Jean Carrico Thompson vs. Lexington II MOB Owners, LLC, et al. and Mary Wolfe vs. Lexington II MOB Owners, LLC, et al.; Commonwealth of Kentucky, Fayette Circuit Court, 9th Division; Civil Action No. 16-CI-0260 and Civil Action No. 15-CI-04018				Seq. No. 133
Attorney:	Robert M. Brooks Boehl Stopher & Graves, LLP 400 West Market Street, Suite 2300 Louisville, KY 40202-3366				502-589-5980
Equipment:	Stanley Dura-Glide™ 3000 single panel slider with Stan-Ray™ X-band microwave motion sensors, Stanguard™ presence sensor, and single hold open beam.				
Description:	Thompson using walker struck and knocked down while attempting to exit through exterior door of vestibule.				
Deposition:	4/24/17	Trial:		Outcome:	Wolfe matter settled on or about 7/19/18.

Stanley cases S Inactive

Case:	Diane B. Rose, as Representative of Estate of Blanche R. Johnson v. Cape Ann Savings Bank and Stanley Access Technologies, LLC; Superior Court, Essex County, Massachusetts; Civil Action No. 1577CV01637				Seq. No. 134
Attorney:	Neil Rossman Rossman & Rossman 8 Essex Center Drive, Suite 6 Peabody, MA 1960-2911				978-717-5701
Equipment:	Stanley low energy dual panel swinging door.				
Description:	90 year old woman attempting to re-enter through interior door struck and subsequently died from being struck by door.				
Deposition:	2/14/19	Trial:	2/26/19	Outcome:	Settled with CASB for \$110,000 on or about 10/8/17. Jury found for Stanley on, or about, 2/27/19.

Case:	Irene E. Stephens v. The Stanley Works, Inc., n/k/a Stanley Black & Decker, Inc.; In the Circuit Court for the 19 th Judicial Circuit in and for Indian River County, Florida; Case No. 312010CA074454				Seq. No. 135
Attorney:	Louis B. Vocelle Vocelle & Berg, LLP 3333 20th Street Vero Beach, FL 32960-2469				772-562-8111
Equipment:	Stanley Dura-Glide™ automatic sliding door.				
Description:	78 year old woman using a walker injured when door closed on her as she attempted to enter the building.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Linda Howe v. Stanley Access Technologies, LLC, <i>et al.</i> Court of Common Pleas, Luzerne County, PA, Case No. 872 of 2012				Seq. No. 136
Attorney:	Stephen A. Seach The Seach Law Offices 30 North Old Turnpike Road, Suite B Drums, PA 18222-1915				570-359-3283
Equipment:	Stanley bi-parting Dura-Glide™ 2000 sliding door.				
Description:	Woman employee of The Home Depot stuck and injured by door as she was leaving the building.				
Deposition:		Trial:		Outcome:	Unknown

Stanley cases S Inactive

Case:	Louanne Kay vs. City of Largo and Stanley Access Technologies, LLC; Circuit Court of the Sixth Judicial Circuit, Pinellas County, Florida; Case No. 16-02279-CI-19				Seq. No. 137
Attorney:	Jeffrey K. Chambers Chambers Law Group, P.A. 520 Fourth Street North, Ste. 101 St. Petersburg, FL 33701-2389				727-896-2167
Equipment:	Stanley Dura-Storm™ 3000 bi-parting sliding door with Stanley SU-100 microwave motion sensors, Stanguard™ presence sensor and dual hold open beams.				
Description:	85 year old woman struck by sliding door resulting in fractured hip.				
Deposition:	10/25/18	Trial:	2/5/19	Outcome:	Jury found for defendant Stanley.

Case:	Ellen Halloran v. CVS Pharmacy, Inc.; Supreme Court of the State of New York; Index No. 153578/2014				Seq. No. 138
Attorney:	Robert M. Salzman Salzman & Salzman 26 Court Street, Suite 2207 Brooklyn, NY 11242-1122				718-624-2395
Equipment:	Stanley Dura-Glide™ 5300 bi-parting telescoping sliding door actuated by Stanley SU-100 microwave motion sensors and a Stanley Stanguard™ presence sensor. No hold open beams.				
Description:	Woman with MS using 2 canes moving very slowly. Door closed on her hands causing her to fall and be seriously injured as she tried to exit from the CVS store.				
Deposition:		Trial:		Outcome:	Settled for an unknown amount in approx. 2017.

Case:	Wendy O'Neill v. Strand Development Company, LLC, Stanley Access Technologies, LLC, and BEA, Inc.; In the Court of Common Pleas, Fifteenth Judicial Circuit; State of South Carolina, County of Horry; Case No.: 2012-CP-26-09402				Seq. No. 139
Attorney:	Daniel A. Hunnicutt Law Office of Daniel Hunnicutt P. O. Box 1735 Conway, SC 29528-1735				843-488-2424
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door with dual BEA, Inc., Wizard™ II sensors and Stanley Stanguard™ presence sensor. Unknown if Stanguard™ operational.				
Description:	Woman barefoot. Inner door of vestibule hit ankle and tore right Achilles tendon.				
Deposition:	6/19/14 7/23/14	Trial:		Outcome:	In the spring of 2016, summary judgement to defendant due to statute of repose.

Stanley cases S Inactive

Case:	Mary M. Iacono vs. Omni Hotels Management Corporation <i>et al.</i> ; In the 215th Judicial District Court of Harris County, Texas; Case No.: 2013-29901				Seq. No. 140
Attorney:	Hugh J. Howerton Law Office of Hugh J. Howerton 13030 Rummel Creek Houston, TX 77079-3729				713-984-9848
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door apparently lacking hold open beams.				
Description:	Elderly woman using walker struck by door and injured.				
Deposition:		Trial:		Outcome:	Case "non-suited" in May, 2019, due to the unrelated death of the plaintiff.

Case:	Ronald Turtora v. Stanley Access Technologies, <i>et al.</i> ; Superior Court of New Jersey Law Division, Monmouth County, Docket No. MON-L-2819-05				Seq. No. 141
Attorney:	Thomas F. Shebell, III Shebell & Shebell, L.L.C. West Shore Plaza 1398 Highway 35 South Ocean, NJ 07712-3522				732-663-1122
Equipment:	Key operated Stanley bi-parting sliding door utilizing Stanley Stan-Guard™ presence sensor and a Detection Systems/Bosch DS150i passive far infrared (thermal) request-to-exit sensor. No other sensors.				
Description:	Door closed on, and injured, Plaintiff while standing on threshold.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Eleanor Jones v. Brixmor GA Freshwater/Stateline LLC, Dollar Tree Stores, Inc., Tormax USA Inc., and Automatic Door Doctor, Inc.; Superior Court, Judicial District of Tolland at Rockville, Connecticut; Docket No. TTD CV 16 6010570 S				Seq. No. 142
Attorney:	James J. Walker Leighton, Katz & Drapeau 20 East Main Street Rockville, CT 06066-3255				860-875-7000
Equipment:	Stanley Magic-Force™ double swinging door, interior entrance, with BEA, Inc., Eagle™ motion sensors and Optex OA-601C (Pro-Swing) header-mounted safety sensors.				
Description:	Woman struck and injured while entering through interior entrance bi-swinging door.				
Deposition:	1/8/19	Trial:		Outcome:	Settled on 6/27/19 for a confidential amount.

Stanley cases S Inactive

Case:	Kay L. Winningham and Mike Winningham vs. United States of America, Murray Womble, Inc., Door Controls, Inc., and Stanley Access Technologies, L.L.C U.S. District Court for the Eastern District of Oklahoma; Case No. CIV 11-135-JHP				Seq. No. 143
Attorney:	James T. Branam Dennis & Branam 115 West Main Street Antlers, OK 74523-2029				580-298-5082
Equipment:	Stanley SB600 bi-folding door with VG-037/87/C motion sensor(s) and Optex ProSwing™ presence sensor.				
Description:	Door opened into woman, knocking her down and causing her injuries.				
Deposition:	11/16/12	Trial:		Outcome:	Unknown.

Case:	Kathleen A. Maerten vs. Rite Aid Corporation Superior Court of New Jersey, Law Division; Burlington County; Docket No. BUR-L-882-07				Seq. No. 144
Attorney:	Uri H. Taenzer Taenzer, Ettenson, Stockton & Aberant, P.C. 123 North Church Street Moorestown, NJ 08057-2424				856-235-1234
Equipment:	Stanley Dura-Glide™ sliding door.				
Description:	Door closed on woman as she was entering through the inner door of a vestibule.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Dorothy Hopper v. K-Mart Corp., Stoner Electric, Inc., Halma Holdings, Inc., The Stanley Works, and BEA, Inc.; Circuit Court, Multnomah County, Oregon; Case No. 0608-08345				Seq. No. 145
Attorney:	Joshua Shulman Law Office of Joshua Shulman, LLC 520 SW Sixth Avenue, Suite 920 Portland, OR 97204-1513				503-224-2424
Equipment:	Stanley dual panel swinging door originally actuated by control mats.				
Description:	87 year old woman struck, knocked down and injured by interior swinging door as she attempted to enter the K-Mart building.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Jenen Klunck vs. K-mart				Seq. No. 146
Attorney:	Edward R. Blumberg Deutsch & Blumberg, P.A. 100 North Biscayne Boulevard, Suite 2802 Miami, FL 33132-2393				305-358-6329
Equipment:	Stanley bi-parting sliding door with sliding panels interior to the fixed sidelight panels. Therefore, likely a Stanley Dura-Glide™ 3000 door.				
Description:	The shopping cart of a woman about to exit through door struck by the "back" edge of the left sliding panel as door opened, pushing cart into woman, knocking her down and resulting in her injuries.				
Deposition:		Trial:		Outcome:	Unknown.

Stanley cases S Inactive

Case:	Gary L. Greene vs. Wal-Mart Stores, Inc., Stanley Black & Decker, Inc., Stanley Access Technologies, LLC; Wal-Mart Stores, Inc., Counter-Plaintiff vs. D. H. Pace Company, Inc., Counter-Defendant; U.S. District Court , Southern District of Iowa, Central Division; Case No.: 4:17-cv-00121.				Seq. No. 147
Attorney:	Thomas P. Frerichs Frerichs Law Office, P.C. 106 East 4th Street P. O. Box 328 Waterloo, IA 50704-0328				319-236-7204
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanley StanVision™ sensors.				
Description:	Man struck by sliding exterior door as he attempted to exit from the store.				
Deposition:		Trial:		Outcome:	Settled on, or about, 8/26/19 for an unknown amount.

Case:	Lynne Hammer, James Yarbrough vs. Publix Supermarkets, Inc.; Federal Court of Middle District County, Nashville, Tennessee; Case No. 3-16-CV-0634.				Seq. No. 148
Attorney:	John L. Griffith Griffith Law Firm 256 Seaboard Lane, Suite E-106 Franklin, TN 37067-2893				615-807-7900
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanley Stanguard™ presence sensor and BEA, Inc., Eagle™ motion sensors. May have dual hold open beams as well.				
Description:	Woman struck and injured by door.				
Deposition:	4/11/19	Trial:		Outcome:	Settled on, or about, 11/14/19, for an unknown amount.

Case:	Unknown				Seq. No. 149
Attorney:	Ryan W. Babcock The Babcock Law Firm 706 G Street, Suite 101 Brunswick, GA 31520-6843				912-574-7575
Equipment:	Stanley bi-parting automatic sliding door.				
Description:	Woman entering fell onto right knee at inner or outer door of entrance vestibule.				
Deposition:		Trial:		Outcome:	Abandoned on, or about, 10/28/20.

Stanley cases S Inactive

Case:	Tracey, William J, III as Personal Representative of the Estate of Betty I. Tracey vs. Walgreen Co.; Stanley Works Incorporated d/b/a Stanley Access Technologies a/k/a Stanley Black & Decker, Inc.; Stanley Access Technologies, LLC; Florida Door Control of Orlando, Inc.; Florida Door Control, Inc., a/k/a MWG Enterprises Inc.; Circuit Court of Pinellas County, Florida; Case No.13-005591-CI				Seq. No. 150
Attorney:	Michael J. Ebin Michael J. Ebin, Esquire 2461 1st Avenue North St. Peterburg, FL 33713-8820				727-321-4443
Equipment:	Stanley Dura-Glide™ 2000 single panel sliding door with BEA, Inc., Eagle™ motion sensors, Stanguard™ presence sensor, and a single (lower) hold open beam.				
Description:	86 year old woman pushing shopping cart knocked down and injured by door as she entered building.				
Deposition:		Trial:		Outcome:	Case settled in mediation on 1/30/19 for a confidential amount.

Case:	Priscilla Simpson and John Simpson v. Road to Hana, Inc., d/b/a Healthy Living, Stanley Access Technologies, LLC and The Royea Group, LLC, d/b/a Access Door Automation; State of Vermont; Superior Court, Civil Division, Chittenden Unit; Docket No. 385-4-15 Cncv.				Seq. No. 151
Attorney:	Robert J. Kaplan Kaplan and Kaplan 95 Saint Paul Street, Suite 405 Burlington, VT 05401-4486				802-651-0013
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with BEA, Inc., Eagle™ motion sensors OEM'd to Stanley, Stanguard™ presence sensor and dual hold open beams.				
Description:	74 year old woman using a cane knocked down and injured by door when it closed upon her as she was exiting through the exterior door.				
Deposition:	2/1/17	Trial:		Outcome:	Settled in December, 2017, for an unknown amount.

Case:	Alice Clark and Bernard Clark v. Barnesville Hospital Association, Inc., Stanley Access Technologies, LLC, et al.; Court of Common Pleas, Belmont County, Ohio; Case No. 18-CV-0053.				Seq. No. 152
Attorney:	Teena Y. Miller Gold, Khourey & Turak, L.C. 510 Tomlinson Avenue Moundsville, WV 26041-1946				304-845-9750
Equipment:	Stanley automatic sliding door.				
Description:	Woman struck and injured while attempting to exit through exterior automatic sliding door.				
Deposition:		Trial:		Outcome:	Settled on 9/19/18 for \$100,000.

Stanley cases S Inactive

Case:	Estate of Frank Palo, deceased, by Rose Palo, vs. Home Depot, Stanley Access Technologies; Stanley Inc.; Stanley Works, Inc.; ABC Corps #1-10, John Does #1-10, and Jane Does #1-10; U.S. District Court, District of New Jersey; Civil Action No. 3:09-cv-6175				Seq. No. 153
Attorney:	Peter J. DeFrank Gill & Chamas, L.L.C. P. O. Box 760 Woodbridge, NJ 07095-0760				732-510-2311
Equipment:	Stanley Dura-Glide™ 3000 bi-parting slider with Optex OA-203C presence sensors, SU-100 motion sensors and dual hold open beams.				
Description:	Man using cane struck and knocked down by door while entering Home Depot and died as a consequence.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Shirley T. Ruehl; U. S. District Court for the Middle District of Pennsylvania; Case No.: No.: 1:15-cv-168				Seq. No. 154
Attorney:	Christopher J. Regan Bordas & Bordas, PLLC 1358 National Road Wheeling, WV 26003-5742				304-242-8410
Equipment:	Stanley Dura-Glide™ 2000 sliding door.				
Description:	Elderly woman knocked down and seriously injured by sliding door as she attempted to enter through the door from outside the bldg.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Brigitte Lotze v. Smiths Food and Drug Center, Inc., and John Does 1-3; State of New Mexico, Taos County, Eighth Judicial District Court; Case No. D-820-CV-2020-00005				Seq. No. 155
Attorney:	Roger V. Eaton Attorney at Law 8617 Rio Grande Boulevard NW Los Ranchos, NM 87114-1301				505-264-9116
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Optex i-sensors™ on interior and exterior sides.				
Description:	Woman struck on left side and head and knocked down while entering through exterior door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 8/10/21 for a confidential amount.

Stanley cases S Inactive

Case:	Leila Haines vs. Carriage House Motor Inn, Ltd., John Does 1-6, and ABC Corporations 1-6 In the Court of Queen's Bench of Alberta, Judicial District of Calgary, Canada Action No.: 0701-08846			Seq. No. 156
Attorney:	Paul Newcombe Newcombe Law Office 303, 6707 - Elbow Drive, S.W. Calgary, Alberta Canada T2V 0E5			403-253-2100
Equipment:	Stanley Dura-Glide™ 3000, dual hold open beams, Stanley SU-050 microwave motion sensors, and Stan-Guard™ presence sensor.			
Description:	Woman using cane struck while entering through inner door of vestibule.			
Deposition:		Trial:		Outcome: Unknown.

Case:	Ronald Robbins and Mary Sue Robbins v. Mercy Hospital Oklahoma City, Inc., and Mercy Clinic Oklahoma Communities, Inc., District Court of Oklahoma County, Oklahoma; Case No.: CJ-2017-6777			Seq. No. 157
Attorney:	Kent R. McGuire McGuire Law Firm 200 E. 10th Street Plaza, Suite A Edmond, OK 73034-4761			405-513-5658
Equipment:	Stanley bi-parting Dura-Glide™ 2000 sliding door.			
Description:	Man in 80's using a cane struck by door while exiting through exterior door..			
Deposition:		Trial:		Outcome: Settled at the end of 2020 for a confidential amount.

Case:	Sara Hickman vs. Target Corporation and ASSA Abloy Entrance Systems US, Inc., vs. Door Equipment Co., Inc.; Commonwealth of Kentucky; Warren Circuit Court, Division II; Case No. 19-CI-01634			Seq. No. 158
Attorney:	T. Brian Lowder Lowder & McGill, PLLC 537 E. 10th Avenue, Ste. 200 Bowling Green, KY 42102-2214			270-842-3924
Equipment:	Stanley Magic Swing™ bi-parting swinging door with BEA, Inc., Eagle™ motion sensor, BEA, Inc., Superscan™ sensors and a BEA, Inc., Bodyguard™ sensor.			
Description:	Elderly woman struck and knocked down by door as she attempted to enter the store. Sustained broken bones in her back.			
Deposition:		Trial:		Outcome: Settled on 9/10/21 for a confidential amount.

Stanley cases S Inactive

Case:	Estate of Evelyn M. Derginer/Betty J. Gillitzer, Personal Representative, and Betty J. Gillitzer, individually, vs. Don & Jill's Foods LLC and Alex M. Azar, II; Circuit Court of Waukesha County, State of Wisconsin, Case No.: 18-CV-1315.				Seq. No. 159
Attorney:	Scott B. Taylor Urban & Taylor 4701 N. Port Washington Road, Floor 4 Milwaukee, WI 53212-1050				414-906-1700
Equipment:	Stanley Dura-Glide™ 3000 bi-parting door.				
Description:	96 year old woman entering exterior door of vestibule. Knocked down, broke hip and died 5 days later. Not using or requiring a walking aid. Wrongful death case.				
Deposition:	5/7/19	Trial:		Outcome:	Settled on, or about, November 1, 2021, for \$115,000.

Case:	Estate of Delores Shevlin, deceased, v. Acme Markets, Inc., <i>et al.</i> ; Philadelphia Court of Common Pleas; September, 2018, term; No. 3631.				Seq. No. 160
Attorney:	J. Craig Currie J. Craig Currie & Associates, P.C. 218 E. Highland Avenue Philadelphia, PA 19118-2809				215-696-7009
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with dual hold open beams and Stanley StanGuard™ presence sensor.				
Description:	Woman struck on left side and knocked down while standing within the door closing path, precipitating her death.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Paula V. Jernigan vs. Hope's Closet Thrift, LLC; Circuit Court, Fourth Judicial Circuit; Duval County, Florida; Case No.: 16-2020-CA-1772; Division: CV-C				Seq. No. 161
Attorney:	Nicholas J. Lake Harrell & Harrell 4735 Sunbeam Road Jacksonville, FL 32257-6107				904-251-1111
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with BEA, Inc., Eagle™ microwave motion sensor on exterior (approach) side.				
Description:	Elderly woman using cane struck and knocked down sustaining serious injuries while attempting to enter store.				
Deposition:		Trial:		Outcome:	Settled in January, 2022, for a confidential amount.

Stanley cases S Inactive

Case:	Elsie Wolf v. Best Western Seaway Inn, The Stanley Works, a/k/a Stanley Access Technology, and Dor-O-Matic of the Gulf states.				Seq. No. 162
Attorney:	Mark W. Davis DAVIS & FEDER 2210 Pass Road Gulfport, MS 39501-4905				601-863-6000
Equipment:	Stanley biparting sliding door using Stan-Guard™ presence sensor and Stan-Ray™ microwave motion sensor, and motion sensor of another manufacturer.				
Description:	Plaintiff was struck, knocked down and permanently injured by prematurely closing doors on attempting to enter the Best Western Seaway Inn.				
Deposition:	4/22/98	Trial:		Outcome:	Unknown.

Case:	Shirley Dein v. The TJX Companies, Inc.; Palm Beach County Court; 15th Judicial Circuit, Florida; Case No. 50-2016CA014267				Seq. No. 163
Attorney:	Gregory T. Anderson Anderson, Mayfield, Hagan & Thron, P.A. 1800 S. Australian Avenue, Suite 350 West Palm Beach, FL 33409-6457				561-688-0098
Equipment:	Stanley single panel Dura-Glide™ sliding door.				
Description:	Approx. 80 year old woman using walker struck and injured while attempting to exit through exterior vestibule door.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Deborah Silver, et al. v. Walgreens Eastern Co., Inc. Middlesex Superior Court Civil Action No. 01-0401				Seq. No. 164
Attorney:	Leslie E. Bloomenthal Bloomenthal & Associates, P.C. 50 Congress Street, Suite 710 Boston, MA 02109-4002				617-523-5000
Equipment:	Stanley Dura-Glide™ sliding door with BEA, Inc., motion sensors and Stan-Guard™ presence sensor.				
Description:	Woman in 30's struck by sliding door as she was entering building.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Pacini v. Stanley Magic Door, Inc.				Seq. No. 165
Attorney:	John W. Caldwell, Jr. Bond, Botes & Caldwell, P.C. P. O. Box 220630 El Paso, TX 79913-2630				915-544-3500
Equipment:	Stanley sliding door at entrance to hospital.				
Description:	Elderly woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Unknown.

Horton cases S Active

Case:	Pearl M. Foust and Arthur Foust v. St. Joseph's Hospital, Seneca Automatic Door, Inc. and Dallas Doors & Supply Co., State of New York, Supreme Court, Tioga County, Index No. 23226.				Seq. No. 166
Attorney:	William S. Friedlander FRIEDLANDER & FRIEDLANDER, P.C. 425 Park Avenue P. O. Box 109 Waverly, NY 14892-0109				607-565-8155
Equipment:	Horton biparting sliding door. Sensor types unknown at this time.				
Description:	Elderly woman using a walker was pinned by and had to be extricated from prematurely closing emergency entrance door at Joseph's hospital.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Poritzky v. Overhead Door Corporation d/b/a Horton Automatics				Seq. No. 167
Attorney:	Richard S. Vecchio Worby, Borowick and Groner, LLP 11 Martine Avenue, Penthouse White Plains, NY 10606-5402				914-686-3700
Equipment:	Horton bi-parting sliding door actuated by microwave motion sensors and dual hold open beams.				
Description:	Man exiting from Holiday Inn using walker stuck by prematurely closing door on November 10, 1998.				
Deposition:		Trial:		Outcome:	

Case:	Holtzman v. Bozeman Deaconess Hospital and Evergreen Health Care				Seq. No. 168
Attorney:	Julieann McGarry Cok, Wheat, Brown & McGarry, PLLP The Carnegie Library Building 35 North Bozeman Avenue Bozeman, MT 59715-3627				406-587-4445
Equipment:	Horton telescoping sliding door.				
Description:	Elderly woman using walker struck by prematurely closing door on May 20, 1998.				
Deposition:		Trial:		Outcome:	

Case:	Ruby Weisinger vs. HEB Grocery Company LP, <i>et al.</i> In the 261st Judicial District Court of Travis County, Texas; Cause No. GN304355				Seq. No. 169
Attorney:	R. Mark Payne Payne James 112-B Commerce Street Tomball, TX 77375-4706				281-357-0006
Equipment:	Horton biparting sliding door with dual HO beams and MS Sedco D-38 microwave motion sensors.				
Description:	84 year old woman struck by inner exit door while exiting building.				
Deposition:		Trial:		Outcome:	

Horton cases S Active

Case:	Sharon Siegel and Noah Siegel v. Brown Palace Hotel Associates Limited Partnership Denver County District Court; Case No. 2004 CV 4547, Division 8.				Seq. No. 170
Attorney:	Robert A. Weinberger Weinberger, Serruto & Parrish, P.C. 857 Grant Street Denver, CO 80203-2904				303-831-7610
Equipment:	Horton low energy double swinging door.				
Description:					
Deposition:		Trial:		Outcome:	

Case:	Grace Busch v. KBLA, A Wyoming Corporation d/b/a/ Blair's Thriftway and Horton Automatics, a Division of Overhead Door Corporation Washakie County, Wyoming, Civil No. 2007-0058				Seq. No. 171
Attorney:	M. Jalie Meinecke Meinecke & Sitz, L.L.C. P. O. Box 3129 1513 Beck Avenue Cody, WY 82414-3920				307-587-1300
Equipment:	Horton Series 2001 bi-parting sliding door with motion sensors and hold open beams.				
Description:	75 year old woman struck and seriously injured by door.				
Deposition:		Trial:		Outcome:	

Case:	Gale Rhodes and Kathy Rhodes v. Lowe's Home Centers, LLC; C & C Doors, LLC; BEA, Inc.; Stanley Access Technologies, LLC, and Overhead Door Corporation d/b/a Horton Automatics Circuit Court of Kanawha County, West Virginia; Civil Action No. 17-C-665				Seq. No. 172
Attorney:	Alex D. McLaughlin Calwell, Luce, DiTrapano, PLLC 500 Randolph Street Charleston, WV 25302-2019				304-343-4323
Equipment:	Horton Series 2001 bi-parting sliding door with dual BEA, Inc., Eagle™ motion sensors, a single BEA, Inc., IXIO-DT1 motion/presence sensor, and dual hold open beams.				
Description:	Approx. 70 year old man entering using walker struck on right arm, knocked down and injured by the subject door.				
Deposition:	11/18/19 10/22/20	Trial:		Outcome:	

Horton cases S Inactive

Case:	Pignona Estate v. Horton Automatics <i>et al.</i> , Franklin Superior Court docket No. S375-94Fc.				Seq. No. 173
Attorney:	David M. Yarnell KISSANE, YARNELL, CRONIN, BUGBEE & COUNOS Two North Main Street St. Albans, VT 05478-1668				802-524-9546
Equipment:	Horton series 2000 door using Microwave Sensors, Inc. D7W microwave motion sensors and DB11 holding beam.				
Description:	Elderly woman using walker struck by prematurely closing door, fracturing her hip.				
Deposition:	4/3/96	Trial:		Outcome:	Settled in 5/96 in favor of plaintiff for just over \$30,000.

Case:	Grace L. Edwards vs. Lowell General Hospital and Door Control, Inc.				Seq. No. 174
Attorney:	Robert L. Burke CALLAN, SULLIVAN & BURKE, P.C. 40 Church Street Lowell, MA 01852				508-458-6831
Equipment:	3-wing Horton revolving door actuated by microwave motion sensors.				
Description:	Woman struck by protruding wing of revolving door at the door throat.				
Deposition:		Trial:	10/6/94	Outcome:	Jury found for plaintiff and awarded \$40,000.

Case:	Rorick/Morsch v. Horton Automatics <i>et al.</i>				Seq. No. 175
Attorney:	John A. Lancione SPANGENBERG, SHIBLEY, TRACI, LANCIONE & LIBER 2400 National City Center 1900 East 9th Street, Suite 2400 Cleveland, OH 44114-3400				216-696-3232
Equipment:	Horton 3-wing 9300 revolving door actuated by Microwave Sensors, Inc. D7 microwave motion sensors.				
Description:	Two distinct accidents involving men thrown from within cylinder of revolving door.				
Deposition:	4/24/95	Trial:		Outcome:	Settled in 4/95 in favor of plaintiff for approximately \$106,000.

Case:	Jerry Bostick vs. Overhead Door Corporation, Door Control Services, LLC, Horton Automatic Door Corporation, <i>et al.</i> ; District Court of Dallas County, Texas; 68 th Judicial District; Cause No. DC-19-18052				Seq. No. 176
Attorney:	Sally S. Metcalfe Metcalfe Law, PLLC Plaza One, Suite 300 901 South Mopac Expressway Austin, TX 78746-5883				512-329-9920
Equipment:	Wooden double egress swinging door with push button activation and header-mounted Optex Pro-Swing™ and OA-203C presence sensors, and a Horton Series 4900 operator.				
Description:	Man struck, knocked down and injured by leading edge of wooden swinging door.				
Deposition:	4/22/21 12/16/21	Trial:	7/11/22 Daubert 3/2/23 Trial	Outcome:	Jury award to plaintiff for \$2,470,000 on 3/10/23.

Horton cases S Inactive

Case:	Evelyn Stein v. Allentown Housing Authority, <i>et al.</i> , Court of Common Pleas of Lehigh County, Pennsylvania, Civil Division - Law, Case No. 92-C-1630. Seq. No. 177		
	Evelyn Stein v. Advanced Door Services Inc., <i>et al.</i> , Court of Common Pleas of Lehigh County, Pennsylvania, Civil Division - Law, Case No. 93-C-1445.		
Attorney:	Barry C. Shabbick SHULMAN and SHABBICK 533 Delaware Avenue P. O. Box 155 Palmerton, PA 18071		610-826-3122
Equipment:	Horton Automatics Series 2000 automatic sliding door with card operated switch on ingress (vestibule) side; push button switch on egress (lobby) side; two horizontal photo sensor beams across the door opening; and Sonar Threshold Scan C-1520 presence sensor in the plane of the door opening.		
Description:	Woman struck by prematurely closing door.		
Deposition:		Trial:	Outcome: Case settled about 9/26/94 for \$70,000 to plaintiff.

Case:	Jenkins v. Overhead Door Corp. <i>et al.</i> Seq. No. 178		
Attorney:	John Patrick Najeway SCANLON & HENRETTA 76 South Main Street, Suite 1612 Akron, OH 44309-2004		216-376-1440
Equipment:	Horton series 2110 bi-parting sliding door with microwave motion sensors.		
Description:	Woman struck by prematurely closing door.		
Deposition:		Trial:	Outcome: Case settled about 10/9/92 for \$30,000 to plaintiff.

Case:	Allard v. Action Door, Inc., <i>et al.</i> Seq. No. 179		
Attorney:	Kevin R. Dochney SLIMM & GOLDBERG P. O. Box 2222 216 Haddon Avenue, Suite 200 Westmont, NJ 08108-2886		609-869-6706
Equipment:	Horton Series 2310 automatic sliding door		
Description:	Elderly woman using walker struck by prematurely closing door.		
Deposition:		Trial:	Outcome: I withdrew from case.

Horton cases S Inactive

Case:	Pamela McDonald and Edgar McDonald, husband and wife, Individually and as Parents and Next of Kin of Amanda McDonald, a minor; Chrystallin McDonald, a minor, and Edman McDonald, a minor, and Saiceull McDonald vs. Overhead Door Corporation d/b/a Horton Automatics, a Division of Overhead Door Corporation; Nowco, Inc.; and Novalco, Inc.; District Court in and for Oklahoma County, State of Oklahoma; Civil Action No. CJ-98-2972-66				Seq. No. 180
Attorney:	Greg Haubrich The Haubrich Law Firm 1 North Hudson Avenue, Suite 200W Oklahoma City, OK 73102-5045				405-239-6700
Equipment:	Horton Model 9200 revolving door.				
Description:	Young woman got wrist and arm caught in revolving door on May 5, 1996, resulting in reflex sympathetic dystrophy.				
Deposition:	3/13/00	Trial:	4/26/00	Outcome:	Jury found for defendants.

Case:	Olga Derogatis vs. JC Penny				Seq. No. 181
Attorney:	Michael A. Feiner Karmin, Adler & Padowitz 750 SE 3rd Avenue, Suite 300 Fort Lauderdale, FL 33316-1153				954-768-9060
Equipment:	Horton bi-parting sliding door with X-band microwave motion sensors and dual hold open beams				
Description:	Woman struck and broke hip while exiting from building.				
Deposition:		Trial:		Outcome:	Case settled on, or about, 3/26/03.

Case:	Constance P. Vowell v. Carolina Door Controls, Inc. Circuit Court of the City of Richmond, VA; Case No. LR 1406-3				Seq. No. 182
Attorney:	Michael W. Lantz Emroch & Kilduff, L.L.P. 3600 West Broad Street, Suite 700 Richmond, VA 23230-4995				804-358-1568
Equipment:	Horton Series 2000 single-panel sliding door.				
Description:	70+ year old woman struck by the retracting edge of non-pocketed sliding door.				
Deposition:	5/5/04	Trial:	6/3/04	Outcome:	Dismissed. Appeal is intended.

Case:	Silvia Tuman v. Adventura Hospital				Seq. No. 183
Attorney:	Glenn J. Holzberg Law Office of Glenn J. Holzberg 7685 S.W. 104-th Street, Suite 220 Miami, FL 33156-3161				305-668-6410
Equipment:	Horton double swinging door.				
Description:	Woman in late 70's struck by swinging door as she was exiting from building.				
Deposition:		Trial:		Outcome:	Settled in, or about, 2/04.

Horton cases S Inactive

Case:	Loretta Pittman vs. Sutherland's Express, LLC, and Horton Automatics District Court in and for Tulsa County, State of Oklahoma, Case No. CJ-2003-03810				Seq. No. 184
Attorney:	John M. Thetford Stipe, Harper, Laizure, Uselton, Edwards & Belote, LLP 2417 E. Skelly Drive P. O. Box 701110 Tulsa, OK 74170-1110				800-798-2613
Equipment:	Horton bi-parting sliding door with dual hold open beams.				
Description:	Elderly woman struck and injured as she was entering store.				
Deposition:	10/28/04	Trial:	10/5/05	Outcome:	Jury awarded \$500,000 from Sutherland's Express. Settled with Horton Automatics and MWM Novalco, Inc. Amounts confidential.

Case:	Joyce Galea v. Hannaford Bros., Co. Superior Court, Kennebec; State of Maine; Docket No. CV-04-00301				Seq. No. 185
Attorney:	Daniel G. Kagan Berman & Simmons, P.A. 129 Lisbon Street P. O. Box 961 Lewiston, ME 04243-0961				207-784-3576
Equipment:	Horton swinging door with BEA DK-12 presence sensor and LO-21 on swing side of door.				
Description:	Woman struck in the head by the outer in door as she attempted to enter the building.				
Deposition:		Trial:		Outcome:	Unknown, <i>circa</i> 2/20/06.

Case:	Thomas Wheeler v. Bermuda Village Retirement Center, Inc., and Wake Forest University Baptist Medical Center; Forsyth County Superior Court; Case No. 04 CVS 6449				Seq. No. 186
Attorney:	Robert C. Cone Tuggle Duggins & Meschan, P.A. 228 West Market Street P. O. Box 2888 Greensboro, NC 27402-2888				336-271-5218
Equipment:	Medical Center: Horton model 2310 linear drive bi-parting sliding door with BEA, Inc., "Eagle" motion sensors and dual hold open beams.				
Description:	Man struck while standing at rest within closing path of subject door.				
Deposition:	9/19/06	Trial:		Outcome:	Settled for a confidential amount on, or about, 10/15/06.

Horton cases S Inactive

Case:	Doris L. Brooks vs. Viking Lodge and Restaurant, <i>et al.</i> Circuit Court of St. Louis County, Missouri; Cause No. 05CC-003411, Division 19				Seq. No. 187
Attorney:	Matthew J. Devoti Casey & Devoti One Metropolitan Square, Suite 3190 Saint Louis, MO 63102-2773				314-421-0763
Equipment:	Horton 3 panel revolving door.				
Description:	85 year old woman using cane struck while exiting through the revolving door.				
Deposition:	11/28/06	Trial:		Outcome:	Settled on 3/21/07 for a confidential amount.

Case:	Jean and Victor Bernin vs. Northwestern Memorial Hospital Circuit Court of Cook County, State of Illinois; No. 06 L 816				Seq. No. 188
Attorney:	Daniel J. Mohan Daley & Mohan, P.C. 150 North Wacker Drive, Suite 1550 Chicago, IL 60606-1656				312-422-0786
Equipment:	Horton sliding door with dual hold open beams and BEA, Inc., Crystal™ sensors.				
Description:	Woman using a walker struck and injured by door.				
Deposition:	3/22/07	Trial:		Outcome:	Jury awarded Plaintiff \$760,000 on or about July 10, 2007.

Case:	Laurie Henderson v. Automated Door, Inc., and Sodexo, Inc. 2 nd Judicial District Court, Bernalillo County, NM; Case No.: CV-2005-04903				Seq. No. 189
Attorney:	Alexander A. Wold Alexander Wold & Associates, P.C. 302 Silver Avenue, S.E. Albuquerque, NM 87102-3546				505-242-3444
Equipment:	Horton bi-parting sliding door with dual hold open beams and BEA, Inc., "Eagle" motion sensors.				
Description:	Woman struck and injured while exiting through exterior door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 8/12/08 for \$240,000 to Plaintiff.

Case:	David Voelter, Individually and as Executor of the Estate of Martha Voelter; Paul Harrison; Doug Harrison and Robin Harrison vs. Tormax Technologies, Inc.; HEB Grocery Company, L.P.; and Horton Automatics, a Division of Overhead Door Corporation; In the District Court, Bexar County, Texas, 131 st Judicial District; Cause No. 2007-CI-04467				Seq. No. 190
Attorney:	Craig D. Cherry Cherry & Jordan, L.L.P. P. O. Box 21027 Waco, TX 76702-1027				254-776-4040
Equipment:	Horton bi-sliding door with hold open beams.				
Description:	Elderly woman using walker stuck while entering store. Broke left femur and died of surgical complications soon after the accident.				
Deposition:		Trial:		Outcome:	Settled on 6/13/08 for a confidential amount.

Horton cases S Inactive

Case:	Elizabeth Brown vs. Anmed Health d/b/a/ Anderson Area Medical Center, Inc., Carolina Door Controls, Inc., and Greenville Door Specialists, Inc. Court of Common Pleas, Anderson County, South Carolina; C.A. No. 2007-CP-04-3330			Seq. No. 191
Attorney:	Floyd S. Mills, III Trammell Law Firm, P.A. 1650 East Greenville Street Anderson, SC 29621-2086			864-231-7171
Equipment:	Horton 9600 Series 12' diameter 3 wing segmented "Grand" revolving door with display core.			
Description:	Woman using walker stuck and injured while attempting to enter through the subject door.			
Deposition:		Trial:		Outcome: Settled in mediation on 9/29/08 for \$100,000.

Case:	Jeremy T. McLaughlin v. Dover Downs, Inc., <i>et al.</i> Superior Court of Delaware, Kent County; Civil Action No. 04C-03-013 JTV			Seq. No. 192
Attorney:	I. Barry Guerke Parkowski, Guerke & Swayze, P.A. 116 West Water Street Dover, DE 19904-6739			302-678-3262
Equipment:	Horton 3-wing AutoFlow™ Series 9300 revolving door.			
Description:	Revolving door panels collapsed on man within door, possibly due to wind.			
Deposition:		Trial:		Outcome: Court found for defendants on summary judgment on July 17, 2008.

Case:	Riza Ali, Personal Representative of the Estate of Taladin Ali, deceased, v. Penn Dutch Food Center, Inc., and Automatic Entrances, Inc.; Circuit Court of the 17th Judicial Circuit; Broward County, Florida; Case No.: CACE 14 009489 Division 25			Seq. No. 193
Attorney:	Matthew D. Kobren Glotzer & Kobren, P.A. 2700 North Military Trail, Suite 100 Boca Rotan, FL 33431-6394			561-361-8677
Equipment:	Horton bi-parting sliding door with overhead sensor on exterior side only.			
Description:	Man stuck and injured while exiting through interior door of vestibule. Died as a direct consequence of his injuries.			
Deposition:		Trial:		Outcome: Settled on 3/23/15 for a confidential amount.

Horton cases S Inactive

Case:	Jean Frazer vs. Horton Automatics, Carolina Door Controls, Inc. and Chattanooga Bone & Joint Surgeons, P.C. Circuit Court of Hamilton County, Tennessee at Chattanooga; Civil Action No. 03-C-1131, Division II				Seq. No. 194
Attorney:	Richard L. Duncan Gilreath & Associates 550 Main Avenue, Suite 600 P. O. Box 1270 Knoxville, TN 37901-1270				865-637-2442
Equipment:	Horton biparting series 2110 sliding door with dual hold open beams and BEA, Inc., "Eagle" microwave motion sensors.				
Description:	70 year old woman using walker injured as she was entering orthopedic clinic. Door closed on walker.				
Deposition:	6/20/05	Trial:		Outcome:	Verdict for defense on or about 5/28/08.

Case:	Estate of Alice M. Tidwell v. Bowling Green - Warren County Community Hospital Corporation d/b/a The Medical Center at Bowling Green, <i>et al.</i> ; Warren County Circuit Court, Division II; Civil Action No. 08-CI-1820				Seq. No. 195
Attorney:	Thomas N. Kerrick Kerrick, Stivers, Coyle & van Zant, P.L.C. 1025 State Street P. O. Box 9547 Bowling Green, KY 42102-9547				270-782-8160
Equipment:	Horton Series 9340 4-wing 10' diameter revolving door with Microwave Sensors D7 and D14W X-band microwave motion sensors and BEA, Inc., SuperScan™ wing sensors.				
Description:	85 year old woman stuck and injured while attempting to exit from hospital.				
Deposition:	5/11/10	Trial:		Outcome:	Settled on, or about, 11/17/10 for a confidential amount.

Case:	Stephen Marlow and Lydia Marlow v. The New York State Medical Care Facilities Finance Agency, Door Controls, Inc., Horton Automatics, Ltd., Individually and as a Division of Overhead Door Company, Simplex Time Recorder Co., Simplex Grinnell LP, ADT Security Systems, Inc., Plumb Engineering, P.C., Lomonaco & Pitts, Architects P.C. d/b/a "Architecture+" and Georal International, Ltd.; State of New York, Supreme Court, County of Albany; Index No. 3603-06				Seq. No. 196
Attorney:	Edward J. Smith, III Smith, Sovik, Kendrick & Sugnet, P.C. 250 Clinton Street, Suite 600 Syracuse, NY 13202-1252				315-474-2911
Equipment:	Horton series 9241 4 wing securing revolving door with card access and control mats.				
Description:	Man pinned and injured at the guillotine position.				
Deposition:		Trial:		Outcome:	Settled on, or about, 1/12/11 for an undisclosed amount.

Horton cases S Inactive

Case:	Robert Lube vs. Bond Drug Company of Illinois, LLC, d/b/a Walgreen's; Terraco, Inc., d/b/a Terraco Management Co., Inc.; Walko Enterprises, Inc., d/b/a Midwest Automatic Door, <i>et al.</i> ; Circuit Court of Cook County, Illinois County Department, Law Division; Case No. 07 L 4812				Seq. No. 197
Attorney:	Robert N. Wadington Robert N. Wadington & Associates 111 W. Washington Street, Suite 1460 Chicago, IL 60602-2767				312-629-2706
Equipment:	Horton series 2110 bi-parting sliding door with Apex™ sensors and dual hold open beams.				
Description:	Man was stuck and injured by the subject door twice.				
Deposition:	9/6/11	Trial:		Outcome:	Settled on 11/4/11 for \$250,000.

Case:	Figueroa v. Los Angeles Sports Medicine and Orthopedic Surgery Medical Group, <i>et al.</i> , Los Angeles Superior Court Case No. SC110535				Seq. No. 198
Attorney:	Jacob Mensch Kreindler & Kreindler, L.L.P. 707 Wilshire Boulevard, Suite 4100 Los Angeles, CA 90017-3625				213-622-6469
Equipment:	Horton 3-wing security door at American Airlines terminal, LAX airport.				
Description:	Foot of woman in 50's caught in guillotine position. Ankle broken.				
Deposition:		Trial:		Outcome:	Settled on or about 10/25/12. Terms not disclosed.

Case:	Georgia and Larry Atkinson vs. Camden-Clark Memorial Hospital Corporation Circuit Court of Wood County, WV; Civil Action No. 08-C-493				Seq. No. 199
Attorney:	James C. Powell Powell & Majestro, P.L.L.C. 405 Capitol Street, Suite P-1200 Charleston, WV 25301-1765				304-346-2889
Equipment:	Horton double egress swinging door.				
Description:	Elderly woman struck and injured by door.				
Deposition:	4/7/11 7/25/11	Trial:	6/5/13	Outcome:	Verdict for the defense.

	Kathryn Chipps vs. Skag-Way Discount Department Stores, Inc., Island Glass Co., and Overhead Door Company; District Court of Hall County, Nebraska; Case No. CI 11-1192				Seq. No. 200
Attorney:	Royce E. Norman Norman, Paloucek & Herman Law Offices 225 McNeel Lane North Platte, NE 69101-6054				308-534-9892
Equipment:	Horton Profiler Series 2003 bi-parting sliding door.				
Description:	88 year old woman knocked down and injured as a consequence of being struck by the subject door as she attempted to exit through the door.				
Deposition:		Trial:		Outcome:	Settled near the end of June, 2013, for an undisclosed amount.

Horton cases S Inactive

Case:	Vicki Ballard v. Our Lady of the Lake Hospital, Inc.; 19 th Judicial District Court; Parish of East Baton Rouge, State of Louisiana; Civil Docket No.: 613,750, Sec. 26			Seq. No. 201
Attorney:	Kenneth H. Hooks Dodson Hooks & Frederick, P.C. 112 Founders Drive Baton Rouge, LA 70810-8944			225-756-0222
Equipment:	Horton segmented drum 3-wing revolving door. BEA, Inc., Superscan™ wing sensors. Microwave Sensors, Inc., D7 X-band microwave motion sensor.			
Description:	Woman using walker with wheels clipped by leading edge of revolving door as she exited door into lobby of hospital.			
Deposition:		Trial:		Outcome: Defendant has stipulated to liability but settlement has not yet occurred (7/8/13).

Case:	Linda Costantini vs. Aria Health, Philadelphia County Court of Common Pleas June Term, 2012; Case No. 002086			Seq. No. 202
Attorney:	Brad S. Tabakin Galerman & Tabakin, L.L.P. 261 Old York Road, Suite 416 P. O. Box 645 Jenkintown, PA 19046-7045			215-885-4701
Equipment:	Horton 3-wing segmented drum revolving door.			
Description:	Woman struck in back and injured by revolving door while entering the facility.			
Deposition:		Trial:	Testified at binding arbitration on 1/27/14	Outcome: Settled via arbitration on 1/27/14 for \$73,500 to plaintiff.

Case:	Leslie Washington, <i>et al.</i> vs. Overhead Door Company, <i>et al.</i> Court of Common Pleas, Summit County, Ohio, Case No. CV 1996-09-3651			Seq. No. 203
Attorney:	Ann Marie O'Brien SCANLON & CO., L.P.A. 76 South Main Street, Suite 1612 Akron, OH 44309-2004			330-376-1440
Equipment:	Horton single slider sliding door.			
Description:	Woman in 50's struck on ankle by prematurely closing door. Lost full and proper use of ankle.			
Deposition:		Trial:		Outcome: May have settled.

Case:	Carolyn D. Leary v. Shaw's Supermarkets, Inc, Door Control, Inc., and Horton Automatics, Inc.; Superior Court, Rockingham County, NH; Docket No. 92 C 1194			Seq. No. 204
Attorney:	Donald S. Sheldon 709 South Main Street Bradford, MA 01835-7009			508-372-5750
Equipment:	Horton swinging door actuated by control mats.			
Description:	Woman in 40's struck by premature closing of swinging door while standing on swing side control mat, severing nerves in arm. Lost use of two fingers on affected hand.			
Deposition:	2/4/97	Trial:		Outcome: May have settled.

Horton cases S Inactive

Case:	Beverly Simmons vs. Kinneret, Inc.; Ninth Judicial Circuit Court of Florida, Orange County; Case No.: 2014-CA-1127-O				Seq. No. 205
Attorney:	Thomas DeLattre Wieland, Hilado & DeLattre, P.A. 790 North Orange Avenue Orlando, FL 32801-1020				407-841-7699
Equipment:	Horton single slider actuated from exterior side by remote buzz in. BEA, Inc., Wizard™ G3 sensor on interior side and dual hold open beams on exterior side.				
Description:	Door closed on walker causing entering woman in early 60's to fall and be injured.				
Deposition:	7/1/15	Trial:		Outcome:	Settled on, or about, 9/25/15 for \$200,000.

Case:	Shirley Durrstein vs. Freeport Memorial Hospital d/b/a Memorial Hospital, Horton Automatics and Tee Jay Service Corp. Co.; State of Illinois, Circuit Court of the 15th District Court; Stephenson County; Case No. 2010 L 17 consolidated with Case No. 2010 L 23				Seq. No. 206
Attorney:	Robert C. Pottinger Barrick, Switzer, Long, Balsley & Van Evera, LLP 6833 Stalter Drive Rockford, IL 61108-2579				815-962-6611
Equipment:	Horton 3-wing MiniGrand™ Automatic Revolving door.				
Description:	Elderly woman using walker knocked down and injured while exiting from door.				
Deposition:		Trial:		Outcome:	Settled for a confidential amount on, or about, 4/2015.

Case:	Sue Ann Templeton v. Jackson-Madison County General Hospital District, and Tri-State Automatic Doors, Inc.; Circuit Court of Madison County, Tennessee, at Jackson Case No. C-14-213				Seq. No. 207
Attorney:	John L. Griffith Griffith Law Firm 256 Seaboard Lane, Suite E-106 Franklin, TN 37067-2893				615-807-7900
Equipment:	Horton bi-parting sliding door with Optex i-one™ sensors and dual hold open beams.				
Description:	80 year old woman struck while exiting through sliding door. Broke pelvis and femur.				
Deposition:	7/25/16	Trial:		Outcome:	Dismissed on summary judgment on, or about, 9/29/16.

Horton cases S Inactive

Case:	Euliet Smith v. Shop Rite of Perth Amboy, NJ, Wakefern Food Corp., John Does 1-25 and ABC Corporations 1-25; Superior Court of New Jersey, Law Division; Middlesex County; Docket Number MID-L-7628-13			Seq. No. 208
Attorney:	Leonard D. Weiss The Weiss Group, L.L.C. P. O. Box 311 344 Main Street Metuchen, NJ 08840-2432			732-549-2515
Equipment:	Horton series 4500 swinging door with BEA, Inc., Eagle™ motion sensors and Optex ProSwing™ Elite presence sensors.			
Description:	Door opened into and injured woman behind door.			
Deposition:		Trial:		Outcome: Settled on 12/29/16 for \$175,000.

Case:	Ovidio Cerda v. Academy, Ltd., d/b/a Academy Sports + Outdoors, Academy Managing Co., L.L.C., Door Control Services, Inc., and Horton Automatics; Nueces County, Texas; In the County Court at Law #2; Cause No. 2013-CCV-62216-2.			Seq. No. 209
Attorney:	Chuck W. Shiver, II Sargent Law, P.C. 1717 Main Street, Ste. 4750 Dallas, TX 75201-7346			214-749-6000
Equipment:	Horton series 2310 automatic bi-parting sliding door with Optex OA-202C sensors.			
Description:	Man struck by door on right arm/shoulder while entering exterior door at a steep angle.			
Deposition:		Trial:		Outcome: Settled on or about 6/12/18 for an unknown amount.

Case:	Anna Henriquez vs. Four Seasons Hotels Limited, Overhead Door Corporation, Automated Door Ways, Inc., ASSA ABLOY Door Group, LLC, Dan Normandin and Nghi V. Mai; State Court of Fulton County; Atlanta, Georgia; Civil Action No.: 13EV017695			Seq. No. 210
Attorney:	Yehuda Smolar YES Law Group, L.L.C. 500 Bishop Street NW, Suite A4 Atlanta, GA 30318-4380			404-525-3900
Equipment:	4-wing Horton 9400 Easy-Flow™ revolving door.			
Description:	Approx. 80 year old woman exiting struck by door, broke hip and precipitated a stroke.			
Deposition:		Trial:		Outcome: Settled. Date and amount not known.

Horton cases S Inactive

Case:	Preston Bush v. Mobile Glass Co., Inc., Columbus Automatic Door, Inc., Carolina Door Controls, Inc., Infirmary Health System, Inc., Infirmary Medical Clinics, P.C., <i>et al.</i> Circuit Court of Mobile County, Alabama; Civil Action No. CV 2003-2878				Seq. No. 211
Attorney:	David S. Cain, Jr. Cunningham, Bounds, Yance, Crowder & Brown, L.L.C. 1601 Dauphin Street Mobile, AL 36604-1305				251-471-6191
Equipment:	Horton series 2003 sliding door with dual HO beams.				
Description:	Plaintiff struck by outer exit door while exiting building.				
Deposition:	6/23/05 9/26/05	Trial:		Outcome:	Settled on, or about, November 14, 2005.

Case:	Agnes M. Ford and Nate Ford v. Jorgensen, Inc., d/b/a Baldwin Sav-a-Lot Circuit Court for Lake County, Michigan; Case No.: 04-6349-NO				Seq. No. 212
Attorney:	Daniel P. O'Neil Thompson, O'Neil & Vanderveen 309 East Front Street Traverse City, MI 49684-2554				231-929-9700
Equipment:	Horton Series 2003 belt drive bi-parting sliding door with dual hold open beams and BEA, Inc., "Eagle" microwave motion sensor.				
Description:	69 year old woman using walker struck and injured while exiting store through interior vestibule door.				
Deposition:	1/9/07	Trial:		Outcome:	Unknown

Case:	Bonny Neyhard v. Weis Markets, Inc., Automatic Door Enterprises, Inc., and Overhead Door Corporation; Court of Common Pleas, Columbia County, Pennsylvania; No. 2005-CV-0000879				Seq. No. 213
Attorney:	Andrew J. Primerano Kennedy and Lucadamo, P.C. 200 West Chapel Street Hazelton, PA 18201-6245				570-459-2440
Equipment:	Horton model 310 bi-parting slider with BEA, Inc., Eagle™ motion sensors and dual hold open beams.				
Description:	Woman stuck and injured while attempting to enter through door.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Polly Martin vs. Decatur General Hospital, Horton Automatics, and Alabama Door Supply Circuit Court of Morgan County, Alabama; Case No.: CV 06-123				Seq. No. 214
Attorney:	J. Brent Burney Burney & Burney 107 Grant Street SE Decatur, AL 35601-2331				256-350-9988
Equipment:	Knowing act wooden swinging door with Horton operator attached and using only Microwave Sensors, Inc., D14-2 sensors.				
Description:	Woman in closing path struck and injured while exiting through door.				
Deposition:	7/31/07	Trial:		Outcome:	Unknown

Horton cases S Inactive

Case:	Bertha Roznovsky vs. H.E.B. Grocery Company and Tormax Technologies, Inc. County Court at Law No. 2, Nueces County, TX; Cause No. 06-61974-2				Seq. No. 215
Attorney:	Richard D. Nielsen, II Brunkenhoefer & Nielsen, P.C. 555 North Carancahua Corpus Christi, TX 78478-0013				361-888-6655
Equipment:	Horton bi-sliding door with BEA, Inc., "Eagle" motion sensors and hold open beams.				
Description:	Woman using walker stuck while exiting from store through exterior sliding door.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Janet Eastman v. UMass Memorial Medical Center, Overhead Door Corporation and Door Concepts, Inc.; Commonwealth of Massachusetts, Middlesex Superior Court; Civil Action No.: 1681CV02796				Seq. No. 216
Attorney:	Michael C. Najjar Marcotte Law Firm 45 Merrimack Street, Suite 410 Lowell, MA 01852-1716				978-458-1229
Equipment:	Horton 14' diameter 3-wing Grand™ series 9600 revolving door.				
Description:	Door closed on woman in mid-60's using walker while within chamber of door and about to exit into lobby of bldg.				
Deposition:		Trial:		Outcome:	Case settled for a confidential amount on, or about, March 31, 2021.

Case:	Irvin Block v. Holiday CVS, L.L.C. and Dorma USA, Inc.; Circuit Court of The 17th Judicial Circuit; Broward County, Florida; Case No.: CACE-15-010263				Seq. No. 217
Attorney:	Ian M. Kirtman Gold & Gold, P.A. 2700 North Military Trail, Ste. 100 Boca Raton, FL 33431-6394				561-416-2882
Equipment:	Horton Linear Drive, with BEA, Inc., Eagle™ motion sensors.				
Description:	91 year old man pushing shopping cart struck while entering through exterior door.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Colleen A. Jacob and David F. Jacob vs. Menards, Inc. d/b/a Menards, Overhead Door Corporation d/b/a Horton Automatic Door Corporation, and Control Installations of Iowa, Inc., d/b/a Automatic Door Group; Iowa District Court for Black Hawk County; Case No. LACV122658.				Seq. No. 218
Attorney:	Benjamin P. Long Riccolo, Semelroth & Henningsen, P.C. 425 Second Street, S.E., Suite 1140 Cedar Rapids, IA 52401-1848				319-365-9200
Equipment:	Horton Series 2003 bi-parting sliding door with dual hold open beams and interior and exterior Optex i-sensors.				
Description:	Woman slowly walking using walker struck by sliding door while attempting to enter building. Broke hip.				
Deposition:	7/20/16	Trial:		Outcome:	Unknown

Horton cases S Inactive

Case:	Joyce Janjigian v. Procaccianti Group/Hilton Boston Dedham Hotel				Seq. No. 219
Attorney:	Patricia Aurichio Liberty Mutual Insurance P. O. Box 9001 Valley Stream, NY 11582-9001				516-593-8200
Equipment:	Horton 4-wing 10' diameter revolving door with BEA, Inc., "Eagle" motion sensors.				
Description:	Woman stuck and injured while attempting to exit from hotel.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Francisco v. City of Billings				Seq. No. 220
Attorney:	William P. Fitzgerald Lynaugh, Fitzgerald, Eiselein & Grubbs 225 North 23 rd Street P. O. Box 1729 Billings, MT 59103-1729				406-252-3461
Equipment:	16' 4 panel Horton revolving door				
Description:	Man struck and injured at edge of sweep of the revolving door on June 21, 1998.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Nathalie J. Safar vs. Whole Foods Market Group, Inc., vs. Door Concepts, Inc., a/k/a Door Control, Inc., United States District Court, District of Massachusetts, Civil Action No. 1:18-CV-12515-DLC				Seq. No. 221
Attorney:	Joseph L. Doherty, Jr. The Doherty Law Firm 300 Trade Center, Suite 2700 Woburn, MA 01801-7411				617-721-2496
Equipment:	Dorma single panel swinging door with Horton drive, including power close feature; BEA, Inc., Eagle™ microwave motion sensor, BEA, Inc., Bodyguard™ near IR presence sensor, and BEA, Inc., Superscan™ presence sensors, one on each side of the swinging door panel.				
Description:	Woman knocked down and injured when door broke open to -90° position due to wind, and door closed upon her as she was entering when the door was driven closed from the -90° breakout position.				
Deposition:		Trial:		Outcome:	Settled on 9/30/22 for a confidential amount.

Besam/Assa Abloy cases S Active

Case:	Paula Tarr <i>v.</i> Wal-Mart <i>v.</i> Besam			Seq. No. 222
Attorney:	Brent F. Bradley Vernis & Bowling of Northwest Florida, P.A. 635 West Garden Street Pensacola, FL 32501-4733			850-432-6484
Equipment:	Besam swinging door with VisionPulse™ sensors and microwave motion sensors.			
Description:	Woman struck by prematurely closing door.			
Deposition:		Trial:		Outcome:

Case:	Leigh Newton <i>v.</i> Wal-Mart <i>v.</i> Besam			Seq. No. 223
Attorney:	Jeffrey P. Gill Vernis & Bowling of Northwest Florida, P.A. 635 West Garden Street Pensacola, FL 32501-4733			850-432-6484
Equipment:	Besam double swinging door with VisionPulse™ sensors and K-band microwave motion sensors.			
Description:	Woman struck by prematurely closing door.			
Deposition:		Trial:		Outcome:

Case:	Hazel Knight <i>v.</i> Southern Door Controls, Inc., <i>et al.</i>			Seq. No. 224
Attorney:	Gary W. Poliakoff Poliakoff and Associates, P.A. 215 Magnolia Street Spartanburg, SC 29306-2317			864-582-5472
Equipment:	Besam swinging door.			
Description:	Woman struck by door.			
Deposition:		Trial:		Outcome:

Case:	Eva Long <i>v.</i> Wa-Mart Supercenter <i>v.</i> Besam, Inc.			Seq. No. 225
Attorney:	Gray Tollison Tollison Law Firm, P.A. 100 Courthouse Square P. O. Box 1216 Oxford, MS 38655-1216			662-234-7070
Equipment:	Besam Swingmaster 300 with VisionPulse™ sensors.			
Description:	Woman broke hip when struck by prematurely closing door on exiting from Wal-Mart.			
Deposition:		Trial:		Outcome:

Besam/Assa Abloy cases S Active

Case:	Betty Teitelbaum <i>et al.</i> v. Tops Markets, Inc., <i>et al.</i> Cuyahoga County; Court of Common Pleas; Case No. CV 02 472613				Seq. No. 226
Attorney:	Steven B. Potter Dinn, Hochman, Potter & Levy, L.L.C. 5910 Landerbrook Drive, Suite 200 Cleveland, OH 44124-6500				440-446-1100
Equipment:	Besam SwingMaster actuated by microwave motion sensor and control mat on swing side.				
Description:	Elderly woman struck by prematurely closing door and broke hip.				
Deposition:	8/29/03	Trial:		Outcome:	

Case:	Teresa Legato v. Marshalls, Inc., <i>et al.</i> ; Docket No. MON-L-466-03				Seq. No. 227
Attorney:	Thomas F. Shebell, III Shebell & Shebell, L.L.C. West Shore Plaza 1398 Highway 35 South Ocean, NJ 07712-3522				732-663-1122
Equipment:	Besam Swing Master™ single panel swinging door actuated by a Besam SelectScan II™ microwave motion sensor and BEA, Inc., DK-12 presence sensor and LO-21 lock out relay.				
Description:	79 year old woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	

Case:	Ruth Langus-Galitzer and Hymen Galitzer v. Dan's Supreme Supermarkets, Inc., d/b/a Key Food Stores and Georal International, Ltd. Supreme Court of the State of New York, County of Queens, Index No.: 23373/03				Seq. No. 228
Attorney:	Harry D. Hersh Davis & Hersh, L.L.P. 1345 Motor Highway Islandia, NY 11749-5227				631-543-2900
Equipment:	Besam single panel swinging door actuated by control mats.				
Description:	Woman struck by door.				
Deposition:		Trial:		Outcome:	

Case:	Ruby C. Gauldin v. Birmingham Airport Authority, <i>et al.</i> ; Circuit Court of Jefferson County, Alabama; Case No. CV 2005-771				Seq. No. 229
Attorney:	Honora M. Gathings Gathings Law 2001 Park Place North, Suite 500 Birmingham, AL 35203-2746				205-322-1201
Equipment:	Besam Entré-Matic, Inc., RDB-2-14 revolving door.				
Description:					
Deposition:	2/7/07	Trial:		Outcome:	

Besam/Assa Abloy cases S Active

Case:	Teresa Prugo vs. New Albertson's, Inc., a successor of Albertsons, Inc., d/b/a Albertsons, John Does 1 through 3; Civil Action No. 07-CV-157-J U.S. District Court; Wyoming			Seq. No. 230
Attorney:	John D. Bowers Bowers & Associates Law Offices, P.C. 685 South Washington Street P. O. Box 1550 Afton, WY 83110-1550			307-855-1000
Equipment:	Besam bi-parting sliding door with OPTEX "i-sensors™"			
Description:	Woman struck by door while entering store.			
Deposition:		Trial:		Outcome:

Case:	Lorraine S. Miller vs. The Long Island College Hospital, Ronald Barrientos and Besam Automated Entrance Systems, Inc.; Supreme Court of the State of New York, County of Kings; Index No.: 2096/07			Seq. No. 231
Attorney:	Anthony H. Gair Gair, Gair, Conason, Steigman & Mackauf 80 Pine Street New York, NY 10005-1768			212-943-1090
Equipment:	Besam RDB-2 revolving door.			
Description:	Woman struck and injured by revolving door.			
Deposition:		Trial:		Outcome:

Case:	Ella Mae Stephens vs. Walgreens Company, Inc., Door Control Services, LLC, Assa Abloy Door Group, LLC, and Optex Systems, Inc.; District Court of Tarrant County, Texas; Cause No. 352-313626-19			Seq. No. 232
Attorney:	Houston M. Smith Law Offices of Houston M. Smith 210 East Moore Avenue Terrell, TX 75160-3208			972-524-1903
Equipment:	Besam single panel sliding door using Optex i-sensors.			
Description:	Elderly woman using a walker struck and knocked down while entering, damaging existing hip replacement.			
Deposition:	2/24/23	Trial:		Outcome:

Besam/Assa Abloy cases S Inactive

Case:	Butler v. Orthopedic Sports & Spine Rehabilitation Center, Inc., <i>et al.</i>				Seq. No. 233
Attorney:	E. Clyde Kirk STIPE, GOSSETT, STIPE, HARPER, ESTES, McCUNE & PARKS P. O. Box 53567 4111 North Lincoln Boulevard Oklahoma City, OK 73105				405-524-2268
Equipment:	Besam, Inc. sliding door with Eye-Cue™ presence and motion sensor.				
Description:	Woman struck by premature closing of sliding door.				
Deposition:	8/3/95	Trial:		Outcome:	Case settled in favor of Plaintiff on or about February 6, 1996. Amount not disclosed due to confidentiality agreement.

Case:	Carl W. Hurst and Alta B. Hurst v. Universal Door Systems, Inc., <i>et al.</i> Civil Action No. CV 93-45, Circuit Court for Jefferson County, Alabama				Seq. No. 234
Attorney:	Henry Lawrence Perry JOHNSON & CORY, P.C. 300 21st Street North, Suite 900 Birmingham, AL 35203				205-328-1414
Equipment:	Besam Series 9000 door with possibly inoperable VisionPulse™ presence sensor on door, retrofitted D14-2 presence sensors on door header, and approach motion sensor of unspecified type.				
Description:	Elderly man moving very slowly struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled approx. 4/1/95 for \$27,000 to plaintiff.

Case:	Charlotte Ann Hess v. Kmart Corporation, <i>et al.</i> ; Case No.: 93-CP-08-583				Seq. No. 235
Attorney:	James L. Bell THE BELL LAW FIRM, P.A. 184 East Bay Street, Suite 301 Charleston, SC 29401-2141				803-723-6141
Equipment:	Besam, Inc. SwingMaster 300 door using Larco control mats.				
Description:	Woman struck by prematurely closing door broke left hip and left wrist. Plaintiff eventually died of kidney and congestive heart failure resulting from complications of surgery following accident.				
Deposition:	11/9/95	Trial:		Outcome:	I withdrew from the case because of non-payment of my expert witness fees.

Case:	Debora and Michael McCarthy v. Besam Automated Entrance Systems, Inc., <i>et al.</i>				Seq. No. 236
Attorney:	Travis N. Jensen Tabor Law Firm 151 N. Delaware Street, Suite 1990 Indianapolis, IN 46204-2549				317-236-9000
Equipment:	Besam Electra™ single panel low energy power operated door.				
Description:	Woman who was struck by low energy power assist door at the entrance to a renal care facility, resulting in brain injury.				
Deposition:		Trial:		Outcome:	Abandoned due to unrelated death of Plaintiff.

Besam/Assa Abloy cases S Inactive

Case:	Dorothy Dignan v. Thrifty Car Rental; Besam, Inc., <i>et al.</i>				Seq. No. 237
Attorney:	Lane D. Bauer SHOOK, HARDY & BACON, P.C. One Kansas City Place 1200 Main Street Kansas City, MO 64105-2118				816-474-6550
Equipment:	Besam series 4000 sliding door with Eye-Cue™ and hold open beams.				
Description:	Woman struck by the back edge of the sliding door as the door was opening while she was standing on the outside of the building. Broke leg and sustained other serious injuries.				
Deposition:	11/19/96	Trial:		Outcome:	Case settled in favor of plaintiff for \$65,000.

Case:	Harriett L. Doty v. Minyard's Grocery Store, Besam, Inc. and Door Control Services, Inc.; District Court, Tarrant County, Texas; 236th Judicial District; Cause No. 236-149253-93				Seq. No. 238
Attorney:	Timothy M. Hoch MARK S. STEWART & ASSOCIATES, P.C. 1308 Lake Street Ft. Worth, TX 76102-4505				817-338-4004
Equipment:	Besam SwingMaster 300 with VisionPulse™ and Commander I™.				
Description:	Woman struck and injured by prematurely closing swinging door.				
Deposition:	11/13/97	Trial:		Outcome:	Settled on or about July 10, 1998. Amount paid by Besam confidential. Total paid by other defendants approximately \$60,000.

Case:	Charles Lehman v. St. Ann's Hospital, <i>et al.</i>				Seq. No. 239
Attorney:	T. Jeffery Beausay REMINGER & REMINGER 505 South High Street Columbus, OH 43215-5643				614-461-1311
Equipment:	Besam series 4000 single sliding door with Eye-Cue™ sensor.				
Description:	Very short man (dwarf) with brittle bones using crutches injured by prematurely closing door as he attempted to enter St. Ann's Hospital.				
Deposition:	1/22/98	Trial:		Outcome:	Settled on or about July 13, 1998, for \$255,000 to plaintiff.

Case:	Labelle v. Besam and W. J. Flynn				Seq. No. 240
Attorney:	Roger J. Brunelle 7 State Street Worcester, MA 01609-2895				508-755-2277
Equipment:	Besam Power-Glide 4000-2, Besam Eye-Cue™ and Microwave Sensors, Inc. D7W.				
Description:	Elderly woman using a walker entering a clinic who was struck by an automatic sliding door employing a microwave motion sensor. Plaintiff broke her hip.				
Deposition:	4/8/99	Trial:		Outcome:	Case settled on or about August 1, 1999.

Besam/Assa Abloy cases S Inactive

Case:	Sarah Buckey, as representative of the Estate of Margaret Masters, Deceased v. Dayton Hudson Corporation d/b/a Target Stores, Besam Automated Entrance Systems, Inc., and Door Automation Systems, Inc. 133rd Judicial District Court, Harris County, TX, Cause No. 97-49467			Seq. No. 241
Attorney:	Craig V. Depew CLARK, DEPEW & SIESS, L.L.P. 1100 Louisiana Street, Suite 3050 Houston, TX 77002-5216			713-757-1400
Equipment:	Besam SwingMaster™ 350 with VisionPulse™ IR sensor.			
Description:	Woman struck by swinging door as she walked within 6 inches of VisionPulse™ sensor, knocked down and died of complications from injuries.			
Deposition:		Trial:		Outcome: Settled on or about July 31, 1998, for an amount that is confidential. Accident recorded on surveillance videotape being held by the Court.

Case:	Edith M. Klofkorn v. Trumbull Marriott Hotel, Trumbull Hotel Associates, L.P., Interstate Hotels Corporation, and Besam Corporation. Superior Court, J.D. of Fairfield at Bridgeport, No. CV 96-0330076S			Seq. No. 242
Attorney:	Kevin M. Godbout SEELEY & BERGLASS 121 Whitney Avenue New Haven, CT 06510-1242			203-562-5888
Equipment:	Besam Power Glide 4000-2 biparting sliding door with Microwave Sensors, Inc. D15W unidirectional motion sensor and single hold open beam.			
Description:	91 year old woman struck by prematurely closing door, breaking her hip and causing other injuries.			
Deposition:		Trial:		Outcome: Settled on or about September 3, 1998, for \$180,000 to plaintiff.

Case:	Geneva Jordan & Adelaide Prescott v. Maine Medical Center			Seq. No. 243
Attorney:	David M. Sanders Two Pine Avenue P.O. Box 271 Livermore Falls, ME 04254-0271			207-897-5775
Equipment:	Besam 9000 swinging door with BEA, Inc. CPSS-12 IR approach sensor on the door header and Besam VisionPulse™ IR presence sensors on either side of the door panels.			
Description:	Two women (sisters) struck and injured simultaneously while exiting from the Brighton Medical Center in Portland, ME. One woman fractured hip; the other woman damaged ulnar nerve.			
Deposition:	3/24/00	Trial:		Outcome: Case settled on or about August 16, 2000.

Besam/Assa Abloy cases S Inactive

Case:	Hyla Knox v. Wal-Mart			Seq. No. 244
Attorney:	Brent F. Bradley Cramer, Schofield, Unzicker & Wade 635 West Garden Street Pensacola, FL 32501-4733			850-432-7864
Equipment:	Besam swinging door using VisionPulse™ IR presence sensors.			
Description:	Woman struck on swing (safety) side of door as it opened.			
Deposition:		Trial:		Outcome: Case settled on or about August 29, 2000.

Case:	Pauline D. Holloway v. Shands Jacksonville Medical Center, Inc. Circuit Court, Fourth Judicial Circuit, Duval County, FL; Case No. CV-C 00-04355-CA			Seq. No. 245
Attorney:	Don St. Denis Anderson, St. Denis & Glenn, P.A. One Enterprise Center 225 Water Street, Suite 2100 Jacksonville, FL 32202-5154			904-633-9402
Equipment:	Besam bi-parting sliding door actuated by Besam Eye-Cue MW™ sensors with microwave motion sensor component on both sides of the door.			
Description:	Elderly woman struck by door as she was entering building using a walker on March 9, 1999.			
Deposition:	11/17/00	Trial:		Outcome: Jury awarded \$202,000 to Plaintiff.

Case:	Roben L. J. Sanders v. Wal-Mart Stores East, Inc., <i>et al.</i>			Seq. No. 246
Attorney:	William Beveridge, Jr. Law Office of Peter T. Nicholl 36 South Charles Street, Suite 1700 Baltimore, MD 21201-3101			410-244-7005
Equipment:	Besam Swingmaster 300 with VisionPulse™ sensors.			
Description:	Woman broke knee cap when struck by prematurely closing door at a Wal-Mart.			
Deposition:		Trial:		Outcome: Settled approximately 2/28/02

Case:	Brookshire Grocery Company v. Besam Automated Entrance Systems, Inc.			Seq. No. 247
Attorney:	John F. (Jack) Walker Sammons & Parker, PC 218 North College Avenue Tyler, TX 75702-5715			903-595-4541
Equipment:	Besam swinging doors with VisionPulse™ sensors			
Description:	Accident and improper operation in many stores.			
Deposition:		Trial:		Outcome: Case settled on or about March 6, 2003.

Besam/Assa Abloy cases S Inactive

Case:	Audrey Laine Wood <i>vs.</i> Target Corp. and Besam, Inc.				Seq. No. 248
Attorney:	Michael S. Johnson, Atty. 1901 North Classen Boulevard Oklahoma City, OK 73106-6064				405-557-7824
Equipment:	Besam swinging doors with VisionPulse™ sensors				
Description:					
Deposition:		Trial:		Outcome:	Provided affidavit on 4/17/03.

Case:	Sibyl Harkins <i>v.</i> Besam Automated Entrance Systems, Inc., BFL-44, Inc., d/b/a Buy for Less and Door Controls, Inc.; District Court of Oklahoma County, Oklahoma; Case No. CJ-2002-244.				Seq. No. 249
Attorney:	T. David Hasbrook Woska & Hasbrook 120 N. Robinson Ave., Suite 2720W Oklahoma City, OK 73102-7896				405-235-1551
Equipment:	Besam sliding door with BEA VG-037 and Eye-Cue™				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled on, or about, June 13, 2002.

Case:	Virginia T. Richardson <i>v.</i> Wal-Mart, Besam, Inc., <i>et al.</i> , Case No. CV-01-314				Seq. No. 250
Attorney:	Michael J. Crow Beasley, Allen, Crow, Methvin, Portis & Miles, P.C. P. O. Box 4160 218 Commerce Street Montgomery, AL 36103-4160				334-495-1152
Equipment:	Besam swinging door with VisionPulse™ presence sensors and X-band microwave motion sensors.				
Description:	Woman struck by door, and died within 24 hours.				
Deposition:		Trial:		Outcome:	Settled for Plaintiff on June 30, 2003.

Case:	Rita Macke <i>v.</i> Office Depot				Seq. No. 251
Attorney:	Timothy C. Williams 844 East Sahara Avenue Las Vegas, NV 89104-3017				702-892-0000
Equipment:	Besam sliding door with microwave motion sensors and hold open beams.				
Description:	Woman struck by sliding door while exiting from Office Depot building.				
Deposition:		Trial:		Outcome:	Settled in, or about, mid-September, 2003.

Besam/Assa Abloy cases S Inactive

Case:	Vlasta A. Cartwright <i>v.</i> Heron East, <i>et al.</i> Circuit Court; Twelfth Judicial Circuit; Sarasota County, FL; Civil Division Case No. 02-CA-11934-NC				Seq. No. 252
Attorney:	Matthew J. Cardillo Nursing Home Abuse Law Center 2909 West Bay to Bay Boulevard Tampa, FL 33629-8100				813-837-7000
Equipment:	Besam bi-parting sliding door using Eye-Cue sensors.				
Description:	Elderly woman using walker struck by sliding door at assisted living facility.				
Deposition:	7/21/03	Trial:		Outcome:	Case settled on, or about, September 5, 2003.

Case:	Karl A. Zeier <i>v.</i> Besam Automated Entrance Systems, <i>et al.</i> , Montana Eighteenth Judicial Court; Gallatin County; Cause No. DV 97-338				Seq. No. 253
Attorney:	L. Randall Bishop Jarussi & Bishop 303 North Broadway, Suite 705 Billings, MT 59103-1255				406-245-7555
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Elderly woman struck by door as she was exiting from Albertson's Store on October 18, 1994.				
Deposition:		Trial:		Outcome:	Settled, August, 2003.

Case:	Stacy N. Williams, III, <i>et al.</i> <i>v.</i> Wal-Mart Stores, Inc., Besam Automated Entrance Systems, Inc. and Exits, Inc.; Circuit Court of Jefferson County; Civil Action File No. CV-02-7394				Seq. No. 254
Attorney:	Nolan E. Awbrey Hare, Wynn, Newell and Newton, L.L.P. 2025 Third Avenue North, Suite 800 Birmingham, AL 35203-3331				205-328-5330
Equipment:	Besam swinging doors with VisionPulse™ sensors.				
Description:	Doors opened on Plaintiff, causing hip fracture. Plaintiff died 15 days later as a direct consequence.				
Deposition:	8/6/04	Trial:		Outcome:	Settled on 8/26/04 in favor of Plaintiff.

Case:	Pamela Ebersold, Personal Representative of the Estate of Elizabeth Pullis, Dec'd <i>v.</i> Target Corporation, <i>et al.</i> ; Case No. 01-73782				Seq. No. 255
Attorney:	John Hayes Lacey & Jones 600 South Adams Road, Suite 300 Birmingham, MI 48009-6827				248-433-1414
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	84 year old woman struck repeatedly by the door, even after she was knocked down by the door.				
Deposition:		Trial:		Outcome:	Settled on 8/19/04 in favor of Plaintiff.

Besam/Assa Abloy cases S Inactive

Case:	Mary Elizabeth Ihle v. Super Fresh Food Markets of Virginia, Inc. d/b/a Farmer Jack; Besam, Inc. and Southern Specialty Corporation, U.S. District Court, Western District of Virginia, Harrison Division, Civil Action No. 96-0101(H).				Seq. No. 256
Attorney:	Kevin M. Rose WHARTON, ALDHIZER and WEAVER, P.I.C. 100 South Mason Street P. O. Box 20028 Harrisonburg, VA 22801-7528				540-434-0316
Equipment:	Besam sliding door with Commander I motion sensor and a pair of IR hold open beams.				
Description:	Sliding door closed prematurely and struck plaintiff while she was attempting to enter Farmer Jack store, fracturing her right hip and breaking her right femur.				
Deposition:	8/25/97	Trial:		Outcome:	Settled in favor of Plaintiff.

Case:	Kitty Cohen vs. Beth Israel Deaconess Medical Center, <i>et al.</i> Commonwealth of Massachusetts; Suffolk Superior Court; Civil Action No. 01-2386B				Seq. No. 257
Attorney:	E. Steven Coren Kerstein, Coren, Lichtenstein & Finkel, L.L.P. 233 Needham Street Newton Upper Falls, MA 02464-1502				617-969-7139
Equipment:	Besam (Entré-Matic) RDB-2-14' two-wing revolving door.				
Description:	Elderly woman struck while standing within sweep of revolving door.				
Deposition:		Trial:	10/4-5/04	Outcome:	Jury found no negligence on the part of door owner. Defendant Besam settled for a confidential amount.

Case:	Frances Fred Gamez v. Wal-Mart Stores, Inc.; In the 234th Judicial District of Harris County, Texas, Cause No. 2003-39779				Seq. No. 258
Attorney:	Richard L. Garza Law Office of Richard L. Garza 15218 Pebble Den San Antonio, TX 78232-4119				210-494-0477
Equipment:	Besam biparting sliding door with BEA, Inc., "Wizard" sensors on either side.				
Description:	Door slammed repeatedly on a man using a quad cane, knocking him down and causing his injuries.				
Deposition:		Trial:		Outcome:	Settled in mediation on November 18, 2004.

Case:	Nancy and Arthur Fitzgerald v. Wal-Mart, Besam, <i>et al.</i>				Seq. No. 259
Attorney:	Edward R. Massey, III Clay, Massey & Associates 509 Church Street Mobile, AL 36602-2095				251-433-1000
Equipment:	Besam swinging door with VisionPulse™ sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Lost on summary judgment on, or before, 9/1/04.

Besam/Assa Abloy cases S Inactive

Case:	Sue Moffitt, Executrix of the Estate of Virginia Bettis <i>v.</i> Wal-Mart, Besam, <i>et al.</i>				Seq. No. 260
Attorney:	Gary R. Haverstock Haverstock, Bell & Pitman 211 South 12 th Street Murray, KY 42071-2339				270-753-1694
Equipment:	Besam swinging door with VisionPulse™ sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled in mediation on September 30, 2004.

Case:	Alice Marshall <i>v.</i> Demoulas Supermarkets <i>v.</i> Besam Automated Entrance Systems, Rockingham County Superior Court Docket Nos. 04-C-0153 and 04-C-336.				Seq. No. 261
Attorney:	John A. Curran Getman, Stacey, Tamposi, Schulthess, Steere, PA 163 South River Road Bedford, NH 03110-6926				603-634-4300
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Besam swinging door closed abruptly on Plaintiff, resulting in injury.				
Deposition:		Trial:		Outcome:	Settled on or about 12/29/04.

Case:	Nellie Tricoli <i>v.</i> Besam and ManorCare Circuit Court; Fifteenth Judicial Circuit; Palm Beach County, FL; Civil Division Case No. 2003 CA 00-6228 AO				Seq. No. 262
Attorney:	Michael S. Smith Slawson Cunningham Whalen & Smith, P.L. 2401 PGA Boulevard, Suite 140 Palm Beach Gardens, FL 33410-3598				561-625-6260
Equipment:	Besam single panel sliding door with Besam Eye-Cue™ sensors.				
Description:	68 year old woman using walker, recovering from hip replacement surgery, struck while entering through sliding doors at rehabilitation facility.				
Deposition:	12/16/03	Trial:		Outcome:	Case settled on 3/9/05.

Case:	Heirs of Merrill Cook <i>v.</i> Besam, Albertson's, Action Door and Entry Systems, Inc. U.S. District Court, District of Utah, Central Division; Case No. 2:02-CV-1080				Seq. No. 263
Attorney:	Stephen G. Morgan Morgan, Minnock, Rice & James, L.C. 136 South Main Street Salt Lake City, UT 84101-1601				801-531-7888
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:					
Deposition:		Trial:		Outcome:	Case settled on 7/29/04.

Besam/Assa Abloy cases S Inactive

Case:	Smock v. Wal-Mart				Seq. No. 264
Attorney:	Adolf J. Garcia 307 South Muskogee Avenue, Suite 5C Tahlequah, OK 74464-4444				918-453-9806
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:					
Deposition:		Trial:		Outcome:	Settled on 4/15/05.

Case:	Everett Lovejoy v. Demoulas Supermarkets v. Besam Automated Entrance Systems, Rockingham County Superior Court Docket Nos. 03-C-0852 and 04-C-0167.				Seq. No. 265
Attorney:	John A. Curran Getman, Stacey, Tamposi, Schulthess, Steere, PA 163 South River Road Bedford, NH 03110-6926				603-634-4300
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Besam swinging door closed abruptly on Plaintiff, resulting in injury.				
Deposition:		Trial:		Outcome:	Settled at the end of March, 2005.

Case:	Marion Sokolski and Estelle Sokolski vs. Tops Markets, LLC., and Besam Automated Entrance Systems, Inc.; Supreme Court of the State of New York, County of Monroe; Index No. 000/5123				Seq. No. 266
Attorney:	Jason L. Coles Adair, Kaul, Murphy, Axelrod & Santoro, L.L.P. 300 Linden Oaks, Suite 220 Rochester, NY 14625-2883				585-248-3800
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Elderly man struck by swinging door while entering a Tops Market.				
Deposition:	8/25/04	Trial:		Outcome:	Settled on June 10, 2005, for a confidential sum.

Case:	Maria Wiswesser, <i>et al.</i> , v. Besam Automated Entrance Systems, Inc., <i>et al.</i> San Francisco County Superior Court, Case. No. CGC-04-427857				Seq. No. 267
Attorney:	Daniel P. Dean Taylor & Gutierrez, L.L.P. 332 Pine Street, Suite 600 San Francisco, CA 94104-3228				415-591-3300
Equipment:	Besam RDB-2-CDC revolving door.				
Description:	Five year old child allegedly injured by revolving door on entering airport.				
Deposition:		Trial:		Outcome:	Settled on, or about, August 25, 2005.

Besam/Assa Abloy cases S Inactive

Case:	Crystal Bradshaw vs. Wal-Mart Stores, Inc., d/b/a Sam's Club and Besam Automated Entrance Systems, Inc.; District Court; Tarrant County, TX; Cause No. 67-200303-03				Seq. No. 268
Attorney:	Jeffrey L. Clark Kelsoe, Anderson, Khoury & Clark, P.C. 5220 Spring Valley Road, Suite 500 Dallas, TX 75254-2466				972-661-2227
Equipment:	Besam bi-parting sliding door with Besam Eye-Cue™ MW sensors.				
Description:	Besam sliding door struck an 88 year old woman while attempting to enter a Sam's store.				
Deposition:	2/7/05	Trial:		Outcome:	Settled on 9/13/05 for a confidential amount.

Case:	Patricia Cook and Sam Cook vs. Wal-Mart Stores, Inc., Besam Automated Entrance Systems, Inc., et al.; Superior Court of California, Tehama County; No.: 51515				Seq. No. 269
Attorney:	Tamara L. Wood Maire & Beasley 2851 Park Marina Drive, Suite 300 Redding, CA 96001-2813				530-246-6050
Equipment:	Besam swinging door with VPS sensors.				
Description:	Woman pushing shopping cart struck and injured by swinging door as she was attempting to enter store.				
Deposition:		Trial:		Outcome:	Settled for \$900,000 (Wal-Mart for \$400,000 on, or about, 7/20/05, and Besam for \$500,000 on 12/7/05).

Case:	Louis Lu vs. Wal-Mart Retail Stores and The Stanley Works; U.S. District Court, Western District of Kentucky at Louisville; Civil Action No. 3:04-CV-84-C				Seq. No. 270
Attorney:	Donald H. Smith Don Smith Law Offices 11603 Shelbyville Road, Suite 7 Louisville, KY 40243-1309				502-244-8000
Equipment:	Besam swinging door with VisionPulse™ sensors.				
Description:					
Deposition:		Trial:		Outcome:	Settled in mediation on 3/24/06. Terms not disclosed.

Case:	Lewis F. Libby and Lorna Libby vs. Edgewood Management Corp., and Patricia Taylor Circuit Court, Fourth Judicial Circuit, Duval County, Florida Case No.: 6-2005-CA-002305-M, Division CV-B				Seq. No. 271
Attorney:	P. Scott Russell P. Scott Russell, P.A. 1300 Riverplace Boulevard, Suite 601 Jacksonville, FL 32207-9018				904-346-4480
Equipment:	Besam sliding door using Besam Eye-Cue MW™ sensors.				
Description:	76 year old man walking with cane, stopped in doorway and door closed on him, causing his injuries.				
Deposition:		Trial:		Outcome:	Settled in mediation on April 24, 2006, for \$82,500.

Besam/Assa Abloy cases S Inactive

Case:	Marlene Bowman vs. Kroger Group Cooperative, Inc., and Kroger Limited Partnership, L.P.; Circuit Court of Marshall County, WV; Civil Action No. 5:05-CV-163				Seq. No. 272
Attorney:	James G. Bordas, Jr. Bordas & Bordas, PLLC 1358 National Road Wheeling, WV 26003-5742				304-242-8410
Equipment:	Besam single panel swinging door with VisionPulse™ sensors and BEA, Inc., VG-037/87 microwave motion sensor.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled on 5/24/06 for a confidential amount.

Case:	Brooks J. Bouillon, Jr., vs. Albertson's, Inc., et al.; Superior Court of the State of Washington; King County; No. 04-2-37845-1 SEA				Seq. No. 273
Attorney:	Thomas B. Vertetis Gordon, Thomas, Honeywell, Malanca, Peterson & Daheim LLP 1201 Pacific Avenue, Suite 2100 P. O. Box 1157 Tacoma, WA 98401-1157				253-620-6430
Equipment:	Besam swinging door using VisionPulse-S™ sensors.				
Description:	Woman struck by swinging door while attempting to enter an Albertsons store.				
Deposition:	5/31/06	Trial:		Outcome:	Case settled on, or about, July 27, 2006.

Case:	Floyd Lovitt, et al. v. Wal-Mart Stores, Inc., et al. U.S. District Court, Northern District of Mississippi, Cause No. 2:04CV192-D-A				Seq. No. 274
Attorney:	Barrett J. Clisby 129 Courthouse Square Oxford, MS 38655-4068				662-234-8413
Equipment:	Besam bi-parting sliding door with Eye-Cue™ sensors.				
Description:	58 year old man with quad cane struck by prematurely closing door while trying to enter store.				
Deposition:	10/20/05	Trial:	10/26/06	Outcome:	Jury found for defendants.

Case:	Thomas Wheeler v. Bermuda Village Retirement Center, Inc., and Wake Forest University Baptist Medical Center; Forsyth County Superior Court; Case No. 04 CVS 6449				Seq. No. 275
Attorney:	Robert C. Cone Tuggle Duggins & Meschan, P.A. 228 West Market Street P. O. Box 2888 Greensboro, NC 27402-2888				336-271-5218
Equipment:	Retirement Center: Besam bi-parting slider with BEA, Inc., "Eagle" and Besam RBI motion sensors and single hold open beam.				
Description:	Man struck while entering through inner door of vestibule.				
Deposition:	9/19/06	Trial:		Outcome:	Settled for a confidential amount on, or about, 10/15/06.

Besam/Assa Abloy cases S Inactive

Case:	Mary Lou Leahy vs. Wal-Mart Stores, Inc., Besam, Inc., and Besam Automated Entrance Systems, Inc.; Circuit Court of Loudoun County, State of Virginia; Law No. 33801			Seq. No. 276
Attorney:	Richard L. McGarry Law Office of Richard McGarry 6405 Merriman Road, Suite 201 Roanoke, VA 24018-6600			540-769-0234
Equipment:	Besam AMD II bi-parting sliding door with BEA, Inc., Wizard™ sensors.			
Description:	Woman struck by prematurely closing door.			
Deposition:		Trial:		Outcome: Settled on, or about, 4/18/07 for \$70,000 to Plaintiff.

Case:	Beverly and Allen Bell v. Busch's Market			Seq. No. 277
Attorney:	Russell W. Porritt, II Ward, Anderson, Porritt & Bryant, PLC 4190 Telegraph Road, Suite 2300 Bloomfield Hills, MI 48302-2081			248-593-1440
Equipment:	Besam single panel swinging door with VisionPulse™ sensors and BEA, Inc., VG-037/87 motion sensor OEM'd to Besam.			
Description:	Woman struck on swing side by leading edge when door opened in response to a user approaching from the other side of the door.			
Deposition:		Trial:		Outcome: Settled on July 30, 2007, for \$240,000.

Case:	Nancy Fitzgerald vs. Wegmans Food Markets, Inc., and Imperial Door Controls, Inc. Supreme Court, Onondaga County, State of New York; Index No.: 2004-8299			Seq. No. 278
Attorney:	Cynthia Ann K. Manchester Levine, Gouldin & Thompson, L.L.P. 71 State Street P. O. Box F-1706 Binghamton, NY 13902-0106			607-584-5615
Equipment:	Besam Swingmaster™ MP with BEA, Inc., Bodyguard™ and LO-21 lock out relay.			
Description:	Woman struck from behind after entering store through the subject swinging door.			
Deposition:		Trial:		Outcome: Case settled.

Case:	Jean M. White v. Beth Israel Deaconess Medical Center, <i>et al.</i> Commonwealth of Massachusetts; Suffolk Superior Court; Civil Action No. 06-1785-E			Seq. No. 279
Attorney:	Jonathan A. Karon Karon & Dalimonte, LLP 85 Devonshire Street, Suite 1000 Boston, MA 02109-3572			617-367-3311
Equipment:	Besam (Entré-Matic) RDB-2-14' two-wing revolving door.			
Description:	Woman struck and seriously injured while using the subject revolving door.			
Deposition:		Trial:		Outcome: Settled on, or about, 2/8/08 for a confidential amount.

Besam/Assa Abloy cases S Inactive

Case:	Kathleen and Thomas Cooper v. Timberline Shop-N-Bag, Besam, <i>et al.</i> Superior Court of New Jersey, Law Division, Gloucester County, Docket No. GLO-L-1114-02				Seq. No. 280
Attorney:	Ross Begelman Begelman & Orlow, P.C. 411 Marlton Pike East, Suite 245 Cherry Hill, NJ 08034-2414				856-428-6020
Equipment:	Besam biparting sliding door with BEA, Inc., CPSS-12 sensors.				
Description:	Besam biparting sliding door closed suddenly on Plaintiff as she was exiting store.				
Deposition:	5/5/05 10/14/05	Trial:		Outcome:	Settled on, or about, 2/22/07. Terms not disclosed.

Case:	Linda and Michael Burke v. Wegmans Food Markets, Inc., <i>et al.</i> Court of Common Pleas, Lehigh County, PA, Case No. 2007-C-1691				Seq. No. 281
Attorney:	Edward A. Greenberg Daller, Greenberg & Dietrich, L.L.P. Eight Tower Bridge 161 Washington Street, Suite 900 Conshohocken, PA 19428-2085				215-836-1100
Equipment:	Besam SwingMaster™ swinging door with VisionPulse™ sensors.				
Description:	Swinging door opened into woman as she attempted to enter store.				
Deposition:		Trial:		Outcome:	Settled on 1/7/09 for an undisclosed amount.

Case:	Jeff Lancaster, Individually and as Representative of the Estate of Naomi Elizabeth Lancaster vs. Besam U.S., Inc., f/k/a Besam Automated Entrance Systems, Inc., and Trinity Mother Frances Health Systems, and Door Control Services, Inc.; District Court of Anderson County, TX; Cause No. 87-10679				Seq. No. 282
Attorney:	Reid Wm. Martin Martin Walker, P.C. 522 South Broadway, Suite 200 Tyler, TX 75702-8111				903-526-1600
Equipment:	Besam Uni-Turn™ 2-wing (RDB2B) 14' diameter revolving door.				
Description:	Woman struck from behind while exiting within revolving door and died of resultant intracranial bleed.				
Deposition:	5/11/09	Trial:		Outcome:	Case settled on, or about, July 17, 2009, for \$400,000.

Case:	Janet Pike and James Davis v. Besam and Save Mart d/b/a/ Food Maxx.				Seq. No. 283
Attorney:	Arthur L. Morgan Halkides, Morgan & Kelley P. O. Drawer 492170 Redding, CA 96049-2170				530-221-8150
Equipment:	Besam bi-parting sliding door model P64000 with BEA, Inc., Wizard™ sensors on both sides of door.				
Description:	61 year old woman using cane struck by sliding door while entering Food Maxx store and died subsequently from complications of required surgery.				
Deposition:		Trial:		Outcome:	Settled on 10/12/09 for \$210,000.

Besam/Assa Abloy cases S Inactive

Case:	Elaine Seidenberg vs. Bethesda Memorial Hospital, Inc.; Circuit Court of the Fifteenth Judicial District; Palm Beach County, Florida; Case No. 50 2010 CA 000205 XXXX MB AB				Seq. No. 284
Attorney:	Michael A. Acker Acker Morris, P.L. 179 S.E. Mizner Boulevard Boca Raton, FL 33432-5007				561-910-6620
Equipment:	Besam KDB-3-30 10' (3000 mm) 3-wing revolving door with no wing sensors at time of accident.				
Description:	Woman struck and injured by revolving door lacking wing sensors required by ANSI A156.27-2003.				
Deposition:	9/3/10	Trial:		Outcome:	Settled on 9/16/10 for a confidential amount.

Case:	Johanna Jacoby vs. Wal-Mart Stores, Inc.; U.S. District Court for the Middle District of Pennsylvania; Civil Action 09 CV 903				Seq. No. 285
Attorney:	Carl J. Greco Carl J. Greco, P.C. 4th Floor, Professional Arts Building 327 North Washington Avenue Scranton, PA 18503-1511				570-346-4434
Equipment:	Besam Swingmaster 300 dual panel swing door utilizing BEA, Inc., Eagle™ microwave motion sensor, BEA, Inc., Bodyguard™ header-mounted presence sensor, and BEA, Inc., Superscan™ presence sensors on both sides of both door panels.				
Description:	Woman struck and broke hip exiting through entrance door.				
Deposition:		Trial:	6/17-18/10	Outcome:	Jury found for defendant.

Case:	Margene Castro v. Maxi Drug, Inc., d/b/a Rite Aid and Besam US Inc.; Commonwealth of Massachusetts Superior Court, Bristol County; Civil Action No.: BRCV2009-01001-A				Seq. No. 286
Attorney:	Sharon D. Sybel Brian Cunha & Associates 311 Pine Street Fall River, MA 02720-3230				508-675-9500
Equipment:	Stanley Dura-Glide™ 3000 bi-parting slider serviced by Besam.				
Description:	Woman struck while attempting to enter store through exterior slider.				
Deposition:		Trial:		Outcome:	Settled in mediation on 8/9/11 for a confidential amount.

Case:	Galen Price, Jr., et al., vs. Giant Eagle, et al., Court of Common Pleas, Summit County, Ohio; Case No. CV2010-04-2979				Seq. No. 287
Attorney:	Charles E. Grisi Law Office of Charles E. Grisi 159 South Main Street, Suite 1030 Akron, OH 44308-1318				330-535-8171
Equipment:	Besam AMD-II bi-parting sliding door with Besam Eye-Cue™ MW sensors and no hold open beams..				
Description:	Elderly man who had had a stroke and was using a walker knocked down and injured when door closed on him as he was entering store.				
Deposition:		Trial:	4/25/12	Outcome:	Verdict for defendant.

Besam/Assa Abloy cases S Inactive

Case:	Mary Louise Tichenor, <i>et vir</i> ; Otis K. Tichenor v. Target Corporation, Besam U.S., Inc., and B.E.A., Inc.; In the District Court of El Paso, Texas; 448th District Court; Case No. 2008-238				Seq. No. 288
Attorney:	Colbert N. Coldwell Guevara, Baumann, Coldwell & Reedman, L.L.P. 4171 North Mesa, Suite B-201 El Paso, TX 79902-1431				915-544-6646
Equipment:	Besam swinging door with BEA, Inc., "Eagle" motion sensor and Bodyguard/LO-21.				
Description:	Woman struck and injured when entering through door.				
Deposition:	6/30/10	Trial:		Outcome:	Settled in July, 2010, for an undisclosed amount.

Case:	Abdullah Chaudhry v. Home Depot of Canada, Inc., Besam Canada, Inc., Riokim Holdings (Strawberry Hill) Inc., and 3rd party B.E.A., Inc.; Supreme Court of British Columbia, Vancouver, BC; Case No. S083537				Seq. No. 289
Attorney:	Alex L. Eged Richards Buell Sutton, L.L.P. 700 - 401 West Georgia Street Vancouver, BC V6B 5A1				604-661-9203
Equipment:	Besam series C/W CUD 9 bi-parting sliding door with hold open beams and Besam SelectScan™ microwave motion sensors.				
Description:	Door closed on and injured man as he was entering the Home Depot.				
Deposition:		Trial:		Outcome:	Home Depot settled with Plaintiff on or before 9/6/12. Otherwise, unknown.

Case:	Abdullah Chaudhry v. Home Depot of Canada, Inc., Besam Canada, Inc., Riokim Holdings (Strawberry Hill) Inc., and 3rd party B.E.A., Inc.; Supreme Court of British Columbia, Vancouver, BC; Case No. S083537				Seq. No. 290
Attorney:	Leslie J. Mackoff Mackoff & Company Box 12184, Nelson Square 1801 - 808 Nelson Street Vancouver, BC V6Z 2H2				604-633-1888
Equipment:	Besam series C/W CUD 9 bi-parting sliding door with hold open beams and Besam SelectScan™ microwave motion sensors.				
Description:	Door closed on and injured man as he was entering the Home Depot.				
Deposition:		Trial:		Outcome:	Case settled for a confidential amount on, or about, 4/19/13.

Besam/Assa Abloy cases S Inactive

Case:	Emeric Hofstader v. Hilton Hotels Corporation, International Rivercenter, L.L.C. and Hilton New Orleans, LLC; United States District Court for the Eastern District of Louisiana; Case No. 2:11-cv-02439			Seq. No. 291
Attorney:	Brian D. Katz Herman Herman Katz & Cotlar 820 O'Keefe Avenue New Orleans, LA 70113-1116			504-581-4892
Equipment:	Besam 14' Entré-Matic™ revolving door with Besam PDR and CFD sensors.			
Description:	89 year old man clipped at the periphery of the sweep of the subject door on the exterior side as he was attempting to exit from the building.			
Deposition:		Trial:		Outcome: Settled. Date and amount not yet known (7/8/13).

Case:	Tambra Deloach vs. Comex Corporation, Door Components, L.P. d/b/a Door Pro Systems, and Door Pro Systems, Inc., Besam US, Inc., Door Automation, Inc., and Door Control Services, Inc.; In the District Court of Harris County, Texas; 189th Judicial District; Case No. 2009-59653			Seq. No. 292
Attorney:	Les Cochran The Cochran Firm 1001 Texas Avenue, Suite 1400 Houston, TX 77002-3194			713-572-9999
Equipment:	Besam low energy dual panel swinging door.			
Description:	Door struck and cut foot of young woman entering building, resulting in infection and subsequent amputation of leg.			
Deposition:	11/7/11	Trial:		Outcome: Settled on 4/16/13 for \$75,000.

Case:	Edward Tears vs. Besam, Inc. <i>et al.</i>			Seq. No. 293
Attorney:	Laurence M. Karz Hall and Karz 6 Gorham Street P. O. Box 361 Canandaigua, NY 14424			585-394-5755
Equipment:	Besam single panel swinging door with VisionPulse™.			
Description:	84 year old woman struck by swinging door using VisionPulse™ sensors.			
Deposition:		Trial:		Outcome: Settled on, or before, 11/17/04.

Case:	Michiko Terajima v. Gourmet Garage and Besam Automatic Doors, Inc. Supreme Court of the State of New York, County of New York, Index No. 108268/03			Seq. No. 294
Attorney:	Robert M. Salzman Salzman & Salzman 26 Court Street Brooklyn, NY 11242-0103			718-624-2395
Equipment:	Besam biparting sliding door with dual hold open beams and Besam Eye-Cue™ sensors.			
Description:	Door closed suddenly on Plaintiff as she was exiting store, causing her to step back and fall.			
Deposition:		Trial:		Outcome: Settled subsequent to April, 2005, for an undisclosed amount.

Besam/Assa Abloy cases S Inactive

Case:	Herman Franke and Janice Franke vs. Besam Automated Entrance Systems, Inc., David Christopher, Inc., and Kroger Texas, L.P.; B-44th Judicial District Court, Dallas County, Texas; Cause No. 03-04981				Seq. No. 295
Attorney:	Hardin R. Ramey Blakey & Ramey 12225 Greenville Avenue, #880 Dallas, TX 75243-9339				972-437-5700
Equipment:	Besam bi-parting sliding door with Eye-Cue™ IR/microwave sensor.				
Description:	58 year old man who had fractured his hip, but was recovering, struck by sliding door, resulting in hip being broken				
Deposition:		Trial:		Outcome:	Unknown

Case:	Shirley Walker v. Bloomington 1998 LLC d/b/a Cub Foods and Roy C., Inc., and Bloomington 1998 LLC d/b/a Cub Foods vs. Besam Automated Entrance Systems, Inc., and Roy C.; State of Minnesota, Hennepin County; Fourth Judicial District Court; Case No.: 27-CV-12-24000.				Seq. No. 296
Attorney:	Teri Ellen Bentson Law Offices of Stilp & Grove 701 Xenia Avenue South, Suite 220 Golden Valley, MN 55416-3599				763-546-8444
Equipment:	Besam dual panel swinging door.				
Description:	87 year old woman clipped by door while exiting.				
Deposition:	6/3/16	Trial:		Outcome:	Case settled with plaintiff on or about 11/15/13 for \$265,000.

Case:	Celia Vences-Rodriguez vs. G. E. Foodland, Inc., et al. vs. Door Control Services, Inc.; County Court; Dallas County, TX; Cause No.: CC-12-01912-A				Seq. No. 297
Attorney:	Amanda M. Hoffmann Gregory R. Brenner Chamblee Ryan Kershaw Anderson, P.C. 2777 North Stemmons Freeway, Suite 1157 Dallas, TX 75207-2277				214-905-2003
Equipment:	Besam Swingmaster™ dual panel swinging door with BEA, Inc., VG087 and BEA, Inc., CPSS-12 sensors.				
Description:					
Deposition:		Trial:		Outcome:	Settled on 10/25/13 for \$205,000.

Case:	Bonnie Cannon v. Albertsons, Besam and Door Control Services, Inc. District Court, 89th Judicial District, Wichita County, Texas; Case No. 166,562-C				Seq. No. 298
Attorney:	Gant Grimes The Anderson Law Firm 4600 Belair Boulevard Wichita Falls, TX 76310-1450				940-691-7600
Equipment:	Besam swinging door with BEA, Inc., Bodyguard™ presence sensor and LO-21 lock out relay.				
Description:	Woman struck while exiting through exterior swinging door.				
Deposition:	9/4/09	Trial:		Outcome:	Settled. Amount and date settled unknown.

Besam/Assa Abloy cases S Inactive

Case:	Jean Massengale and Bryce Massengale vs. Petsmart, Inc., Besam, Inc., Camco Development, Inc., and Door Control Services, Inc.; District Court, Dallas County, Texas Cause No. 95-09234-J,				Seq. No. 299
Attorney:	Steven J. Williams STEVEN J. WILLIAMS, P.C. 2511 Texas Drive, Suite 100 Irving, TX 75062-7023				972-252-5647
Equipment:	Besam bi-parting sliding door with Commander I motion sensor and hold open photo beam(s).				
Description:	Woman struck twice by door, initially on face, while attempting to enter Petsmart store.				
Deposition:		Trial:		Outcome:	May have settled. Date and amount unknown.

Case:	Elizabeth Ann Shetler v. Aldi, Inc., <i>et al.</i> ; U.S. District Court, Western District of Kentucky at Louisville; Civil Action No. 3:10-CV-00788-JHM-JDM				Seq. No. 300
Attorney:	Ronald E. Johnson, Jr. Schachter, Hendy & Johnson, P.S.C. 909 Wright's Summit Parkway, Suite 210 Fort Wright, KY 41011-2783				859-578-4444
Equipment:	Besam Swingmaster™ 350 door using BEA, Inc., Eagle™ motion sensor and Besam VisionPulse™ presence sensors. Interior exit.				
Description:	Woman using a walker struck and knocked down by leading edge of swinging door panel as she exited from the swing path of the door.				
Deposition:		Trial:		Outcome:	Settled on 10/25/12 on the eve of trial for a confidential amount.

Case:	Doris Stein vs. Rite Aid, Corp., M.C.P. Associates, L.P. and Valley Bank; Superior Court of New Jersey, Law Division: Bergen County; Docket No.: BER-L-8853-14.				Seq. No. 301
Attorney:	Neil S. Weiner Lynch, Lynch, Held Rosenberg, P.C. 440 State Route 17, Suite 8 Hasbrouck Heights, NJ 07604-3000				201-288-2022
Equipment:	Besam UniSlide™ bi-parting sliding door with one BEA, Inc., Wizard™, one BEA, Inc., Eagle™ motion sensor and dual Optex OS-C12 hold open beams..				
Description:	86 year old woman struck and injured while exiting through exterior door of vestibule.				
Deposition:		Trial:		Outcome:	Settled on 12/15/15 for a confidential amount.

Besam/Assa Abloy cases S Inactive

Case:	Karen Wojcikowski vs. Staples, Inc., Staples The Office Superstore East, Inc., Besam Automated Entrance Systems, and ASSA Abloy Entrance Systems; In the U.S. District Court for the Northern District of Indiana, Hammond Division; Case No. 2-12cv-506.				Seq. No. 302
Attorney:	Jon F. Schmoll Langer & Langer 15 North Washington Street Valparaiso, IN 46383-4796				219-464-3246
Equipment:	Besam UniSlide™ bi-parting sliding door.				
Description:	Woman struck and injured while exiting through exterior door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 11/17/14 for a confidential amount.

Case:	Harold Stillman and Frederique Becker, Co-executors for The Estate of Norma Stillman vs. Greenwich Hospital; State of Connecticut; Judicial District of Stamford/Norwalk at Stamford; Case No.: FST-CV-13-6019227-S				Seq. No. 303
Attorney:	Adam J. Blank Wofsey, Rosen, Kweskin & Kuriansky, LLP 600 Summer Street Stamford, CT 06901-1490				203-327-2300
Equipment:	Besam 16' diameter UniTurn™ revolving door.				
Description:	91 year old woman struck and injured upon entering revolving door in the process of exiting from hospital.				
Deposition:	10/22/14	Trial:		Outcome:	Resolved in August, 2015, with a confidentiality agreement.

Case:	Donald Patris, <i>et al.</i> , v. Discount Drug Mart, <i>et al.</i> ; Court of Common Pleas, Summit County, Ohio; Case No.: CV-2016-05-2406				Seq. No. 304
Attorney:	Gregory M. Friend Law Offices of Robert E. Soles, Jr., Co., LPA 6545 Market Avenue, North Canton, OH 44721-2430				330-244-8000
Equipment:	Besam single panel swinging door with BEA, Inc., Eagle™ microwave motion sensor, and BEA, Inc., Bodyguard™ and Superscan™ presence sensors.				
Description:	Man behind the door struck and injured by leading edge as door opened.				
Deposition:		Trial:		Outcome:	Settled in 5/2015 for a confidential amount.

Case:	F. Michael Lepski, Individually and as Personal Representative of the Estate of Joseph Lepski, <i>et al.</i> v. University of Maryland Medical System Corporation; In the Circuit Court for Baltimore City, Case No.: 24-C-17-002784				Seq. No. 305
Attorney:	Andrew G. Slutkin Silverman, Thompson, Slutkin & White, L.L.C. 201 North Charles Street, Suite 2600 Baltimore, MD 21201-4109				410-385-2225
Equipment:	Besam RDB-2 16' diameter 2-wing revolving door.				
Description:	82 year old man using cane stuck and injured by door. Died in approx. a week of intracranial bleed.				
Deposition:		Trial:		Outcome:	Settled on April 12, 2018, for a confidential amount.

Besam/Assa Abloy cases S Inactive

Case:	Sandra L. Hovanec, Executrix of the Estate of Swett., <i>et al.</i> vs. ASSA ABLOY Entrance Systems US, Inc., <i>et al.</i> ; Newport County Superior Court; Newport, RI; Civil Action No.: NC 2013-0062				Seq. No. 306
Attorney:	Stephen E. Breggia The Breggia Law Firm The Alpha Building 395 Smith Street, Suite 2 Providence, RI 02908-3765				401-831-9100
Equipment:	Besam RDB-2 #051460 2-wing revolving door.				
Description:	Elderly man struck by leading edge at interior throat while entering building. Died following surgery for broken femur.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Alan & Robin Rosenblum <i>v.</i> LVIA, <i>et al.</i> ; Court of Common Pleas, Lehigh County, PA Case No.: 2002-C-3199				Seq. No. 307
Attorney:	Philip M. Hof Laub Seidel Cohen Hof & Reid, L.L.C. 8 Centre Square Easton, PA 18042-3606				610-258-6184
Equipment:	Besam EZ Fit 4050 Series bi-parting sliding door with Besam Eye-Cue MW™ sensors.				
Description:	Man struck by sliding door while entering Allentown, PA, international airport.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Paula Chertok, beneficiary of Estate of Anita Chertok, <i>v.</i> The Community Hospital Group, Inc., d/b/a JFK Medical Center; Superior Court of New Jersey; Law Division: Middlesex County; Docket No. MID-L-6226-12				Seq. No. 308
Attorney:	Joseph Marano Layser & Freiwald, P.C. 1500 Walnut Street, Suite 18 Philadelphia, PA 19102-3509				215-875-8000
Equipment:	Besam 3-wing revolving door. No wing sensors.				
Description:	86 year old woman using cane struck by revolving door, broke hip and died of complications.				
Deposition:		Trial:		Outcome:	Closed prior to 9/14/21. Terms unknown.

Case:	Bruce Werner and Susan Werner h/w <i>v.</i> Advanced Door Services, Inc. and Door Services Corporation <i>v.</i> Albert Einstein Medical Center Montgomery, Einstein Healthcare Network and Assa Abloy Entrance Systems, US, Inc.; Court of Common Pleas, Philadelphia County, Civil Trial Division; June Term, 2018; Case Nos.: 00145 and 00704.				Seq. No. 309
Attorney:	John E. Toczydlowski The Reiff Law Firm 1500 John F. Kennedy Boulevard, Suite 501 Philadelphia, PA 19102-1710				215-246-9000
Equipment:	Besam UniSlide™ bi-parting sliding door with SR221-2 sensors and hold open beams.				
Description:	88 year old man struck and knocked down while exiting through door.				
Deposition:		Trial:		Outcome:	Settled in December, 2021, for \$122,500.

Besam/Assa Abloy cases S Inactive

Case:	Betty Rae Doerr v. ALDI, Inc., and Walko Enterprises, Inc., d/b/a Midwest Automatic Door, v. Optex Technologies, Inc.; Circuit Court of Cook County, IL; Case No. 07 L 5089			Seq. No. 310
Attorney:	Bradley D. Alexander Sanchez, Daniels & Hoffman, LLP 2100 Manchester Road, Suite 309 Wheaton, IL 60187-4584			630-752-9880
Equipment:	Besam Swingmaster™ door.			
Description:	Elderly man struck and injured by door while entering through outer door.			
Deposition:		Trial:		Outcome: Unknown.

Gyro-Tech/Lanson/NABCO cases S Active

Case:	Haydee Cotayo vs. Leon Medical Centers, Inc., Circuit Court of the 11th Judicial Circuit, Miami-Dade County, Florida; Case No.: 2017-002692 CA-01.			Seq. No. 311
Attorney:	David R. Shaheen Law Offices of Kanner & Pinaluga, P.A. 925 S. Federal Highway, #6 Boca Raton, FL 33432-6122			800-586-5555
Equipment:	NABCO bi-parting sliding door.			
Description:	71 year old woman stuck by door while exiting from building. Broke hip and femur.			
Deposition:		Trial:		Outcome:

Case:	Barbara Erwin v. Oxbow Professional Park, LLC, O'Leary-Vincunas, LLC, d/b/a Development Associates, Cooley Dickinson Healthcare Corporation, New England Door Closer, Inc., and NABCO Entrances, Inc.; Commonwealth of Massachusetts, Hampshire County, Superior Court, Docket No.: 2080CV00094.			Seq. No. 312
Attorney:	Laura D. Mangini Alekmán DiTusa, L.L.C. 1550 Main Street, Room 401 Springfield, MA 01103-1429			413-781-0000
Equipment:	Gyro-Tech 1175 bi-parting sliding door with BEA, Inc., IXIO™ sensors, and dual hold open beams.			
Description:	Door closed upon, knocked down an injured woman attempting to enter through exterior sliding door.			
Deposition:		Trial:		Outcome:

Gyro-Tech/Lanson/NABCO cases S Inactive

Case:	Celia DeMario and Joseph DeMario vs. Erspamers, Inc., Gyro Tech, Inc., Microwave Sensors, Inc., <i>et al.</i> State of Wisconsin Circuit Court, Iron County, No. 93-CV-31				Seq. No. 313
Attorney:	A. Dennis Cossi COSSI LAW OFFICE 225 East Aurora Street Ironwood, MI 49938-2111				906-932-1221
Equipment:	Gyro-Tech, Inc. biparting sliding door actuated by Microwave Sensors, Inc. D7 microwave motion sensor and single hold open beam.				
Description:	Woman struck by prematurely closing door while leaving store.				
Deposition:	10/25/96	Trial:		Outcome:	Case settled in 4/97 in favor of plaintiff. Amount undisclosed.

Case:	Alice Hart and John Hart vs. Automated Entrance Systems, Inc.; Lanson Industries, Inc., <i>et al.</i> ; Court of Common Pleas, Allegheny County, PA, Civil Division G.D. No. 96-15426				Seq. No. 314
Attorney:	Daniel M. Berger BERGER LAW FIRM, P.C. The Frick Building, Suite 912 Pittsburgh, PA 15219-6003				412-471-4300
Equipment:	Gyro-Tech biparting sliding door. Single hold open beam and BEA, Inc. VG047 unidirectional microwave motion sensors.				
Description:	Woman in 80's entering supermarket struck and injured by sliding door.				
Deposition:		Trial:	9/24/98	Outcome:	Jury awarded \$450,000 to plaintiff with \$40,000 in delay damages pending.

Case:	Lora Bird and husband Virg Bird vs. The Kroger Co., Access Services, Inc., NABCO, Inc. and Gyro Tech, Inc.; In the District Court of Hood County, TX; 355 th Judicial District; Cause No.: C099071				Seq. No. 315
Attorney:	Paul V. Previte Adam & Previte, P.L.L.C. 500 Throckmorton Street, Suite 3400 Ft. Worth, TX 76102-3821				817-332-2580
Equipment:	Gyro-Tech "Whisper Slide" Series 1100 bi-parting sliding door equipped with dual hold open beams and BEA, Inc. VG087/C unidirectional microwave motion sensors.				
Description:	Plaintiff exiting Kroger store struck by prematurely closing door on February 7, 1997.				
Deposition:		Trial:		Outcome:	Case settled on or about April 28, 2000.

Case:	Lavoiie v. Price Chopper				Seq. No. 316
Attorney:	Roger J. Brunelle 7 State Street Worcester, MA 01609-2895				508-755-2277
Equipment:	Swinging door actuated by control mats.				
Description:	Woman lost part of finger trying to extract it when swinging door closed on her unexpectedly while she was standing on the swing side control mat.				
Deposition:		Trial:		Outcome:	Settled, January, 2002

Gyro-Tech/Lanson/NABCO cases S Inactive

Case:	Marguerite A. Sellers v. Camden-Clark Foundation, Inc. <i>et al.</i> Civil Action No. 96-C-74, Circuit Court of Wood County, WV.				Seq. No. 317
Attorney:	Harry G. Deitzler HILL, PETERSON, CARPER, BEE & DEITZLER 500 Tracy Way Charleston, WV 25311-1555				304-345-5667
Equipment:	Gyro Tech, Inc. sliding door.				
Description:	Woman injured while attempting to leave through automatic sliding doors at Camden-Clark Memorial Hospital in Parkersburg, WV.				
Deposition:		Trial:		Outcome:	Settled in favor of Plaintiff in 1997.

Case:	Mary Johnson vs. Ocean State Jobbers, Inc., American Automatic Doors, Inc., <i>et al.</i>				Seq. No. 318
Attorney:	Paul V. Sullivan Alexander P. Borré Morrison, Mahoney & Miller, L.L.P. 250 Summer Street Boston, MA 02210-1181				401-621-4652
Equipment:	Gyro Tech, Inc. swinging door with Microwave Sensor D-7 and BEA, Inc., DK-12/LO-21.				
Description:	86 year old woman struck and injured while attempting to exit through door.				
Deposition:		Trial:		Outcome:	Settled for \$60,000 on, or about, 12/20/04.

Case:	Verna Monson (Deceased) vs. Albertson's Inc., Boon Edam, Inc., and John Does I-X District Court of Seventh Judicial District, Bingham County, Idaho; Case No. CV-04-2250				Seq. No. 319
Attorney:	Michael G. Brady Brady Law, Chartered 9300 Overland Road, Suite 200 P. O. Box 1398 Boise, ID 83701-1398				208-327-8900
Equipment:	Gyro-Tech dual panel swinging door using Microwave Sensors, Inc., D7 and D14 sensors.				
Description:	72 year old woman struck while entering Alberston's store. Died two days later of brain injuries sustained in fall.				
Deposition:		Trial:		Outcome:	Settled on, or about, December 27, 2005.

Case:	Ronald E. Brown and Sheryl Brown v. Meijer Stores Limited Partnership Wayne Superior Court of Indiana; Cause No. 89D01-0301-CT-003.				Seq. No. 320
Attorney:	Scott A. Faultless Craig Kelly & Faultless 5845 Lawton Loop East Drive, Suite 1 Indianapolis, IN 46216-1072				317-545-1760
Equipment:	Gyro-Tech single panel swinging door actuated on approach by BEA, Inc., VG087C and with control mat on swing side.				
Description:	Man struck and injured while entering through outer swinging door.				
Deposition:		Trial:		Outcome:	Settled on, or about, July 11, 2006, for a confidential amount.

Gyro-Tech/Lansco/NABCO cases S Inactive

Case:	Beverly Salisbury v. Talbert Medical Group and NABCO Entrances Superior Court, Los Angeles County, South District, California Case No. NC037340			Seq. No. 321
Client:	Richard Chandler Chandler & Associates 10091 Suntan Circle Huntington Beach, CA 92646-6630			714-963-8088
Equipment:	NABCO GT-100 sliding door with GT Intellisensor			
Description:				
Deposition:		Trial:		Outcome: Consultation completed November, 2006.

Case:	Edward and Anne King vs. Hannaford Bros. Co.; State of New Hampshire, Superior Court, Strafford County; Docket No. 05-C-0622			Seq. No. 322
Attorney:	Benjamin T. King Douglas, Leonard & Garvey, P.C. 6 Loudon Road, Suite 502 Concord, NH 03301-5321			603-224-1988
Equipment:	Gyro-Tech sliding door with hold open beams and X-band microwave motion sensors.			
Description:	Woman struck while attempting to exit through interior sliding door.			
Deposition:		Trial:		Outcome: Settled on, or about, 3/2/07 for a confidential amount.

Case:	The Estate of Hazel H. Maddox, deceased, v. The Kroger Co., State Court of Gwinnett County, Georgia; Civil Action File No.: 12C-00608-3			Seq. No. 323
Attorney:	Shawn F. Bratton Mahaffey Pickens Tucker, L.L.P. 1550 North Brown Road, Suite 125 Lawrenceville, GA 30043-1802			770-232-0000
Equipment:	GyroTech biparting sliding door.			
Description:	Woman struck on right side while entering through exterior door, knocking her down. Fractured pelvis. Safeties reported not working.			
Deposition:		Trial:		Outcome: Settled on or about 3/14/13 for a confidential amount.

Case:	Phyllis Stuart v. Meijer, Inc.; Circuit Court for the County of Eaton; State of Michigan Case No.: 13-1263-NO			Seq. No. 324
Attorney:	Richard A. Foster Foster & Harmon, P.C. 903 East Grand River Avenue East Lansing, MI 48823-4525			517-337-4600
Equipment:	Gyro-Tech/NABCO swinging door actuated by control mat.			
Description:	80 year old woman using a walker knocked down and injured by door as she was entering through the exterior door.			
Deposition:		Trial:		Outcome: On, or about, April 11, 2014, Plaintiff opted to settle out-of-court for an undisclosed amount.

Gyro-Tech/Lansco/NABCO cases S Inactive

Case:	Flora Salivaras, <i>et al.</i> vs. Riser Foods, Inc., <i>et al.</i> State of Ohio, Cuyahoga County, Court of Common Pleas, Case #258301				Seq. No. 325
Attorney:	John J. McCarthy 1370 Ontario Street, First Floor Cleveland, OH 44113-1792				216-621-2300 216-694-5218
Equipment:	Gyro-Tech swinging door with control mats.				
Description:	Middle aged woman struck by prematurely closing door S tore rotator cuff.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Patricia A. Brosque and John Brosque v. North Shore Medical Center, Inc., d/b/a Salem Hospital, John J. Daley, and Talbot Electric, Inc.; Superior Court; Commonwealth of Massachusetts; Essex County; Civil Action No. 2013-164-D				Seq. No. 326
Attorney:	Shawn P. O'Rourke O'Rourke & Hawk, LLP The Schrafft Center 529 Main Street, Suite 214 Charlestown, MA 02129-1122				617-337-3191
Equipment:	Gyro-Tech/NABCO low energy swinging door.				
Description:	Woman struck and injured when door closed upon her.				
Deposition:		Trial:		Outcome:	Settled on 11/26/14 for an unknown amount.

Case:	Nohemi Reynolds vs. Frost Bank; District Court, 93rd Judicial District, Hidalgo County, Texas; Cause No. C-3309-13-B.				Seq. No. 327
Attorney:	Jaime A. Gonzalez, Jr. Gonzalez & Associates Law Firm, P.C. 817 East Esperanza Avenue McAllen, TX 78501-1403				956-664-0100
Equipment:	NABCO/Gyro Tech, Inc., GT 1175 bi-parting sliding door with two NABCO "Acumotion A" sensors and a single hold open beam.				
Description:	Woman using cane struck, knocked down and injured while entering through inner sliding door.				
Deposition:		Trial:		Outcome:	Settled in mediation on 4/4/16 for an undisclosed amount.

Case:	Donna Potwin, Executrix of the Estate of George Lester v. Charlotte Hungerford Hospital; Superior Court, Judicial District of Litchfield; Litchfield, CT; Case No.: LLI-CV1-0-6003073-S				Seq. No. 328
Attorney:	William M. O'Donnell, III Carmody & Torrance, L.L.P. 50 Leavenworth Street Waterbury, CT 06702-2112				203-575-2633
Equipment:	Gyro-Tech/NABCO low energy swinging door.				
Description:	83 year old man, deceased, leaving medical facility struck by swinging door and broke hip.				
Deposition:		Trial:		Outcome:	Settled in September, 2014, for a confidential amount.

Gyro-Tech/Lanson/NABCO cases S Inactive

Case:	Jasmin Vega v. Tri-State Automatic Door, LLC, Harmon Meadow Plaza, Inc., HMGL, LLC, Harmon Meadow Properties, LLC, ESA P Portfolio, LLC, <i>et al.</i> ; Superior Court of New Jersey, Law Division; Hudson County; Docket No.: HUD-L-2642-15				Seq. No. 329
Attorney:	John M. Burke Koles, Burke & Bustillo, L.L.P. 2600 John F. Kennedy Boulevard, Apt. 1K Jersey City, NJ 07306-6037				201-200-0300
Equipment:	NABCO Entrances, Inc., GT 1175-16L single telescopic sliding door with dual Optex i-one sensors and dual hold open beams.				
Description:	Woman struck and injured by door when it closed upon her.				
Deposition:		Trial:		Outcome:	Settled for \$236,000 in May of 2017.

Case:	Darlene Massa v. Michaels Stores, Inc., and NABCO Entrances, Inc.; U.S. District Court Central Illinois District; Case No. 3:2013cv03297				Seq. No. 330
Attorney:	Daniel E. Kepner Kepner and Reiser 1028 South Grand Avenue, West Springfield, IL 62704-3551				217-546-0218
Equipment:	NABCO dual panel swinging door.				
Description:	Woman in 80's using cane struck and injured by subject door.				
Deposition:		Trial:		Outcome:	Settled in mediation. Date and amount not known.

Case:	Donaletta Lisenby Kouns v. Randalls Food Markets, Inc., <i>et al.</i> Cause No. CC-04-01402-C				Seq. No. 331
Attorney:	Garnett E. Hendrix, Jr. 211 N. Record Street, Suite 400 LB-28 Dallas, TX 75202-3349				214-761-5641
Equipment:	Gyro-Tech sliding door using BEA sensors.				
Description:	91 year old woman struck by inner door of vestibule.				
Deposition:	11/15/05	Trial:		Outcome:	Unknown

Case:	Joan M. Ross and Donald R. Ross vs. NABCO Entrances, Inc., <i>et al.</i> vs. BEA, Inc.; Court of Common Pleas of Westmoreland County; Pennsylvania; Civil Division No. 9560 of 2004				Seq. No. 332
Attorney:	Dwayne E. Ross Reeves and Ross 438 Depot Street Latrobe, PA 15650-1567				724-539-1733
Equipment:	Gyro Tech, Inc., GT1100 W.S. bi-parting sliding door.				
Description:	Woman injured while exiting from store.				
Deposition:		Trial:		Outcome:	Unknown

Gyro-Tech/Lanson/NABCO cases S Inactive

Case:	Donna and Edmund Krzeminski v. County of Wayne and The Stanley Works, Civil Action No. 98-822994-NO				Seq. No. 333
Attorney:	Charles W. Palmer 20500 Eureka Road, Suite 313 Taylor, MI 48180-6395				734-284-5550
Equipment:	Gyro Tech, Inc. swinging door maintained by Stanley.				
Description:	Plaintiff's shoulder injured with torn rotator cuff, July, 1995.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Josephine Krutul v. Menard, Inc.; Ross T. Baiza; Horton Automatics, A Division of Overhead Door Corporation; NABCO Entrances, Inc.; Optex, Inc.; and Preferred Window and Door, Inc.; In the Lake Superior Court Sitting at Crown Point, Indiana; State of Indiana, County of Lake; Cause No. 45D10-1703-CT-00060.				Seq. No. 334
Attorney:	Jeffrey S. Wrage Blachly, Tabor, Bozik & Hartman, LLC 56 S. Washington Street, Ste. 401 Valparaiso, IN 46388-7500				800-921-2824
Equipment:	Gyro-Tech (NABCO) bi-parting sliding door. Optex i-sensors™ and dual open beams.				
Description:	Woman stuck and injured while exiting through door.				
Deposition:		Trial:		Outcome:	Settled. Date and amount unknown.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases S Active

Case:	Estate of Lillian Woodward and Phyllis L. Crowe v. BJs Wholesale Club, Inc.				Seq. No. 335
Attorney:	F. Dore' Hunter Flanagan & Hunter, P.C. 64 Broad Street, Suite 200 Boston, MA 02109-4346				617-482-3366
Equipment:	Dor-O-Matic Astro-Slide bi-parting sliding door actuated by microwave motion sensors and dual hold open beams.				
Description:	Plaintiff struck by prematurely closing door while exiting from BJs on December 20, 1997. See also Elsie Wolf case on page 50.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Edith Peselnick vs. Fry's Food & Drug Stores				Seq. No. 336
Attorney:	C. Kevin Dykstra Bonnett, Fairbourn, Friedman & Balint, P.C. 2901 N. Central Avenue, Suite 1000 Phoenix, AZ 85012-2730				602-274-1100
Equipment:	Dor-O-Matic telescoping bi-parting sliding door with Stanley Stan-Guard™ presence sensor, microwave motion sensors, and dual hold open beams.				
Description:	92 year old woman knocked down and injured while attempting to exit from Fry's store.				
Deposition:		Trial:		Outcome:	

Case:	Salzberg v. Costco, <i>et al.</i> Docket No.: MID-L-4229-03				Seq. No. 337
Attorney:	Harold J. Gerr 47 Raritan Avenue, 2nd Floor Highland Park, NJ 08904-2452				732-249-4600
Equipment:	Horton bi-parting sliding door with K-band microwave motion sensors and dual hold open beams.				
Description:	56 year old woman struck by door while entering Costco.				
Deposition:		Trial:		Outcome:	

Case:	Barbara Hartigan v. Hospital Center Medical Pavilion Condominium Association, <i>et al.</i> ; Circuit Court for Fairfax County, VA; At Law No. CL2007-13119				Seq. No. 338
Attorney:	Robert C. Adams Odin, Feldman & Pittleman, P.C. 9302 Lee Highway, Suite 1100 Fairfax, VA 22031-1214				703-218-2146
Equipment:	Dor-O-Matic automatic bi-parting sliding door.				
Description:	75 year old woman struck by door and knocked down while exiting from building through the exterior door of two at a vestibule. Broke her hip, and incurred other injuries.				
Deposition:		Trial:		Outcome:	

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases S Active

Case:	Nancy Smithson vs. No Frills Supermarkets, Inc.; District Court, Pottawattamie County, IA; Case No. 04781 LACV 098292			Seq. No. 339
Attorney:	Ryan M. Sewell Stuart Tinley Law Firm, L.L.P. 310 West Kanesville Boulevard, 2nd Floor P. O. Box 398 Council Bluffs, IA 51502-0398			712-322-4033
Equipment:	Dor-O-Matic/LCN Closers, Inc., bi-parting sliding door.			
Description:	37 year old woman who had had stroke struck, knocked down and injured while standing in door closing path.			
Deposition:		Trial:		Outcome:

Case:	Tina Tritto vs. Ingersoll-Rand Company; Suffolk Superior Court; Case No. 09-4170			Seq. No. 340
Attorney:	Jonathan A. Karon Karon & Dalimonte, LLP 85 Devonshire Street, Suite 1000 Boston, MA 02109-3572			617-367-3311
Equipment:	Dor-O-Matic/Ingersoll-Rand/LCN Closers, Inc., low-energy single panel swing door.			
Description:	Woman struck by door as the door closed on her when she was entering.			
Deposition:		Trial:		Outcome:

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases S Inactive

Case:	Valda Levesque v. Shaw's Supermarket, Inc., <i>et al.</i>				Seq. No. 341
Attorney:	John E. Sedgewick BERMAN & SIMMONS, P.A. 129 Lisbon Street, P.O. Box 961 Lewiston, ME 04243-0961				207-784-3576
Equipment:	Dor-O-Matic swinging door with infrared presence detector.				
Description:	Woman struck by premature closing of swinging door while on swing side of door.				
Deposition:		Trial:		Outcome:	

Case:	Claus vs. Memorial Medical Center, <i>et al.</i>				Seq. No. 342
Attorney:	James O. Wilson, Jr. WALDROP & WILSON 329 Lawrence Street P. O. Box 667 Marietta, GA 30061-2056				770-427-2476
Equipment:	Dor-O-Matic biparting sliding door with microwave motion sensors and dual hold open beams.				
Description:	Woman struck by premature closing of sliding door while leaving rehabilitation center.				
Deposition:	5/14/99	Trial:		Outcome:	Case settled in favor of the plaintiff with a confidentiality agreement on or about July 1, 1999.

Case:	Whiting/Kuhlthau vs. Fred Meyers Stores, Inc., Dor-O-Matic, <i>et al.</i>				Seq. No. 343
Attorney:	Stuart Goldstein Stuart Goldstein Law Firm 2700 North 3rd Street, Suite 2010 Phoenix, AZ 85004-4602				602-279-1666
Equipment:	Dor-O-Matic Astro-Slide® bi-parting sliding door actuated by microwave motion sensors and Look-See® IR presence sensor.				
Description:	86 year old woman struck by prematurely closing door while exiting from supermarket. Woman died of her injuries.				
Deposition:		Trial:		Outcome:	Case settled on 8/1/03.

Case:	Frances Mulhall v. Gordon Food, <i>et al.</i> Circuit Court, Cook County, IL; Case No. 02 L 005435				Seq. No. 344
Attorney:	David J. Heyer Law Office of David J. Heyer, Ltd. 212 West Washington, Suite 908 Chicago, IL 60606-3426				312-372-4950
Equipment:	Dor-O-Matic bi-parting sliding door				
Description:	Elderly woman stuck and injured (hairline hip fracture) by bi-parting sliding door.				
Deposition:	1/22/04	Trial:		Outcome:	Settled on 1/22/04 for \$75,000 to Plaintiff.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases S Inactive

Case:	Stevie v. Southern Ohio Door Control, <i>et al.</i> U.S. District Court for the Eastern Division of Kentucky; Case No. 2001-216-WOB				Seq. No. 345
Attorney:	William B. Strubbe Suite 1925 Kroger Building 1014 Vine Street Cincinnati, OH 45202-1141				513-621-4775
Equipment:	Dor-O-Matic low energy power operated swinging door.				
Description:	Man fractured hip after being struck and knocked down by prematurely closing door.				
Deposition:	9/23/04	Trial:		Outcome:	Settled on, or about, January 26, 2005.

Case:	Claudia Gonzalez vs. Staples vs. United Door Service Civil Action No. B-03-125				Seq. No. 346
Attorney:	Ron Armstrong R. W. Armstrong & Associates 2600 Old Alice Road, Suite A Brownsville, TX 78521-1456				956-546-5556
Equipment:	Dor-O-Matic bi-parting sliding door with BEA, Inc., Eagle microwave motion sensor and dual hold open beams				
Description:	Plaintiff injured while exiting from the store.				
Deposition:		Trial:		Outcome:	Settled on, or about, 10/10/05 for approx. \$95,000.

Case:	Traci Anselm vs. Botsford Center for Rehabilitation and Health Circuit Court for Wayne County, State of Michigan; Case No. 04-420544 NO				Seq. No. 347
Attorney:	Brian A. Kutinsky Mindell, Malin & Kutinsky 25505 West Twelve Mile Road, Suite 1000 Southfield, MI 48034-1811				248-353-5595
Equipment:	Dor-O-Matic single panel low energy power operated swinging door.				
Description:	Woman with cane struck by door as she was entering building.				
Deposition:		Trial:		Outcome:	Settled in October, 2005, for \$100,000.

Case:	Merriott v. Supermarket Investors, Inc., Crain Enterprises, Inc., and Dor-O-Matic Garland County Circuit No.: CV-05-520 Div III				Seq. No. 348
Attorney:	Donald C. Pullen Lane, Muse, Arman & Pullen 201 Market Street Hot Springs, AR 71901-4029				501-623-3356
Equipment:	Dor-O-Matic biparting sliding door with hold open beams.				
Description:	82 year old woman using a walker knocked down and injured while attempting to exit from store.				
Deposition:		Trial:		Outcome:	Settled on March 7, 2006, for a confidential amount.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases S Inactive

Case:	Aloysius and Antoinette Staal v. Munson Healthcare, Inc. State of Michigan, Circuit Court for County of Grand Traverse; Case No. 03-23343-NO				Seq. No. 349
Attorney:	Daniel P. O'Neil Thompson, O'Neil & Vanderveen 309 East Front Street Traverse City, MI 49684-2554				231-929-9700
Equipment:	Dor-O-Matic swinging door with Super-Nova™ surface mounted IR presence sensors.				
Description:					
Deposition:		Trial:		Outcome:	Settled in March, 2005.

Case:	Jack and Fran Marku vs. LNT West d/b/a Linens 'n Things District Court, Clark County, Nevada; Case No.: A482218; Dept. No.: IX				Seq. No. 350
Attorney:	Nadia von Magdenko Barron, Vivone & Pruitt, L.L.P. 1404 South Jones Boulevard Las Vegas, NV 89146-1231				702-870-3940
Equipment:	Dor-O-Matic Astro-Slide® biparting automatic sliding door with hold open beams and Look-See® presence sensor.				
Description:	Woman struck and seriously injured while entering store through inner door of vestibule.				
Deposition:	2/16/06 7/14/06 7/24/06	Trial:	8/17/06	Outcome:	Jury found for the Plaintiff. Award confidential.

Case:	Elizabeth M. Nelson, Admx. of The Estate of Rita Heaslip vs. Circuit City, Inc. Superior Court of the Commonwealth of Massachusetts; Suffolk County; Civil Action No. 05-0056F				Seq. No. 351
Attorney:	Dante G. Mummolo Iannella and Mummolo 55 Court Street, Suite 510 Boston, MA 02108-2104				617-742-1388
Equipment:	Dor-O-Matic Astro-Slide® biparting automatic sliding door.				
Description:	Woman using a walker struck and seriously injured while exiting store.				
Deposition:		Trial:		Outcome:	Settled on May 6, 2008, for a confidential amount.

Case:	Roberta Fine vs. Pedriana Gustafson, Inc., LCN Closers, and Rock Valley Glass of Rockford, Inc.; State of Illinois, Circuit Court of the 17th Judicial Circuit; Winnebago County, Illinois; No. 09 L 41				Seq. No. 352
Attorney:	Jan H. Ohlander Reno & Zahm 2902 McFarland Road, Suite 400 Rockford, IL 61107-6801				815-987-4050
Equipment:	Dor-O-Matic/LCN Closers swinging door.				
Description:	Elderly woman struck when exterior swinging door closed upon her as she attempted to exit from clinic.				
Deposition:		Trial:		Outcome:	Settled on, or about, May 7, 2010.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases S Inactive

Case:	The Estate of Mabel Lillian Cowle, deceased, vs. The Kroger Company d/b/a Kroger Food Stores, Crain Enterprises, Inc., d/b/a Mid-South Automatic Door and John Does 1-5 U.S. District Court, Western District of Arkansas, Hot Springs Division; Case No. CV 09-6040				Seq. No. 353
Attorney:	Michael A. Crockett Crockett Personal Injury Law Firm 320 Executive Court, Suite 302 West Little Rock, AR 72205-4545				501-375-1919
Equipment:	Dor-O-Matic bi-parting sliding door with Astro-Scan® motion sensors, Look-See I® through door overhead presence sensor and dual hold open beams.				
Description:	98 year old woman using quad cane struck by door, broke hip and died within 12 hours.				
Deposition:	3/5/10	Trial:	3/25/10	Outcome:	\$75,000 to plaintiff as per high/low agreement.

Case:	Ann Booth vs. Safeway, Inc., and Shane McCarthy; In The United States District Court for the District of Montana, Butte Division; Cause No. CV-09-77-BU-RFC				Seq. No. 354
Attorney:	William P. Joyce Joyce, Johnston & MacDonald, PLLP 321 West Galena Street, Suite B Butte, MT 59701-1603				406-723-8700
Equipment:	Dor-O-Matic/LCN Closers, Inc., bi-parting sliding door with BEA, Inc, Eagle™ microwave motion sensors and dual hold open beams.				
Description:	92 year old woman using a walker struck and injured by door while exiting through exterior door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 4/28/10 for a confidential amount.

Case:	Richard E. Clawson, individually and as Executor of the Estate of Deborah A. Clawson, deceased v. Mountaineer Park, Inc., MTR Gaming Group, Inc., and Trinity Door Systems, Inc.; Circuit Court of Hancock County, West Virginia; Civil Action No. 11-C-108				Seq. No. 355
Attorney:	Louis H. Khourey Gold, Khourey & Turak, L.L.C. 510 Tomlinson Avenue Moundsville, WV 26041-1946				304-845-9755
Equipment:	Dor-O-Matic dual panel power assist swinging door with BEA, Inc., Superscan™ sensors.				
Description:	Alternate panel opened into and knocked down woman using quad cane. Died subsequently of complications.				
Deposition:	3/25/13	Trial:		Outcome:	Settled on 11/12/13 for a confidential amount.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases S Inactive

Case:	Michael McAllister vs. BJ's Wholesale Club, Inc., Direct Door, Inc., and Ingersoll-Rand Company d/b/a Dor-O-Matic; Circuit Court of the Fifteenth Judicial Circuit in and for Palm Beach County, Florida; Civil Jurisdiction Division; Case No. 13-4995 (AO)				Seq. No. 356
Attorney:	Darryn L. Silverstein Silverstein, Silverstein and Silverstein, P.A. 20801 Biscayne Boulevard, Suite 504 Aventura, FL 33180-1400				305-935-2500
Equipment:	Dor-O-Matic bi-parting sliding door with BEA, Inc., Eagle™ motion sensors and BEA, Inc., Crystal™ presence sensors, and dual BEA, Inc., MicroCell™ hold open beams.				
Description:	Man struck by door while entering through exterior door.				
Deposition:	12/18/18	Trial:		Outcome:	Defense verdict. Date of trial unknown.

Case:	Fay Harbison v. ALDI, Inc.; U.S. District Court for the Western District of Oklahoma; Case No: CJ-2013-3349				Seq. No. 357
Attorney:	D. G. Majors Bailey, Crowe, Kugler & Arnold, LLP 901 Main Street, Suite 6550 Dallas, TX 75202-3711				214-231-0555
Equipment:	Dor-O-Matic single panel sliding door with Optex OA-202C sensors.				
Description:	85 year old woman struck by door as she attempted to enter building, knocked down and broke hip.				
Deposition:		Trial:		Outcome:	Settled on, or about, August 8, 2014, for an undisclosed amount.

Case:	Dorothy Farewell vs. Kmart Corporation, NT Dor-O-Matic, Inc., and Automatic Entrances, Inc.; District Court, Lancaster County, Nebraska; Case No. C101-1281				Seq. No. 358
Attorney:	Edward F. Hoffman Cada & Associates 1024 K Street Lincoln, NE 68508-2851				402-477-2233
Equipment:	Dor-O-Matic Astro-Slide® single panel sliding door with Astro-Scan® motion sensors and dual hold open beams.				
Description:	Door closed prematurely on woman using a walker as she exited Kmart store.				
Deposition:		Trial:		Outcome:	Settled in, or about, 2007 for an unknown amount.

Case:	Lemma Louise Barton v. SAKS, Incorporated, d/b/a Parisian, <i>et al.</i> Knox County Circuit Court No. 1-205-03				Seq. No. 359
Attorney:	Mark E. Floyd Pryor, Flynn, Priest & Harber Two Centre Square, Suite 600 625 Gay Street Knoxville, TN 37902-1604				865-522-4191
Equipment:	Dor-O-Matic Astroslide bi-parting slider with hold open beams.				
Description:	85 year old woman struck and injured while entering Parisian department store.				
Deposition:		Trial:		Outcome:	Unknown.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases S Inactive

Case:	Rebecca Gonzales v. Automatic Access Inc., and Sears, Roebuck and Co., L.L.C.; District Court, City and County of Denver, Colorado; Case No.: 2015CV31115			Seq. No. 360
Attorney:	Melissa J. Winthers Fleishman & Shapiro, P.C. 2000 S. Colorado Boulevard Tower ONE, Suite 9000 Denver, CO 80222-7923			303-861-1000
Equipment:	Dor-O-Matic Astro Swing.			
Description:	Inward swinging door panel opened outward and then closed upon woman as she was attempting to enter the store.			
Deposition:		Trial:	Outcome:	Settled on February 25, 2016, for \$117,000.

Case:	Marjorie Attardo vs. Shaw's Supermarkets, Inc., and Curtin Enterprises; Commonwealth of Massachusetts, Norfolk Superior Court, Civil Action No. 1982CV00884			Seq. No. 361
Attorney:	Joseph T. Desmond Law Office of Joseph T. Desmond 350 Lincoln Street, Suite 2400 Hingham, MA 02043-1579			781-783-6494
Equipment:	Dor-O-Matic Asto-Swing™ single panel swinging door with BEA, Inc., Eagle™ motion sensor, BEA, Inc., Bodyguard™ presence sensor, and BEA, Inc., Microcell™ hold open beam.			
Description:	Woman exiting fell as door failed to open and then opened suddenly.			
Deposition:		Trial:	Outcome:	Settled on 10/7/21 for \$120,000.

Case:	Elizabeth Tucker and Ronald Tucker vs. Catholic Health Initiatives - Iowa Corp. d/b/a Mercy Medical Center and Control Installations of Iowa, Inc., d/b/a Automatic Door Group; Iowa District Court for Polk County; Case No. LAACL137006			Seq. No. 362
Attorney:	Timm W. Reid Reid Law Firm 300 Walnut Street, Suite 5 Des Moines, IA 50309-2233			515-381-9842
Equipment:	Dor-O-Matic pocketed bi-parting sliding door, Model 70598-900, S/N 002209, with two Astro-Scan™ microwave motion sensors, a single Look-See™ II overhead presence sensor, and dual hold open beams.			
Description:	Woman in early 70's struck and injured by interior sliding door while attempting to enter into lobby of bldg.			
Deposition:		Trial:	Outcome:	Settled in mediation on 4/24/18.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases S Inactive

Case:	Estate of Harold Howard vs. New Albertson's, Inc., Superior for the Sate of Washington; Court, Spokane County, State of Washington; Case No.: 11-02-01482-1				Seq. No. 363
Attorney:	Ryan McNeice McNeice Wheeler, P.L.L.C. 11404 East Sprague Avenue Spokane Valley, WA 99206-7201				509-928-4141
Equipment:	Dor-O-Matic bi-parting sliding door with motion sensors, Look-See™ presence sensors and hold open beams.				
Description:	90 year old man struck and knocked down by exterior sliding door as he attempted to enter store. Subsequently died.				
Deposition:	5/16/12 5/2/13	Trial:		Outcome:	Unknown

Case:	Mary Jane Postizzi vs. Accuracy Glass & Mirror, Co., Inc., <i>et al.</i> District Court of Clark County, Nevada; Case No. A442195				Seq. No. 364
Attorney:	Justin M. Clouser Edward M. Bernstein & Associates 500 South Fourth Street Las Vegas, NV 89101-6599				702-384-4000
Equipment:	Dor-O-Matic series 9600 bi-parting sliding door				
Description:	Woman stuck and injured by bi-parting sliding door.				
Deposition:	7/14/04	Trial:		Outcome:	Unknown

Case:	Theresa M. Ghiloni v. HealthSouth Corporation and New England Rehabilitation Hospital, Inc.; Middlesex County, Commonwealth of Massachusetts, Superior Court; Case No.: 06-3505				Seq. No. 365
Attorney:	Theresa A. Welch Robert K. Rainer, P.C. 60 VFW Parkway Revere, MA 02151-2557				781-656-0351
Equipment:	Dor-O-Matic single slider using hold open beams and microwave motion sensor.				
Description:	Woman using walker struck and injured while exiting through door.				
Deposition:		Trial:		Outcome:	Unknown

Keane Monroe/KM Systems, Inc./Record USA, Inc., cases S Inactive

Case:	Roseann and Timothy Bartzer v. Keane Monroe <i>et al.</i> , Court of Common Pleas, Montgomery County, PA, Civil Division, Case Nos: 91-20964 and 92-21388.				Seq. No. 366
Attorney:	Stuart W. Kessler KESSLER & ASSOCIATES, P.C. 111 West Germantown Pike Plymouth Meeting, PA 19462-1450				610-834-1060
Equipment:	Keane Monroe sliding door actuated by a single hold open beam and a C&K microwave motion sensor on each side of door at time of accident.				
Description:	Young woman's shoulder pinned between sliding door panels. She subsequently suffered severed nerves in left brachial plexus during surgery resulting from injuries sustained in attempting to extricate herself from the door.				
Deposition:		Trial:		Outcome:	Settled on October 21, 1997, for \$800,000 on the eve of trial.

Case:	Patricia Inman, Plaintiff vs. Fred's Stores of Tennessee, Inc., Defendant vs. Record-USA, Inc., Commercial Solutions, Inc., formerly known as Glass America, Automated Doors & Access, Inc., and Westmoreland Glass Co.; Circuit Court of Prentiss County, Mississippi; Case No.: CV-2014-000173JR				Seq. No. 367
Attorney:	William W. Smith 311 West College Street P. O. Box 961 Booneville, MS 38829-0961				662-728-1228
Equipment:	Record-USA 4500 series bi-folding door utilizing Optex Reaction Two motion sensors, an Optex OA-601 presence sensor and dual Cedes ELS-269 H.O. beams.				
Description:	Door closed on woman entering store.				
Deposition:		Trial:		Outcome:	Settled on, or about, 3/28/18.

Case:	Normie Bourgeois vs. Fred's Inc., Fred's Stores of Tennessee, Inc., Record USA, Inc., Travelers Property Casualty Company of America, Door Control Services, Inc., and Companion Property and Casualty Insurance Company; 23rd Judicial District Court, Parish of Ascension, Louisiana; Case No.: 108,635				Seq. No. 368
Attorney:	Stephanie E. Robin Thompson, d'Entremont & Robin, LLC 2161 Quail Run Drive, Suite A Baton Rouge, Louisiana 70808-4292				225-766-5001
Equipment:	Record-USA R4500 bi-folding door with Optex OA-601C presence sensor, dual H.O. beams, and Optex Reaction™ Two motion sensors.				
Description:	Woman using cane (in right hand) struck and injured while attempting to enter through the subject door.				
Deposition:	4/23/18	Trial:		Outcome:	Settled in mediation on 12/19/18.

Keane Monroe/KM Systems, Inc./Record USA, Inc., cases S Inactive

Case:	Bettie E. Bibb vs. Ragland Bros. Retail Cos., Inc., Universal Door Systems, Inc., and KM Systems, Inc.; In the Circuit Court of Dekalb County, Alabama; Case No.: CV 2013-900024.00				Seq. No. 369
Attorney:	J. Allen Schreiber Burke Harvey, L.L.C. 3535 Grandview Parkway, Ste. 100 Birmingham, AL 35243-1931				205-930-9091
Equipment:	KM Systems, Inc., bi-parting sliding door.				
Description:	72 year old woman entering using quad cane struck and knocked down by door as it closed.				
Deposition:	7/29/16	Trial:		Outcome:	Unknown

Case:	Dennis Macquilken vs. KM Systems, Inc., <i>et al.</i>				Seq. No. 370
Attorney:	Mark Bongiovanni Leary, Bride, Tinker & Moran 7 Ridgedale Avenue Cedar Knolls, NJ 07927-1120				973-539-2090
Equipment:	KM Systems, Inc., swinging door.				
Description:	Person struck while exiting from A&P Food Store.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Jay Schnitzer, DPM, and Rochelle Schnitzer, h/w, v. Trinity Health and Record-USA, Inc.; U.S. District Court, Eastern District of Pennsylvania; No. 18-2289				Seq. No. 371
Attorney:	Brad S. Tabakin Tabakin Wolfe, L.L.P. Plymouth Greene Office Complex 1000 Germantown Pike, B-3 Plymouth Meeting, PA 19462-2480				215-525-1616
Equipment:	Record USA low energy swinging door.				
Description:	Man exiting through interior door of vestibule at assisted living facility struck on leg and knocked down and injured.				
Deposition:		Trial:		Outcome:	Settled for a confidential amount. Date unknown.

Case:	Mary Ernst and Irven Ernst vs. The United States Postal Service U.S. District Court; Middle District of Florida S Ocala Division; Case No. 5:03CV52-OC-10GRJ				Seq. No. 372
Attorney:	Victor J. & Kelly H. Musleh P. O. Box 1866 Ocala, FL 34478-1866				352-732-0600
Equipment:	Bi-parting sliding door using Microwave Sensors, Inc., X-band microwave motion sensors and dual hold open beams.				
Description:	Elderly woman struck by sliding door, knocked down and broke hip while attempting to enter post office.				
Deposition:	6/25/04	Trial:		Outcome:	Settled for an unknown amount.

Keane Monroe/KM Systems, Inc./Record USA, Inc., cases S Inactive

Case:	Mary and Joseph Luketich v. Menard, Inc.; Genesee County Circuit Court; Genesee County, Michigan; Case # 2018-110973-NO	Seq. No. 373
Attorney:	George R. Hamo Hamo Law Firm 614 S. Grand Traverse Street Flint, MI 48502-1209	810-234-3667
Equipment:	Record-USA bi-parting sliding door.	
Description:	Elderly woman struck, knocked down and injured by door.	
Deposition:	Trial:	Outcome: Settled on 4/20/21 for \$240,000.

Case:	Shirley Meymaris v. Smithfield Market of Yarmouth Port, LLC., <i>et al.</i> , Commonwealth of Massachusetts, Barnstable County Superior Court, Case No.: 1972-CV-00485	Seq. No. 374
Attorney:	Deawn C. Takahishi O'Connor & Associates, LLC 325 Boston Post Road, Unit 1 Sudbury, MA 01776-3021	978-443-3510
Equipment:	Record-USA 5100 Series bi-parting sliding doors with BEA, Inc., IXIO™ sensors (interior and exterior) and dual hold open beams.	
Description:	89 year old woman struck, knocked down injured while attempting to enter through door. Head injury and broken left wrist.	
Deposition:	Trial:	Outcome: Settled for a confidential amount in January, 2022.

Boon Edam, Inc. cases S Inactive

Case:	Setta Masse vs. Flamingo Hilton Hotel and Casino District Court, Clark County, Nevada; Case No.: A436590; Dept. No.: IV				Seq. No. 375
Attorney:	Daniel E. Carvalho Pico & Mitchell, Ltd. 2000 South Eastern Avenue Las Vegas, NV 89104-4100				702-457-9099
Equipment:	Tournex Diamondhead Model 202 16 foot diameter revolving door.				
Description:	Woman struck from behind by revolving door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 3/26/02

Case:	Nancy Charleston v. St. John Macomb Hospital, <i>et al.</i> Circuit Court, County of Macomb, Michigan; Case No. 01 5287 NO				Seq. No. 376
Attorney:	Leslie H. Kutinsky Leslie H. Kutinsky, P.C. 201 West 13 Mile Road Madison Heights, MI 48071-1803				248-588-7272
Equipment:	Boon Edam <i>Doutour</i> TM revolving door with handicapped button.				
Description:	84 year old woman struck and broke hip.				
Deposition:	1/20/03 3/13/03	Trial:	7/30/03	Outcome:	Jury awarded \$450,000 to Plaintiff. Found defective sensor design.

Case:	Carolyn and Gerald LaForest vs. St. John Macomb Hospital, The Stanley Works, Boon Edam, Inc., and Detroit Door and Hardware Co.; Circuit Court of Macomb County, Michigan; Case No. 05-761-NH				Seq. No. 377
Attorney:	Brian J. Bourbeau Denardis McCandless & Miller, PC 70 Macomb Place, Suite 200 Mount Clemens, MI 48043-5626				
Equipment:	Boon Edam <i>Doutour</i> TM revolving door with handicapped button.				
Description:	Revolving door closed on Plaintiff's foot/ankle, causing her to fall, as she attempted to enter the hospital.				
Deposition:	9/20/06	Trial:	12/14/06	Outcome:	Judgment for defendant.

Case:	Gerard M. Lehrer vs. Marriott International, Inc. Superior Court, Commonwealth of Massachusetts; C.A. No. 03-2587.				Seq. No. 378
Attorney:	W. Thomas Smith Sugarman and Sugarman, P.C. 1 Beacon Street, Floor 13 Boston, MA 02108-3107				617-542-1000
Equipment:	Boon Edam 16' <i>Doutour</i> TM revolving door with BEA Focus TM and BEA Superscan TM sensors				
Description:	Older man knocked down by revolving door, breaking his hip.				
Deposition:		Trial:		Outcome:	Settled on, or about, 8/8/07 for a confidential amount.

Boon Edam, Inc. cases S Inactive

Case:	Evelyn Saunders and Glenn Saunders v. Boon Edam, Inc., <i>et al.</i> ; Commonwealth of Kentucky, Boyd Circuit Court, Civil Action No. 04-CI-00774, Division I				Seq. No. 379
Attorney:	Wendell S. Roberts Gray, Woods & Cooper 510 16th Street P. O. Box 70 Ashland, KY 41105-0070				606-329-2121
Equipment:	Boon Edam "TQA" three-wing revolving door with BEA, Inc., Focus™ and SuperScan™ sensors.				
Description:	74 year old woman struck and injured by revolving door while entering hospital.				
Deposition:	5/26/06	Trial:	1/5/07 Daubert 2/13/08	Outcome:	Jury awarded \$600,000 plus \$30,000 medicals. Upheld on appeal 10/15/10.

Case:	Simon Osher v. Victoria Partners d/b/a Monte Carlo Resort & Casino, <i>et al.</i> Nevada Eighth Judicial District Court; Clark County, Case No. A536739				Seq. No. 380
Attorney:	Steven L. Day Cohen, Johnson & Day 1060 Wigwam Parkway Henderson, NV 89074-8175				702-309-3333
Equipment:	Boon Edam TQA™ three-wing revolving door.				
Description:	90 year old man, not using a walker or cane, struck by leading edge of revolving door as he was about to exit from the door.				
Deposition:	3/6/08	Trial:		Outcome:	Settled on or about 4/3/08 for a confidential amount.

Case:	Syd Zoss v. The Cleveland Clinic Foundation, <i>et al.</i> Court of Common Pleas, Cuyahoga County, OH; Case No. CV-06-582011				Seq. No. 381
Attorney:	Stuart A. Strasfeld Daniel P. Dascenzo Roth, Blair, Roberts, Strasfeld & Lodge 100 Federal Plaza East, Suite 600 Youngstown, OH 44503-1893				330-744-5211
Equipment:	Boon Edam "Tournex" Model 22-01 4-wing 14' revolving door.				
Description:	Woman struck and injured as she was about to exit from the sweep of the door				
Deposition:	7/24/07	Trial:		Outcome:	Settled in mediation in January, 2008, for \$105,000.

Case:	Ruth D. Tromp vs. Boon Edam Tomsed, Inc., <i>et al.</i> ; Circuit Court of the State of Oregon Deschutes County; Case No. 07CV0215AB				Seq. No. 382
Attorney:	Paul B. Heatherman Paul Heatherman, PC 250 N.W. Franklin Avenue, Suite 402 Bend, OR 97701-2814				541-389-1010
Equipment:	Boon Edam 14' <i>Doutour</i> ™ revolving door.				
Description:	Woman using walker struck while exiting from clinic.				
Deposition:		Trial:		Outcome:	Settled on 5/14/10 for a confidential amount.

Boon Edam, Inc. cases S Inactive

Case:	Estate of Margaret Robert, deceased, vs. Boon Edam, Inc., <i>et al.</i> District Court, Clark County, Nevada; Case No.: A445446; Dept. No.: II				Seq. No. 383
Attorney:	Lawrence J. Smith Benson Bertoldo Baker & Carter, Chtd. 7408 West Sahara Avenue Las Vegas, NV 89117-2740				702-228-2600
Equipment:	Boon Edam revolving door.				
Description:	Woman struck and injured while attempting to enter the Flamingo Hilton Hotel, Las Vegas, NV, through subject revolving door.				
Deposition:		Trial:		Outcome:	Resolved. Details unknown.

Case:	Marjorie Blackwell and Roy Blackwell vs. Mercy Health Springfield Communities and Third Party Defendant Boon Edam, Inc.; Circuit Court of Greene County, Missouri, Case No.: 1231-CV01309				Seq. No. 384
Attorney:	Chandler Gregg Strong-Garner-Bauer, P.C. 415 East Chestnut Expressway Springfield, MO 65802-3707				417-887-4300
Equipment:	Boon-Edam <i>Duotour™</i> revolving door.				
Description:	85 year old woman struck by revolving door while exiting from hospital.				
Deposition:		Trial:		Outcome:	Settled on, or about, 9/3/13 for a confidential amount.

Case:	Hyacinth Dobbs vs. Jordan's Furniture, Inc., Boon Edam, Inc., and Dorma-Carolina Door Controls, Inc.; Commonwealth of Massachusetts, Middlesex Superior Court; Civil No.: 13-3219				Seq. No. 385
Attorney:	Michael S. Lalikos Schneider & Lalikos, LLP 8 Essex Center Drive, Suite 11 Peabody, MA 01960-2911				978-532-5200
	Boon Edam <i>Tournex™</i> 3-wing 16' diameter revolving door with core.				
Description:	90 year old woman using walker struck by unprotected leading edge while attempting to enter building.				
Deposition:		Trial:		Outcome:	Settled on 8/27/14 for \$125,000 to plaintiff.

Case:	Joan Burnham and Keith Burnham vs. University of Utah d/b/a University Health Care and State of Utah; Third Judicial District Court; Salt Lake County, Utah; Civil No. 120902990				Seq. No. 386
Attorney:	Philip S. Lott Utah Attorney General's Office, Litigation Division 160 East 300 South, 6th Floor P. O. Box 140856 Salt Lake City, UT 84114-0856				801-366-0100
Equipment:	14' diameter Boon Edam <i>Doutour™</i> revolving door.				
Description:	81 year old woman struck and injured by the door while entering the hospital.				
Deposition:		Trial:		Outcome:	Settled on, or about, 9/2/14 for an undisclosed amount.

Boon Edam, Inc. cases S Inactive

Case:	Mary DeLisi vs. Greenwood Gaming and Entertainment, Inc., d/b/a Parx Casino, Boon Edam, and Stanley Access Technologies, Court of Common Pleas, Philadelphia County, Pennsylvania, November Term 2012, No. 002247			Seq. No. 387
Attorney:	Deborah S. Baird Eckert, Seamans, Cherin & Mellott, L.L.C. Two Liberty Place 50 South 16th Street, 22nd Floor Philadelphia, PA 19102-2523			215-851-8400
	Boon Edam <i>Doutour</i> TM 2-wing 14' diameter revolving door.			
Description:	Woman using walker struck by leading edge while entering building through interior throat opening.			
Deposition:		Trial:	Outcome:	Settled on 12/3/14 for a confidential amount.

Case:	Leon Fox			Seq. No. 388
Attorney:	Camille F. Sarrouf, Sr. Sarrouf, Tarricone & Flemming 95 Commercial Wharf Boston, MA 02110-3816			617-227-5800
Equipment:	Boon Edam 12' <i>Doutour</i> TM revolving door with BEA, Inc., "Eagle" microwave motion sensors.			
Description:	Man knocked down while exiting through revolving door at Boston-Newton Marriott Hotel.			
Deposition:		Trial:	Outcome:	Settled. Date and amount unknown.

Case:	Susan P., and Stephen C. Stickells, as Personal Representatives of the Estate of Henrietta Stickells v. Boon Edam, Inc., and CHSP Newton, LLC and Marriott Hotel Services, Inc., v. ASSA ABLOY Entrance Systems US, Inc.; U.S. District Court, District of Massachusetts; Civil Action No: 14-12272-LTS			Seq. No. 389
Attorney:	Dennis M. Bottone Bottone Reiling 63 Atlantic Avenue, Suite 3 Boston, MA 02110-3752			617-412-4291
	Boon Edam <i>Doutour</i> TM 14' diameter 2-wing revolving door with BEA, Inc., Eagle TM motion sensors.			
Description:	92 year old woman using walker struck and injured by revolving door at periphery while exiting. Died as a direct consequence.			
Deposition:		Trial:	Outcome:	Settled in mediation on 11/30/16, for \$400,000.

Case:	Joyce Menzo and Nick Menzo, Jr., v. William Beaumont Hospital; Circuit Court of Oakland County; State of Michigan; Case No.: 16-154870-NO			Seq. No. 390
Attorney:	Stuart A. Fraser, IV Fraser & Souweidane, P.C. 10 South Main Street, Suite 302 Mount Clemens, MI 48043-7909			586-463-0100
	Boon-Edam <i>Duotour</i> TM 14' diameter 2-wing revolving door.			
Description:	Woman struck and knocked down by leading edge while within the interior throat of the revolving door.			
Deposition:		Trial:	Outcome:	Settled in the week of 6/19/17 for a confidential amount.

Boon Edam, Inc. cases S Inactive

Case:	Elfrieda Dobrowa and Harold Dobrowa v. Sparrow Health Systems d/b/a/ Sparrow Hospital, State of Michigan, Circuit Court for the County of Ingham, Case No. 05-91-NO				Seq. No. 391
Attorney:	Brian A. Kutinsky Mindell, Malin & Kutinsky 25505 West Twelve Mile Road, Suite 1000 Southfield, MI 48034-1811				248-353-5595
Equipment:	Boon Edam 12' <i>Doutour</i> TM revolving door with handicapped button.				
Description:					
Deposition:		Trial:		Outcome:	Believed to have settled after 4/16/08.

Case:	Wayne and Shirley Gaines v. Boon Edam, Inc., and North Mississippi Medical Center, Inc., Union County Mississippi Circuit Court; Cause No. CV 2011-061				Seq. No. 392
Attorney:	Michael B. Gratz, Jr. Gratz & Gratz 213 North Green Street Tupelo, MS 38804-3828				662-844-5531
Equipment:	Boon Edam <i>Doutour</i> TM revolving door.				
Description:	80 year old man struck by door while exiting into lobby in the process of entering the hospital..				
Deposition:		Trial:		Outcome:	Unknown

Case:	Nancy S. Gutekunst, a Carl, Sr., Individually v. The Reading Hospital and Medical Center, Reading Health System, Boon Edam, Inc., Advanced Door Services, Inc., and Overhead Door Corporation; Court of Common Pleas, Berks County, State of Pennsylvania, Civil Division; Civil Action No.: 16-20150				
Attorney:	Derek R. Laysner Friedman, Schuman, Applebaum & Nemeroff, P.C. 101 Greenwood Avenue, 5th Floor Jenkintonwn, PA 19046-2636				215-635-7200
	Boon Edam <i>Doutour</i> TM 2-wing revolving door.				
Description:	Woman struck, knocked down and injured by leading edge of 2-wing revolving door. Wrongful death action.				
Deposition:		Trial:		Outcome:	Settled in 1/2018 for a confidential amount.

Case:	Arline Marin, as Parent and Legal Guardian of Harli Valentin, a minor, vs. Sea World of Florida, LLC; Circuit Court of the Ninth Judicial Circuit; Orange County, Florida; Case No. 2016-CA-000260-O.				Seq. No. 393
Attorney:	Alex J. Brown Morgan & Morgan 20 North Orange Avenue, 16th Floor P. O. Box 4979 Orlando, FL 32802-4979				407-420-1414
Equipment:	Boon-Edam 12' diameter TQA 3-wing revolving door.				
Description:	2 year old child struck, pushed along and injured within revolving door that did not stop rotating.				
Deposition:		Trial:		Outcome:	Settled in, or about, late December, 2020, for a confidential amount.

Boon Edam, Inc. cases S Inactive

Case:	Helen Lindsay DeMille, Personal Representative of the Estate of Patrick Lindsay, <i>et al.</i> vs. Boon Edam, Inc.; Stanley Access Technologies, LLC; Action Door Controls, Inc.; IHC Hospitals, Inc., d/b/a Utah Valley Regional Medical Center; IHC Health Services, Inc., d/b/a Utah Valley Regional Medical Center; Fourth Judicial District Court - Provo; Utah County, State of Utah; Civil No. 140400261			Seq. No. 394
Attorney:	Jordan P. Kendell Eisenberg Gilchrist & Cutt 215 South State Street, Suite 900 Salt Lake City, Utah 84111-2353			801-366-9100
Equipment:	Boon Edam 16' <i>Doutour</i> TM 2-wing revolving door with collapsible radial panels.			
Description:	87 year old man struck at periphery of door as he entered the door to exit from the bldg. Died of consequent infection.			
Deposition:		Trial:		Outcome: Settled in approx. 2017 for a confidential amount.

Case:	Eufemia Tesoriero v. Harrah's Atlantic City Operating Company, LLC d/b/a Harrah's Resort Atlantic City, <i>et al.</i> ; Superior Court of New Jersey, Law Division, Camden County; Docket No. CAM-L-2441-17			Seq. No. 395
Attorney:	Jordan L. Strokovsky Strokovsky, LLC 1500 Market Street, Floor 12E Philadelphia, PA 19102-2152			215-317-6545
Equipment:	Boon-Edam Tournex TM 16' diameter 3 wing revolving door.			
Description:	91 year old woman struck near leading edge of wing at interior exit from door.			
Deposition:		Trial:		Outcome: Settled on, or about, 6/5/19 for a confidential amount.

Miscellaneous cases S Industrial Roll Up

Case:	Lance and Michelle Dunfer vs. City of Philadelphia and Rytec Corporation Court of Common Pleas, Philadelphia County, Pennsylvania November term, 2007; Case No. 01960			Seq. No. 396
Attorney:	John F. Cordisco Stark & Stark P. O. Box 1500 Newtown, PA 18940-0894			267-907-9600
Equipment:	Rytec "Fast-Seal" model FS-1000 high speed overhead door.			
Description:	Door closed on head of user passing through the door.			
Deposition:		Trial:		Outcome: Settled on, or about, December 9, 2010.

Case:	Joyce Carletta Odoms vs. RollSeal, Inc., and The Manitowoc Company, Inc., d/b/a Kysor Panel Systems; In the District Court of Harris County, Texas; 127th Judicial District; Cause No. 2013-06076			Seq. No. 397
Attorney:	Kevin D. Krist The Law Office of Kevin Krist The Clock Tower Building 3401 Allen Parkway, Suite 102 Houston, TX 77019-1857			713-284-1660
Equipment:	RollSeal Inc., Model 500 roll up door with SC325 controller			
Description:	Woman stuck and injured by descending door.			
Deposition:		Trial:		Outcome: Unknown

Case:	Delbert Basurto vs. Wisconsin Rytec Corporation, Speed Door Solutions, Inc, and John Does 1 - 100; Superior Court of the State of California; Riverside County; Case No. RIC1209594.			Seq. No. 398
Attorney:	Robert J. Mandell The Mandell Law Firm 19400 Business Center Drive, Suite 102 Northridge, CA 91324-6425			818-886-6600
Equipment:	Rytec Fast Seal™ High Speed roll up door.			
Description:	Man walking through door struck on head by descending door.			
Deposition:		Trial:		Outcome: In 2014, settled prior to trial for an undisclosed amount.

Case:	Ralph Groom, Mary-Jo Piggott Groom v. Frommelt Dock & Door			Seq. No. 399
Attorney:	Linda J. Keogh Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490			617-742-1900
Equipment:	Rite-Hite Corp. "Protecdoor" Model 8000 "Hi-speed" door			
Description:	Worker struck and seriously injured by overhead door.			
Deposition:		Trial:		Outcome: Settled on an unknown date for an unknown amount.

Miscellaneous cases S Industrial Roll Up

Case:	Grassley v. Rite-Hite Corporation, Franklin Superior Court docket No.				Seq. No. 400
Attorney:	David M. Yarnell KISSANE, YARNELL, CRONIN, BUGBEE & COUNOS Two North Main Street St. Albans, VT 05478-1668				802-524-9546
Equipment:	Rite-Hite Model 8050 SR industrial automatic door.				
Description:	Plaintiff, David Grassley, an employee of Ben & Jerry's, was injured when the subject industrial door closed on him as he was passing through the door opening.				
Deposition:		Trial:		Outcome:	Case settled on, or about, January 2, 1999, for an undisclosed amount.

Case:	Jay L. Holleman v. Albany International Corp.				Seq. No. 401
Attorney:	Joseph E. Allman Macey Swanson and Allman 445 North Pennsylvania Street, Suite 401 Indianapolis, IN 46204-1800				317-637-2345
Equipment:	"Rapid Roll" Model 670 overhead door manufactured by Albany International Corp.				
Description:	Man struck and injured.				
Deposition:		Trial:		Outcome:	Settled on October 31, 2005, for confidential amount.

Case:	Todd McMillen, <i>et al.</i> , v. Ford Motor Company; U.S. District Court Western District of Kentucky, Civil Action No. 3:07-CV-309				Seq. No. 402
Attorney:	D. Tysen Smith, II Dolt, Thompson, Shepherd, Kinney & Wilt, P.S.C. 13800 Lake Point Circle Louisville, KY 40223-4219				502-244-7772
Equipment:	Rytec "Fast-Seal" model FS-1000 high speed overhead door.				
Description:	Door closed on head of user passing through the door.				
Deposition:	1/5/09	Trial:		Outcome:	Settled on 5/10/11 for an undisclosed amount.

Case:	Andrew Morrissette vs. Dynamic Dock & Door, Inc., and Albany International Corp. d/b/a Albany Door Systems; Massachusetts; Superior Court, Hampden County, Massachusetts; Civil Action HDCV2008-01164A				Seq. No. 403
Attorney:	Patrick J. McHugh Pellegrini, Seeley, Ryan & Blakesley, P.C. 1145 Main Street P. O. Box 30009 Springfield, MA 01103-0009				413-785-5300
Equipment:	Albany Rapid Roll 230 industrial door.				
Description:	Man walking through doorway struck on the top of head by the descending door.				
Deposition:		Trial:		Outcome:	Case settled on, or about, 7/10/13. Amount currently unknown.

Miscellaneous cases S Industrial Roll Up

Case:	Marcelino Maldonado v. Japan Airlines, Co., Ltd., Port Authority of New York and New Jersey, and Japan Airlines Management Corp.; State of New York, Supreme Court, County of Queens; Index No. 706105-13				Seq. No. 404
Attorney:	John Dalli Dalli & Marino, L.L.P. 231 Mineola Boulevard, Suite 1 Mineola, NY 11501-2476				516-292-4700
Equipment:	Rytec Fast Seal™ overhead roll up door.				
Description:	Descending door struck man on top of head as he walked through door opening.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Darryl Jones v. The Trustees of the University of Pennsylvania, The University of Pennsylvania, 3451 Walnut Street, Philadelphia, PA 19104-3410; Court of Common Pleas, Philadelphia County, Pennsylvania; No. 140200603				Seq. No. 405
Attorney:	Brian F. George Simon & Simon, P.C. 1515 Market Street, Suite 1600 Philadelphia, PA 19102-1919				215-467-4666
Equipment:	Dynaco model M2 high-speed roll-up door.				
Description:	Man knocked down and injured as consequence of being struck by descending overhead door.				
Deposition:		Trial:		Outcome:	Settled on 7/15/16 for an undisclosed amount.

Miscellaneous cases S Manual

Case:	Lisa Gail Harper vs. Mason County Exxon, Inc., d/b/a Point Pleasant Food Mart, and City Ice and Fuel Company of Point Pleasant; Circuit Court of Mason County, West Virginia Civil Action No. 10-C-12-N				Seq. No. 406
Attorney:	Chad Hatcher Hatcher Law Office 363 Fifth Avenue Huntington, WV 25701-2009				304-523-3217
Equipment:	Double manual swinging door with Norton hydraulic closer. Kawneer door panels.				
Description:	Woman struck by left hand panel (seen looking into bldg.) as she was exiting from building. Severed Achilles tendon.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Shannon Thibeaux-Burgess v. Simon Property Group, Inc., Copley Place Associates, Inc, LLC, and Newmark Knight Financial; Suffolk Superior Court, Suffolk County, Massachusetts; Civil Action No.: MICV 10-0128F				Seq. No. 407
Attorney:	Todd D. Beauregard The Law Office of Todd D. Beauregard, P.C. 25 Central Street Lowell, MA 01852-1905				978-275-1919
Equipment:	Manual revolving door.				
Description:	Left heel of woman entering building clipped revolving door, resulting in fall and injuries.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Dominika Jedrzejczyk vs. Sears, Roebuck & Co.; Circuit Court of Cook County, Illinois, Department - Law Division; Case No. 2012 L 009958				Seq. No. 408
Attorney:	George L. Acosta Acosta & Skawski, P.C. 40W310 LaFox Road, Suite H2 St. Charles, IL 60175-6588				630-871-6161
Equipment:	Crane Clearview™ 6' diameter manual revolving door.				
Description:	Woman entering building through revolving door struck from behind, knocked down and injured by door accelerated by another patron.				
Deposition:	7/24/14	Trial:		Outcome:	Settled on 1/26/15 for a confidential amount.

Case:	Bernettie V. Krieger v. CB Building Corp., <i>et al.</i>				Seq. No. 409
Attorney:	Adam T. Suroff Walters, Bender, Strohbehn, Vaughan, P.C. 1100 Main Street, Suite 2500 Kansas City, MO 64105-5193				816-421-6620
Equipment:	International Revolving Door Co., manual revolving door				
Description:	Pedestrian within manual revolving door struck from behind when door pushed too fast.				
Deposition:		Trial:		Outcome:	Settled on, or about, January 3, 2003.

Miscellaneous cases S Manual

Case:	Sally R. Aguilar v. Walgreens; Walgreen Co., v. Dynamic Door Service, Inc.; Circuit Court of Cook County, County Department - Law Division; State of Illinois; Case No. 99 L 14486				Seq. No. 410
Attorney:	John J. Seno Executive Towers 5901 N. Cicero Avenue, Suite 310 Chicago, IL 60646-5719				773-545-9000
Equipment:	Crane 6' 6" diameter manual revolving door.				
Description:	Elderly woman struck from behind by door panel.				
Deposition:	4/5/02	Trial:		Outcome:	Settled on, or about, April 1, 2003.

Case:	Reginald W. Watkins (deceased)				Seq. No. 411
Attorney:	Howard L. Pomerantz Abramowitz Pomerantz & Coffey, P.A. 7800 W. Oakland Park Boulevard, Suite 101 Sunrise, FL 33351-6742				954-572-7200
Equipment:	4 panel manual revolving door.				
Description:	Man killed by revolving door while attempting to enter hotel through revolving door.				
Deposition:		Trial:		Outcome:	Case settled. Date and amount unknown.

Case:	Kellee Movizzo vs. Wawa, Inc.; Superior Court of New Jersey, Law Division Hunterdon County; Docket No.: HNT-L-412-11				Seq. No. 412
Attorney:	Anthony J. Murgatroyd Law Offices of Anthony J. Murgatroyd 361 State Route 31, Bldg. C, Suite 801 Flemington, NJ 08822-5797				908-788-7011
Equipment:	Manual swinging door with Norton 8510 closer.				
Description:	Woman's toes fractured by a manual swinging door while exiting through an exterior door of the Wawa store.				
Deposition:		Trial:		Outcome:	Settled on May 19, 2014, for \$200,000.

Case:	Enid Barron vs. University Club of Chicago				Seq. No. 413
Attorney:	S. Jerome Levy S. Jerome Levy & Associates, P.C. 33 North Dearborn Street, Suite 1617 Chicago, IL 60602-3866				312-832-1616
Equipment:	General Bronze Corp. 4-wing 6' diameter manual revolving door.				
Description:	Woman struck by accelerated manual revolving door.				
Deposition:		Trial:		Outcome:	Unknown

Miscellaneous cases S Other

Case:	Gold v. Panasonic			Seq. No. 414
Attorney:	Paul R. Schneider ARDIFF & MORSE, P.C. One Corporate Place 55 Ferncroft Road Danvers, MA 01923			508-774-7123
Equipment:	Panasonic microwave oven			
Description:	Woman developed skin and blood symptoms that may have resulted from radiation from defective seal on microwave oven.			
Deposition:		Trial:		Outcome: Case abandoned by plaintiff for lack of cause.

Case:	Hawley v. Wonder Market Companies, AAEC, <i>et al.</i>			Seq. No. 415
Attorney:	Roger J. Brunelle 7 State Street Worcester, MA 01609-2895			508-755-2277
Equipment:	American Automatic Entrance Corporation (AAEC) "Power-Slide" with Microwave Sensors, Inc. D7W microwave motion sensor. Presence sensor is "photobeam and reflector" of currently unknown manufacturer.			
Description:	Woman struck by left slider panel as she attempted to get around a man who preceded her through the door.			
Deposition:		Trial:		Outcome: Case settled on or about January 20, 2000.

Case:	Jean Louise Tennihill v. Delta Airlines, Inc., Cause No. 93-5079-B. District Court, Nueces County, TX, 117th Judicial District			Seq. No. 416
Attorney:	Paul J. Raleigh RALEIGH & VELA 545 N. Upper Broadway, Suite 1000 Corpus Christi, TX 78476			512-887-1888 800-835-3521
Equipment:	Refurbished 3-wing, 8-foot revolving door set up as one-way security door originally manufactured by RESS (Related Energy and Security Systems) International. Microwave motion sensor on activate side only. Sectorial control mat and metal detectors within door preventing use in reverse direction.			
Description:	Middle aged woman sustained brain damage when struck on head due to sudden reversal of door as a result of security stop and reversal sequence.			
Deposition:		Trial:		Outcome: Settled in mediation on 10/12/95 in favor of Plaintiff for approximately \$250,000.

Case:	Mildred Russo v. Handicap Mobility			Seq. No. 417
Attorney:	David P. Angueira Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490			617-742-1900
Equipment:	Swinging door. Manufacturer unknown at this time.			
Description:				
Deposition:		Trial:		Outcome: Settled for an undisclosed amount.

Miscellaneous cases S Other

Case:	Glenn J. Hookham vs. Walt Disney Co.; Superior Court of California Orange County Central Justice Center; Case No. 04CC10509				Seq. No. 418
Attorney:	Stephanie K. Nathanson Romanucci & Blandin, L.L.C. 33 North LaSalle Street, Suite 2200 Chicago, IL 60602-2616				312-458-1000
Equipment:	Single slider door on Disneyland monorail vehicle.				
Description:	9 year old boy struck and injured by Disneyland monorail sliding door as he attempted to exit from the vehicle.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Selma Hirshberg vs. Maggio's Famous Pizzas, Inc., <i>et al.</i> ; Court of Common Pleas Philadelphia County, March term 2009; No. 04984				Seq. No. 419
Attorney:	Christopher D. Hillsley Patrick D. MacAvoy Billet & Associates, LLC 2000 Market Street, Suite 2803 Philadelphia, PA 19103-3201				215-496-7500
Equipment:	Bi-parting sliding door. Manufacturer unknown at this time.				
Description:	Woman in 80's with recent hip replacement using walker struck by door while exiting from restaurant.				
Deposition:		Trial:		Outcome:	Settled. Date unknown. Defendants paid approx. \$10,000 each to plaintiff.

Case:	Madeline Richardson v. Ultimate Health Services, Inc., d/b/a Huntington Internal Medicine Group, New Tristate Ventures, LLC and Virray, LLC Circuit Court of Cabell County, West Virginia; Civil Action No. 07-C-1008				Seq. No. 420
Attorney:	Richard R. Fredeking II Fredeking & Fredeking Law Offices, L.C. 511 Eighth Street Huntington, WV 25701-2017				304-525-7701
Equipment:	Tormax SmartDrive™ 1101 (TTX II) single panel power assist swing door operator with handicapped button.				
Description:	Elderly woman struck and injured when door opened into her.				
Deposition:	6/8/10	Trial:	7/27/10	Outcome:	

Case:	LaDonna Marie DeCourcey vs. Simon Property Group, Inc. and Retail Property Trust				Seq. No. 421
Attorney:	Peter J. Galasso Galasso Langione 600 Old Country Road, Suite 304 Garden City, NY 11530-2010				516-222-6500
Equipment:	Swinging door. Manufacturer unknown at this time.				
Description:	Elderly woman using walker struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	

Miscellaneous cases S Other

Case:	Constance Cameron vs. Cost Plus of Kentucky, Inc., <i>et al.</i> Jefferson Circuit Court, Division 8; No. 06-CI-11252				Seq. No. 422
Attorney:	Eric M. Lamb Lamb & Lamb, PSC P. O. Box 34275 Louisville, KY 40232-4275				502-451-6881
Equipment:	Dorma automatic sliding door model ESA200 with BEA, Inc., Eagle™ motion sensors OEM'd to Dorma and dual hold open beams.				
Description:	82 year old woman struck while exiting exterior door and broke hip.				
Deposition:		Trial:		Outcome:	

Case:	Natalie Zamirowski vs.				Seq. No. 423
Attorney:	Thomas J. Fedick Harman & Fedick, Ltd. 222 North LaSalle Street, Suite 430 Chicago, IL 60601-1012				312-263-6452
Equipment:	Single panel power assist swing door with handicapped button. No sensors. Mfg unknown at this time.				
Description:	Elderly woman stuck by door and died as a consequence.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Estate of Stephen J. Kaufman, deceased.				Seq. No. 424
Attorney:	J. Randolph Pickett Pickett Dummigan LLP 621 Southwest Morrison Street, Suite 900 Portland, OR 97205-3823				503-226-3628
Equipment:	2007 IMCO 53A102V Self-Unloader truck.				
Description:	Crushed to death by hydraulically controlled, top hinged trailer door while unloading truck.				
Deposition:		Trial:		Outcome:	

Case:	Russell Woodbury v. First Center Southfield, L.L.C., <i>et al.</i> ; Oakland County, MI, Circuit Court Case No. 08-093828-NI				Seq. No. 425
Attorney:	Steven W. Wells Schnelz Wells, P.C. 280 North Old Woodward Avenue, Suite 250 Birmingham, MI 48009-5392				248-258-7074
Equipment:	Gunnebo Entrance Control, Inc., knowing-act security revolving door.				
Description:	Man caught in door, fell down and was injured.				
Deposition:		Trial:		Outcome:	

Miscellaneous cases S Other

Case:	Mary F. Holland v. Red Robin International, Inc., <i>et al.</i> , Hillsborough, SS, Southern District; Superior Court, State of New Hampshire; Docket No.: 226-2012-C-00284			Seq. No. 426
Attorney:	David S. V. Shirley McDowell Osburn, P.A. 282 River Road P. O. Box 3360 Manchester, NH 03105-3360			603-623-9300
Equipment:	Single side, single panel Tormax low energy swinging door.			
Description:	Door closed on woman while exiting from restaurant, causing serious injuries.			
Deposition:		Trial:		Outcome: Settled on 9/3/14 for an amount confidential at the request of the plaintiff.

Case:	Alison Reichert			Seq. No. 427
Attorney:	Marc D. Kornitsky Antico, Barrett, Burke & Kornitsky, L.L.P. One Essex Green Drive Peabody, MA 01960-2928			978-532-5140
Equipment:	Large 3-wing automatic revolving door. Manufacturer unknown at this time.			
Description:	Woman struck and knocked down while entering through door.			
Deposition:		Trial:		Outcome: Settled, but date and amount unknown.

Case:	Verna DeMartin vs. The Regents of the University of Michigan, d/b/a University of Michigan Dental School; Court of Claims; State of Michigan; Case No: 12-127-MZ			Seq. No. 428
Attorney:	James S. Craig Fieger, Fieger, Kenney, Giroux & Danzig 19390 West Ten Mile Road Southfield, MI 48075-2463			248-355-5555
Equipment:	Low Energy door with LCN 4600 series closer.			
Description:	86 year old woman leaving vestibule struck and injured..			
Deposition:		Trial:		Outcome: Unknown

Case:	Virginia C. Turek vs. Sargent Manufacturing Company, Automatic Door Systems, Inc., and Town of West Hartford; Superior Court, Judicial District of Hartford, Connecticut; Docket No.: HHD CV 13 6039180 S			Seq. No. 429
Attorney:	Ralph J. Monaco Conway, Londregan, Sheehan & Monaco, P.C. 38 Huntington Street P. O. Box 1351 New London, CT 06320-1351			860-447-3171
Equipment:	Low energy door. Sargent Mfg'ing MPower 4000.			
Description:	90 year old woman struck by low energy door as she stood on walk outside the building after exiting.			
Deposition:		Trial:		Outcome: Settled in December, 2014, for \$75,000.

Miscellaneous cases S Other

Case:	Michele Amoia vs. Sandy Spring Bank, Inc., <i>et al.</i> ; Circuit Court for Montgomery County, Maryland; Case No.: 391746-V				Seq. No. 430
Attorney:	John R. Garza The Garza Law Firm, P.A. 17 West Jefferson Street, Suite 100 Rockville, MD 20850-4233				301-340-8200
Equipment:	Manual swinging door with Rixson 2790 floor closer.				
Description:	Door opened over and severely cut first toe of right foot of approx. 50 year old woman entering building.				
Deposition:		Trial:		Outcome:	Unknown

Case:	Rhoda Stone v. SPE Virginia I, LLC, Commercial Real Estate Associates, Inc., and Capitol Door Repair Company, Inc.; Circuit Court of Fairfax County, State of Virginia; Case No. 2015-15900				Seq. No. 431
Attorney:	J. Michael Brown Weiner, Spivey & Miller, P.L.C. 10605 Judicial Drive, Suite B6 Fairfax, VA 22030-5167				703-273-9500
Equipment:	Low energy swing door. (Mfgr as yet unknown).				
Description:	Elderly woman using walker struck and injured by inner door of vestibule while attempting to enter bldg.				
Deposition:		Trial:		Outcome:	Settled on, or about, 6/6/17, for an unknown amount.

Case:	Mildred Miele vs. Wash Mass, LLC; 197, LLC; and Whelan Associates, LLC, Dorma-Carolina Door Controls, Inc., F/K/A Door Control, Inc., and Door Tech, <i>et al.</i> ; Commonwealth of Massachusetts, Superior Court, Plymouth County; Civil Action No.: PLCV 2014-09555				Seq. No. 432
Attorney:	Albert E. Grady Law Office of Albert E. Grady 226 Montello Street Brockton, MA 02301-5305				508-583-8562
Equipment:	Dorma ED-700 low energy swing door.				
Description:	91 year old woman using walker struck and knocked down by exterior door of vestibule while exiting building.				
Deposition:		Trial:	11/19/15	Outcome:	Jury found for defendants on, or about, 11/23/15.

Case:	Kenneth A. La Russo v. Greenville Hospital System and Scuffletown CCC, LLC; Court of Common Pleas, Greenville County, South Carolina; Civil Action No.: 2015-CP-23-00711				Seq. No. 433
Attorney:	Andrew D. Gowdown Rosen, Rosen & Hagood, LLC 151 Meeting Street, Suite 400 Charleston, SC 29401-2239				843-577-6726
Equipment:	Dorma ED400 low energy door, no sensors. Horton operator.				
Description:	Interior door timed out and struck and knocked down man (polio victim) entering using crutches.				
Deposition:		Trial:		Outcome:	Settled in mediation on 3/22/16 for a confidential amount.

Miscellaneous cases S Other

Case:	Ascencion Escobar and Ramon G. Escobar vs. Max & Mac, LLC d/b/a Ramada, District Court of the 63rd Judicial District, Val Verde County, TX; Cause No. 32032				Seq. No. 434
Attorney:	Jesus M. Dovalina Law Office of Jesus M. Dovalina, P.C. 117 East Garfield Avenue Del Rio, TX 78840-5507				830-774-5252
Equipment:	Tormax 9300 series bi-parting sliding door with dual Optex i-sensors and no hold open beams.				
Description:	Elderly woman using cane injured by automatic sliding door while attempting to exit from building.				
Deposition:	4/8/16	Trial:		Outcome:	Settled on 3/10/17.

Case:	Estate of Theresa L. Sheloski v. The Rutland Hospital d/b/a Rutland Regional Medical Center; Superior Court, Rutland Unit, State of Vermont; Civil Division, Docket No. 561-11-16 Rdcv				Seq. No. 435
Attorney:	Gary R. Kupferer Weber, Chapman & Kupferer, Ltd. 25 Washington Street, Suite 1 Rutland, VT 05701-5060				802-773-9109
Equipment:	Wooden low energy swinging door with MS-Sedco DH94 presence sensor and BEA, Inc., Eagle™ microwave motion sensor. (Door mfg as yet unknown).				
Description:	Approx. 80 year old woman knocked down by subject door. Sustained broken hip.				
Deposition:		Trial:		Outcome:	Settled in favor of the defense on, or about, 10/9/18.

Case:	Janet Fell.				Seq. No. 436
Attorney:	Maria C. Janoski Goldberg, Goldberg & Janoski 213 West Miner Street Westchester, PA 19382-2924				610-436-6220
Equipment:	Low energy swinging door. (Door mfg as yet unknown).				
Description:	Door timed out and closed on plaintiff while attempting to enter the bldg.				
Deposition:		Trial:		Outcome:	Services terminated as of 6/14/18.

Case:	Claire Frank and Robert Lezin v. Overland Palm Court, LLC; Royale Management Co., LLC; Goldrich Kest, LLC; Michael Drandell d/b/a Avante Garde Properties; and Does 1 through 100, inclusive; U.S. District Court for the Central District of California; Case No.				Seq. No. 437
Attorney:	David G. Geffen David Geffen Law Firm 1717 4th Street, 3rd Floor Santa Monica, CA 90401-3319				310-434-1111
Equipment:	Low-energy swinging door. (Mfg as yet unknown)				
Description:	Elderly woman using walker struck and injured by door.				
Deposition:		Trial:		Outcome:	Settled months prior to 9/14/21 for a confidential amount.

Miscellaneous cases S Other

Case:	Robert D. Bailey, Estate of Marion Lee Bailey v. Bellewood Associates, Meili Construction Co., McKenzie Glass, Advantage Automatic Doors, Inc., Electri-City, Inc., Tormax USA, Inc., and Optex, Inc.; Superior Court, King County, State of Washington; Case No. 16-2-13818-7 SEA				Seq. No. 438
Attorney:	Michael A. Jaeger Lewis Brisbois 1111 Third Avenue, Suite 2700 Seattle, WA 98101-3224				206-436-2020
Equipment:	Tormax 9300 series bi-parting sliding door with Optex i-one™ sensors.				
Description:	Woman struck and injured while attempting to exit through exterior automatic sliding door. Died possibly consequent to fall.				
Deposition:		Trial:		Outcome:	Settled on, or about, 9/20/18 for an unknown amount.

Case:	Roger H. Harris and Tania S. Harris vs. Silverman Construction Company, <i>et al.</i> ;				Seq. No. 439
	Circuit Court of Washtenaw County, State of Michigan; Case No. 04-494-NO				
Attorney:	Ronald F. DeNardis DeNardis McCandless & Miller, PC 70 Macomb Place, Suite 200 Mount Clemens, MI 48043-5626				586-469-9191
Equipment:	Temporary railing failed during construction.				
Description:	Fall from second story and serious injuries.				
Deposition:	9/25/06	Trial:		Outcome:	Unknown

Case:	Magdalene Petrick v. Trinity Health-Michigan; State of Michigan; Circuit Court of Washtenaw County; Case No. 20-000984-NO				Seq. No. 440
Attorney:	Benjamin M. Muth Muth Law, P.C. 4158 Washtenaw Avenue Ann Arbor, MI 48108-1004				734-481-8800
Equipment:	Dorma bi-parting sliding door. Optex i-sensor on interior side, Optex i-one XT sensor on exterior side, and no hold open beams.				
Description:	92 year old woman exiting using walker knocked down. Suffered broken hip and will never walk again.				
Deposition:	6/17/22	Trial:		Outcome:	Settled against one defendant on, or about, August 30, 2022, for a confidential amount, and on September 12, 2022, against a second defendant for \$75,000.

Miscellaneous cases S Other

Case:	Donald Trenholm v. Raytheon Company and SMJ One Call Facility Services, LLC; Commonwealth of Massachusetts, Superior Court, Civil Action No. 1881CV03532				Seq. No. 441
Attorney:	Michael J. Rossi Conn Kavanaugh Rosenthal Peisch & Ford, LLP 1 Federal Street, Floor 15 Boston, MA 02110-2003				617-482-8200
Equipment:	Dorma ESA bi-parting sliding door with BEA, Inc., Eagle™ motion sensors, BEA, Inc., Crystal™ presence sensor on the interior side and a BEA, Inc., Focus™ presence sensor on the exterior side. No operational hold open beams. Besam door ID BS 1062 902.				
Description:	Older man struck upon re-entering the exterior door of the entrance vestibule after having just exited through it. Suffered broken hip and a stroke.				
Deposition:		Trial:		Outcome:	Settled in mediation in the week of 10/4/21 for an undisclosed amount.

Case:	Dolores Wallace vs. McLeod Regional Health Center, Carolina Glass Company of Florence, Inc., Carolina Door & Hardware, Inc., f/k/a Glass Connection Services USA, Inc., et al.; Court of Common Pleas, Twelfth Judicial Circuit; Civil Action No.: 2020-CP-21-02962				Seq. No. 442
Attorney:	Mark J. Bringardner Bringardner Injury Law Firm, LLC 41 Broad Street Charleston, SC 29401-3029				843-400-0550
Equipment:	Exterior SDC Security single panel low energy swinging door with handicapped button and approach-side IR-36/48 door-mounted presence sensor.				
Description:	91 year old woman exiting using walker struck by door, knocked down and broke hip.				
Deposition:	4/27/23	Trial:		Outcome:	

ATTORNEYS

Acker, Michael A.	84	Breggia, Stephen E.	90
Acosta, George L.	120	Brenner, Gregory R.	88
Adams, Robert C.	99	Brennwald, Stephen F.	23
Alexander, Bradley D.	91	Bringardner, Mark J.	129
Allman, Joseph E.	118	Bromagen, William L.	7
Anderson, Gregory T.	50	Brooks, Robert M.	40
Anderson, Robert S.	29	Brown, Alex J.	115
Angueira, David P.	3, 15, 122	Brown, J. Michael	126
Arleo, Frank P.	14	Brunelle, Roger J.	72, 94, 122
Armstrong, Ron W.	102	Bublewicz, John J.	35
Aurichio, Patricia	66	Burke, John M.	97
Awbrey, Nolan E.	76	Burke, Robert L.	53
		Burney, J. Brent	65
		Butler, Kevin	34
Babcock, Ryan W.	45	Caldwell, John W.	50
Baird, Deborah S.	114	Cain, Jr., David S.	64
Barton, W. Harvey	17	Cardillo, Matthew J.	76
Bauer, Lane D.	72	Carvalho, Daniel E.	111
Beauregard, Todd D.	120	Catalano, Ralph P.	23
Beausay, T. Jeffery	72	Chambers, Jeffrey K.	42
Begelman, Ross	83	Chandler, Richard (consultant)	95
Bell, James L.	71	Chapin, Charles S.	12
Bentson, Teri E.	87	Chapin, Donald E.	12
Berger, Daniel M.	93	Cherry, Craig D.	58
Beveridge, William	74	Chirokas, Thomas J.	26
Biggam, Patrick L.	29	Clark, Jeffrey L.	80
Bird, William, III	37	Clisby, Barrett J.	81
Bishop, L. Randall	76	Clouser, Justin M.	107
Blank, Adam J.	89	Cochran, Les	86
Bloomenthal, Leslie E.	50	Coldwell, Colbert N.	85
Blumberg, Edward R.	44	Coles, Jason L.	79
Bongiovani, Mark	109	Collins, John L.	25
Bordas, James G.	81	Conboy, Timothy	20
Borré, Alexander P.	94	Cone, Robert C.	18, 57, 81
Bottone, Dennis M.	114	Cordisco, John F.	117
Bourbeau, Brian J.	111	Coren, E. Steven	77
Bowers, John D.	70	Cossi, A. Dennis	93
Bradley, Brent F.	68, 74	Craig, James S.	125
Brady, Michael G.	94	Cramer, James J.	26
Branam, James T.	44	Crockett, Michael A.	104
Bratton, Shawn F.	95	Crow, Michael J.	32, 75

Crumpton, Charles W.	17	Friedlander, William S.	51
Curran, John A.	78, 79	Friend, Gregory M.	90
Currie, J. Craig	49		
		Gair, Anthony H.	70
Dalli, John	119	Galasso, Peter J.	123
Dascenzo, Daniel P.	112	Garcia, Adolf J.	79
Davis, Jack D.	26	Garza, John R.	126
Davis, Mark W.	50	Garza, Richard L.	77
Day, Steven L.	112	Gathings, Honora M.	69
Dean, Daniel P.	79	Geffen, David G.	39, 127
DeFrank, Peter J.	47	George, Brian F.	119
Deitzler, Harry G.	94	Germeroth, Thomas P.	4
DeLattre, Thomas	62	Gerr, Harold J.	99
DeNardis, Ronald F.	128	Gierach, James E.	17
Depew, Craig V.	73	Gill, Jeffrey P.	68
Desmond, Joseph T.	28, 106	Giosa, Anthony J.	5
Devoti, Matthew J.	57	Glanton, Luvell L.	31
Dochney, Kevin R.	55	Godbout, Kevin M.	73
Doherty, Joseph L., Jr.	67	Goldstein, Stuart	101
Dovalina, Jesus M.	127	Gonzalez, Jaime A.	96
Duncan, Richard L.	59	Gorman, John R.	39
Dykstra, C. Kevin	99	Gowdown, Andrew D.	126
		Grady, Albert E.	126
Eaton, Roger V.	47	Gratz, Michael B., Jr.	115
Ebin, Michael J.	46	Greco, Carl J.	84
Eged, Alex L.	85	Greenberg, Edward A.	83
		Gregg, Chandler	113
Faultless, Scott A.	95	Griffith, John L.	45, 63
Fedick, Thomas J.	124	Grimes, Gant	88
Feiner, Michael A.	55	Grimm, Eric C.	5
Ficaj, Roman J.	33	Grisi, Charles E.	84
Fincher, Roger D.	36	Guerke, I. Barry	58
Fine, Norman J.	30		
Fitzgerald, William P.	66	Hamo, George R.	110
Floyd, Mark E.	105	Hasbrook, T. David	75
Fonash, John J.	36	Hatala, Robert S.	12
Forchione, Frank G.	2	Hatcher, Chad	120
Foster, Richard A.	96	Haubrich, Greg	55
Fraser, Stuart A.	114	Haverstock, Gary R.	78
Fredeking, Richard R., II	123	Hay, Richard W.	9
Fredrickson, Robert A.	27	Hayes, John	76
Frerichs, Thomas P.	45	Hearne, David A.	3

Heatherman, Paul B.	112	Knafo, Jerry R.	22
Hendrix, Jr., Garnett E.	97	Kobren, Matthew W.	59
Henratty, Scott L.	38	Koch, J. Michael	9
Hersh, Harry D.	69	Kopsick, Richard S.	16
Heyer, David J.	101	Kornitsky, Marc D.	125
Hicks, T. Lawrence	33	Kowalski, Michael J.	14
Hillsley, Christopher D.	123	Krayer, Nicholas M.	6
Hoch, Timothy M.	72	Krein, J. Scott	24
Hof, Philip M.	90	Krist, Kevin D.	117
Hoffman, Edward F.	105	Kunken, Stephen	8
Hoffmann, Amanda M.	88	Kupferer, Gary R.	127
Holzberg, Glenn J.	56	Kushlefsky, Noah H.	16
Hooks, Kenneth H.	61	Kutinsky, Brian A.	12, 102, 115
Howerton, Hugh J.	27, 43	Kutinsky, Leslie H.	111
Humbrecht, Joshua A.	38		
Hunnicut, Daniel A.	42	Lake, Nicholas J.	49
Hunter, F. Dore'	99	Lalikos, Michael S.	113
		Lamb, Eric M.	124
Jaeger, Michael A.	128	Lambert, Christopher	15
Janoski, Maria C.	127	Lambert, Pamela A.	24
Jensen, Travis N.	71	Lancione, John A.	53
Johnson, Michael S.	75	Lantz, Michael W.	55
Johnson, Ronald E.	88	Layser, Derek R.	115
Joyce, William P.	104	Lechner, Albert H.	30
		Ledbetter, Mark P.	20
Kagan, Daniel G.	21, 56	Levy, S. Jerome	121
Kaplan, Robert J.	46	Leydon, Brenden P.	31
Karon, Jonathan A.	32, 82, 100	Lipsky, Joseph I.	24
Karz, Laurence M.	86	Loftis, James D.	3
Katz, Brian D.	86	Long, Benjamin P.	66
Kellner, John L.	20	Long, David K.	3
Kendell, Jordan P.	116	Lord, Greg R.	8
Keogh, Linda J.	117	Lott, Philip S.	113
Kepner, Daniel E.	97	Lowder, T. Brian	48
Kerrick, Thomas N.	59	Lowe, Leslie	31
Kessler, Stuart W.	108	Lucas, Thomas E., Jr.	35
Khourey, Louis H.	104	Lyman, Christopher B.	15
King, Benjamin T.	95	Lyons, E. Megan	37
King, Brandon R.	34		
Kirk, E. Clyde	71	MacAvoy, Patrick D.	123
Kirtman, Ian M.	66	Mackoff, Leslie J.	85
Klibaner, David A.	34	Madison, Kevin R.	16

Magdenko, Nadia von	103	Najjar, Michael C.	65
Majors, D. G.	105	Nathanson, Stephanie K.	123
Malloy, Kevin M.	23	Newcombe, Paul	48
Manchester, Cynthia Ann K.	82	Nielsen, Richard D.	65
Mandell, Robert J.	117	Noll, Carl F.	28
Mangini, Laura D.	92	Noriega, James E.	9
Maniloff, Howard R.	18	Norman, Royce E.	61
Marano, Joseph	91	Norvell, David L.	11
Martin, Reid Wm.	83		
Martinez, David B.	19	O'Brien, Ann Marie	62
Martinovich, Bogdan	19	Ohlander, Jan H.	103
Massey, Edward R.	77	O'Donnell, Wm. M, III	97
McCarthy, John J.	96	O'Neil, Daniel P.	64, 103
McElhaney, Rocky	4	O'Rourke, Shawn P.	30, 96
McGarry, Julieann	51	O'Shea, Stephen M.	40
McGarry, Richard L.	82	Ovoian, Robert S.	19
McGuire, Kent R.	48		
McHugh, Patrick J.	118	Pakenas, Thomas E.	23
McLaughlin, Alex D.	52	Palmer, Charles W.	98
McNally, Thomas J.	15	Payne, R. Mark	51
McNeice, Ryan	107	Peacock, Malorie J.	29
McSweeney, Rebecca	32	Pepicelli, Alan L.	38
Meinecke, M. Jalie	52	Peraldo, Jeffrey K.	14
Mensch, Jacob	60	Perales-Piña, J. Marcos	33
Metcalfe, Sally S.	54	Perry, Henry Lawrence	71
Metzger, Kari A.	40	Pickett, J. Randolph	124
Metzger, Matthew C.	26	Pittman, Keith A.	10
Miller, Teena Y.	46	Poliakoff, Gary W.	68
Mills, Floyd S.	58	Pomerantz, Howard L.	121
Mohan, Daniel J.	57	Porritt, Russell W., II	82
Molnar, Edward S.	7	Potter, Steven B.	69
Monaco, Ralph J.	125	Pottinger, Robert C.	63
Moore, Jr., Edward H.	17	Powell, James C.	61
Morgan, Arthur L.	83	Previte, Paul V.	93
Morgan, Stephen G.	78	Primerano, Andrew J.	65
Mullins, Stacey D.	28	Pullen, Donald C.	102
Mummolo, Dante G.	103		
Murgatroyd, Anthony J.	121	Rafferty, Edson H.	11
Musleh, Victor J. & Kelly H.	109	Raleigh, Paul J.	122
Muth, Benjamin M.	128	Ramey, Hardin R.	87
		Regan, Christopher J.	47
Najeway, John Patrick	54	Reid, Timm W.	106

Rico, Andres O.	14	Simonson, Terry A.	22
Ritigstein, Eric S.	28	Slutkin, Andrew G.	90
Roberts, Wendell S.	112	Small, Douglas D.	2
Robin, Stephanie E.	108	Smith, D. Tysen	118
Ronaldson, Glenn C.	25	Smith, Donald H.	80
Rosato, James R.	10	Smith, Edward J., III	60
Rose, Kevin M.	77	Smith, W. Holt	21
Ross, Dwayne E.	98	Smith, Houston M.	27, 70
Rossi, Michael J.	129	Smith, Lawrence J.	113
Rossman, Neil	41	Smith, Michael S.	78
Rothermel, Frank A.	18	Smith, W. Thomas	111
Russell, P. Scott	80	Smith, William W.	108
		Smock, Thomas F.	8
St. Denis, Donald	74	Smolar, Yehuda	64
Salinas, Marco A.	22	Strokovsky, Jordan L.	116
Salzman, Robert M.	42, 87	Strasfeld, Stuart A.	112
Sanders, David M.	10, 73	Strubbe, William B.	102
Sarrouf, Camille F.	114	Sullivan, Paul V.	94
Schmoll, Jon F.	89	Suroff, Adam T.	120
Schneider, Kent B.	2	Sutton, James, W. III	6
Schneider, Paul R.	122	Sybel, Sharon D.	84
Schreiber, J. Allen	109		
Schreyer, Michael J.	39	Tabakin, Brad S.	62, 109
Schydlower, Leon	4	Taenzer, Uri H.	44
Scull, Robert L.	25	Taglieri, James W.	30
Seach, Stephen A.	41	Takahashi, Deawn C.	110
Sedgewick, John E.	101	Taylor, Scott B.	49
Segal, Kenneth	13	Thetford, John M.	56
Seno, John J.	121	Thorson, J. Brandt	4
Serra, Samuel	35	Toczydlowski, John E.	91
Seuthe, Eric Bryan	7	Todd, Terry	13
Sewell, Ryan M.	100	Tollison, Gray	68
Shabbick, Barry C.	54	Toutant, Phillip B.	5
Shaheen, David R.	92	Trombly, Kenneth M.	7
Shebell, Thomas F.	43, 69		
Sheldon, Donald S.	62	Vecchio, Richard S.	51
Shirley, David S. V.	125	Vertetis, Thomas B.	81
Shiver, Chuck W., II	64	Vocelle, Louis B.	41
Shulman, Joshua	44		
Siegel, David A.	37	Wadington, Robert N.	60
Sigler, Daniel J.	2	Walker, James J.	43
Silverstein, Darryn L.	105	Walker, John F. (Jack)	74

Watson, Leila H.	16	Balizer, Trudy & Joel	8
Weimer, Nathaniel J.	6	Ball, Virginia M.	10
Weinberger, Robert A.	52	Ballard, Vicki	61
Weiner, Neil S.	89	Barajas, Javier	23
Weiss, Leonard D.	63	Barron, Enid	121
Welch, Theresa A.	107	Barton, Lemma L.	105
Wells, Steven W.	124	Bartzer, Roseann & Timothy	108
Wilhite, George W.	11	Basurto, Delbert	117
Williams, Steven J.	88	Baxter, Tommie Lou	4
Williams, Timothy C.	75	Becker, Frederique	89
Wilson, James O.	101	Becker, Sally	11
Wilson, James R.	36	Bell, Beverly & Allen	82
Winthers, Melissa J.	106	Berg, Glenda	39
Wold, Alexander A.	5, 57	Bernin, Jean & Victor	57
Wolfe, Steven E.	29	Bettis, Virginia	78
Wood, Tamara L.	80	Bibb, Bettie E.	109
Wrage, Jeffrey S.	98	Bird, Lora	93
Wright, Matthew E.	21	Blackwell, Marjorie	113
Yarnell, David M.	13, 53, 118	Block, Irvin	66
Young, Thomas J.	11	Books, Ida M.	27
		Booth, Nancy	104
Zolot, Lawrence P.	38	Bostick, Jerry	54
		Bouillon, Jr., Brooks J.	81
		Bourgeois, Normie	108
		Bowman, Marlene	81
		Bradshaw, Crystal	80
		Brooks, Doris L.	57
		Brookshire Grocery Company	74
		Brosque, Patricia A. & John	96
		Brown, Elizabeth	58
		Brown, Ronald E.	95
		Brown, Sheryl	95
		Bryant, David A.	15
		Buckey, Sarah	73
		Burgess/Thibeaux, Shannon	120
		Burke, Linda & Michael	83
		Burnham, Joan and Keith	113
		Busch, Grace	52
		Bush, Preston	64
		Butler	71
		Cahill, Patricia	40
REPRESENTTEES			
Aguilar, Sally	121		
Ali, Taladin & Riza	59		
Allard	55		
Allen, Lucy	2		
Ammons, Flora Carzeal	21		
Amoia, Michele	126		
Andrews, Lewis	38		
Anselm, Traci	102		
Asbed, Mona	4		
Atkinson, Georgia & Larry	61		
Attardo, Marjorie	106		
Augustus	28		
Bailey, Mariam	32		
Bailey, Marion Lee	128		
Bailey, Robert D.	128		

Cain, Julia	2	DeMario, Celia & Joseph	93
Caines, Lisa & Perry	35	DeMartin, Verna	125
Cameron, Constance	124	DeMille, Helen L.	116
Cannon, Bonnie	88	Derginer, Evelyn M.	49
Carl, Richard D., Sr.	115	Derogatis, Olga	55
Carl, Shirley J.	115	Devoti, Jeanette	19
Carothers, Cynthia	6	Dignan, Dorothy	72
Cartwright, Vlasta A.	76	DiMarco, Mary & Craig	36
Castro, Margene	84	Dobbs, Hyacinth	113
Cerda, Ovidio	64	Dobrowa, Elfrieda & Harold	115
Chapa, Enrique & Maria	22	Doerr, Betty Rae	91
Charleston, Nancy	111	Doty, Harriet L.	72
Chaudrhy, Abdullah	85	Driss, Ann	36
Chertok, Paula	91	Dunbar, Barbara	39
Chipps, Kathryn	61	Dunfer, Lance & Michelle	117
Clark, Alice & Bernard	46	Durrstein, Shirley	63
Clark, Eula C. & Devon	14		
Claus, Linda	101	Eastman, Janet	65
Clawson, Richard E.	104	Ebersold, Pamela	76
Cline, Linda & Gary	24	Edwards, Grace L.	53
Cohen, Kitty	77	Eisenstein, Grete	14
Connolly, Robert	8	Erhard, Kathryn & Jeff	34
Cook, Merrill	78	Ernst, Mary and Irven	109
Cook, Patricia & Sam	80	Erwin, Barbara	92
Cooper, Kathleen & Thomas	83	Escobar, Ascencion & Ramon	127
Corral, Maria	33	Eubanks, Shirley A. & Aron	38
Costantini, Linda	62		
Cotayo, Haydee	92	Fanion, Evelyn	15
Cowart, Barney B.	27	Farewell, Dorothy	105
Cowle, Mabel Lillian	104	Farnham, Judith W.	29
Crowe, Phyllis L.	99	Farrin, Annette	21
Cullen, Clarissa	26	Feinberg, Naomi	30
Cullen, Melisa & Joseph	6	Feldmann, Robert	26
Curry, William S.	12	Fell, Janet	127
		Figueroa	60
Dahan, Mardoche M.	30	Fine, Roberta L.	103
Davis, James	83	Fitzgerald, Nancy	82
DeCoursey, LaDonna Marie	123	Fitzgerald, Nancy & Arthur	77
Dein, Shirley	50	Ford, Agnes M. & Nate	64
DeLisi, Mary	114	Ford, Joseph	3
Delliquadri, Kenneth	29	Foust, Pearl M. & Arthur	51
Deloach, Tambra	86	Fox, Leon	114

Frahm, Geraldine	17	Hawley	122
Francisco, Bruce	66	Hayes, Catherine	11
Frank, Claire	127	Hayes, Leroy	28
Franke, Herman & Janice	87	Heft, Debbie	22
Frazer, Jean	59	Henderson, Laurie	57
		Henriquez, Anna	64
Gaines, Wayne & Shirley	115	Hershey, Dee	26
Galea, Joyce	56	Hess, Charlotte Ann	71
Galitzer, Hymen	69	Hickman, Sara	48
Gamez, Frances F.	77	Higgins, Mary B.	15
Garson, Frances R. and Warfield	20	Hill, Gertrude	4
Gauldin, Ruby C.	69	Hirshberg, Selma	123
Gay, Elizabeth	9	Hofstader, Emeric	86
Geissinger, David A.	5	Holland, Mary F.	125
Ghiloni, Theresa M.	107	Holleman, Jay L.	118
Gillitzer, Betty J.	49	Holloway, Pauline D.	74
Gold	122	Holtzman, Ruth	51
Gonzales, Rebecca	106	Hooker, Beverly	7
Gonzalez, Claudia	102	Hookham, Glenn J.	123
Gorelick, May & Murray	32	Hopper, Dorothy	44
Goolsby, Mary	25	Hovanec, Sandra L.	90
Grassley, David	118	Howard, Harold	107
Greene, Gary L.	45	Howe, Linda	41
Griego, Joyce	5	Hughes, Nannie	33
Grimes, Mary Francis	11	Hurst, Carl W. & Alta B.	71
Groom, Ralph	117		
Groom, Mary-Jo Piggott	117	Iacono, Mary M.	43
Grost, Mable Jo	3	Ihle, Mary Elizabeth	77
Gutekunst, Nancy S.	115	Inman, Patricia	108
Haines, Leila	48	Jacob, Colleen & David	66
Halloran, Ellen	42	Jacoby, Johanna	84
Halpern, Lucille & Bernard	18	Janjigian, Joyce	66
Hammer, Lynne	45	Jedrzejczyk, Dominika	120
Hanawitt, Sylvia	13	Jenkins	54
Harbison, Fay	105	Jernigan, Paula V.	49
Harkins, Sibyl	75	Johnson, Mary	94
Harnar, Marlys	25	Jones, Darryl	119
Harper, Lisa Gail	120	Jones, Eleanor	43
Harris, Roger H. & Tania S.	128	Jones, Gloria	7
Hart, Alice & John	93	Jones, Willie Lee	27
Hartigan, Barbara	99	Jordan, Geneva	73

Kascsak, Al	26	Libby, Lewis & Lorna	80
Kaufman, Stephen J.	124	Lindsay, Patrick	116
Kay, Louanne	42	Long, Eva	68
Kerban, Michelle	5	Lotze, Brigitte	47
Kick, Laura	16	Lovejoy, Everett	79
Kiefer, Lindsey	10	Lovitt, Floyd	81
King, Alice	12	Lu, Louis	80
King, Edward & Anne	95	Lube, Robert	60
Klofkorn, Edith M.	73	Luketich, Mary & Joseph	110
Klunck, Jenen	44	Lyons, Mary	30
Knight, Hazel	68		
Knox, Hyla	74	Macke, Rita	75
Kompoltowicz, Roberta Kay	40	Macquilken, Dennis	109
Koonce, Angela	11	Maddox, Hazel H.	95
Kopinski, Catherine	35	Maerten, Kathleen A.	44
Kos, Lila	24	Magnuson, Guy	31
Kouns, Donaletta Lisenby	97	Mahan, Farrah	5
Kozlowski, Frederick L.	5	Maldonado, Marcelino	119
Krieger, Bernettie V.	120	Marin, Arline	115
Krutul, Josephine	98	Marku, Jack & Fran	103
Krzeminski, Donna & Edmund	98	Marlow, Stephen & Lydia	60
Kubach, Helen	2	Marshall, Alice	78
Kuhlthau	101	Martin, Polly	65
Kull	9	Martinez, Maria	29
Kurz	27	Massa, Darlene	97
		Masse, Setta	111
Labbe, Pamela & Brian	10	Massengale, Jean & Bryce	88
Labelle	72	Masters, Margaret	73
LaForest, Carolyn	111	McAllister, Michael	105
Lancaster, Jeff	83	McCann, Kathleen	32
Langus-Galitzer, Ruth	69	McCarthy, Debora & Michael	71
LaRusso, Kenneth	126	McComb, Hellen & Roger	33
Lavoie	94	McCowan, Carol A.	4
Leahy, Mary Lou	82	McDonald, Pamela & Edgar	55
Leary, Carolyn D.	62	McLaughlin, Catherine H.	18
Legato, Teresa	69	McLaughlin, Jeremy T.	58
Lehman, Charles	72	McMillen, Jean	17
Lehrer, Gerard M.	111	McMillen, Todd	118
Lepski, F. Michael	90	Meadow, Beverly	31
Lester, George	97	Menzo, Joyce & Nick	114
Levesque, Valda	101	Merriott	102
Lezin, Robert	127	Meymaris, Shirley	110

Miele, Mildred	126	Pritchard, George P.	25
Miller, Lorraine	70	Pritchard, Helen	3
Minor, Juanita	35	Prugo, Teresa	70
Miyazaki, Kikuko Zutrau	3	Pullis, Elizabeth	76
Moffitt, Sue	78		
Monson, Verna	94	Ramsay, Margaret	12
Morin, June	34	Ray, Elizabeth	16
Morrisette, Andrew	118	Reichert, Alison	125
Morrone, Jean	36	Retтино, Marjorie A.	23
Morsch	53	Reynolds, Nohemi	96
Movizzo, Kellee	121	Rhodes, Gale & Kathy	52
Mulhall, Frances	101	Richardson, Madeline	123
		Richardson, Virginia T.	75
Nelson, Elizabeth M.	103	Rivera, Elizabeth & Edward	38
Newton, Leigh	68	Robbins, Ronald & Mary Sue	48
Neyhard, Bonny	65	Robert, Margaret	113
		Rodis, Eve	28
O'Neill, Wendy	42	Rodriguez, Celia Vences	88
Odoms, Joyce Carletta	117	Rodriguez, Valerie	28
Oien, Michael A.	6	Rojas, Julia	31
Ontiveros, Trinidad & Domingo	16	Rorick	53
Oquendo, Rita	37	Rose, Diane B.	41
Osher, Simon	112	Rosenblum, Alan & Robin	90
		Ross, Joan & Donald	98
Pacini	50	Roznovsky, Bertha	65
Palek, Paul	14	Ruehl, Shirley	47
Palo, Frank (Estate of)	47	Rupnik, Patricia	21
Patris, Donald	90	Russo, Mildred	122
Payless Drug Stores	8		
Perez, Isolina	19	Safar, Nathalie J.	67
Peselnick, Edith	99	Salisbury, Beverly	95
Peterson, Geraldine & Albert	20	Salivaras, Flora	96
Petrick, Magdalene	128	Salzberg	99
Pignona Estate	53	Sanders, Roben L. J.	74
Pike, Janet	83	Saunders, Evelyn & Glenn	112
Pittman, Loretta	56	Schlienz, Jean and Albert	17
Placencia, Margarita	14	Schnitzer, Jay, Dr., and Rochelle	109
Poritzky	51	Schwartz, Yvonne <i>et al.</i>	34
Postizzi, Mary Jane	107	Seebeck, Anne	18
Potwin, Donna	97	Seely, Mary K.	24
Prescott, Adelaide	73	Seidenberg, Elaine	84
Price, Galen, Jr.	84	Sellers, Marguerite A.	94

Sheloski, Theresa L.	127	Thibeaux-Burgess, Shannon	120
Shetler, Elizabeth Ann	88	Thompson, Mary Jean Carrico	37
Shevlin, Delores	49	Tichenor, Mary L.	85
Siedschlag, Susan	38	Tidwell, Alice M.	59
Siegel, Nick	52	Tingen, Mark L.	24
Siegel, Sharon	52	Toolan	16
Silver, Deborah R.	50	Tracey, Betty I.	46
Simmons, Beverly	62	Trenholm, Donald	129
Simpson, Priscilla & John	46	Tricoli, Nellie	78
Skinner, James	19	Tritto, Tina	100
Skrovan, Elizabeth	27	Tromp, Ruth D.	112
Smith, Euliet	63	Tucker, Elizabeth and Ronald	106
Smithson, Nancy	100	Tuman, Silvia	56
Smock	79	Turek, Virginia C.	125
Snyder, Viola	29	Turoso, Patsy	7
Sokolski, Estelle & Marion	79	Turtora, Ronald	43
Speirs, Esther & Stanley	23		
Spencer, Dorris P.	20	Valentin, Harli	115
Staal, Aloysius and Antoinette	103	Vega, Jasmin	97
Starr, Bernard	23	Verkuil, Beatrice	17
Stein, Doris	89	Vitale, Carmela & Alberto	2
Stein, Evelyn	54	Voelter, David	58
Stephens, Ella Mae	70	Voelter, Martha	58
Stephens, Irene E.	41	Vowell, Constance P.	55
Stephens, Richard L.	37		
Stevie, Robert J.	102	Walker, Mary C.	4
Stickells, Henrietta	114	Walker, Shirley	87
Stillman, Harold	89	Wallace, Dolores	129
Stineman, Celia	26	Washburn	13
Stocker, Eleanor D.	37	Washington, Ebony Dee	39
Stone, Rhoda	126	Washington, Leslie	62
Stuart, Phyllis	96	Watkins, Reginald W.	121
Swett, Estate of	90	Weisinger, Ruby	51
		Wenner, Seymour	7
Tarr, Paula	68	Werner, Bruce and Susan	91
Tears, Edward	86	Wheeler, Thomas	57, 81
Teitelbaum, Betty	69	White, Jean M.	82
Templeton, Sue Ann	63	Whiting	101
Tennihill, Jean Louise	122	Wilf, Michelle	30
Terajima, Michiko	87	Williams, Stacy N.	76
Tesoriero, Eufemia	116	Winningham, Kay & Mike	44
Tessier, Rose	13	Wirell, Gudrun S.	15

Wiswesser, Maria	79
Witzke, Laurie R.	22
Wojcikowski, Karen	89
Wood, Audrey Laine	75
Woodbury, Russell	124
Woodward, Lillian	99
Wolf, Elsie	50
Wolfe, Mary	40
Yarbrough, James	45
Zamirowski, Natalie	124
Zeier, Karl A.	76
Zoss, Syd	112